



OFFICIAL NOTICE AND AGENDA

of a meeting of a City Board, Commission, Department, Committee, Agency, Corporation, Quasi-Municipal Corporation, or sub-unit thereof.

Meeting of the: **JOINT MEETING OF THE FINANCE AND ECONOMIC DEVELOPMENT COMMITTEE**
Date/Time: **Tuesday, July 22, 2025, at 5:15 PM**
Location: **City Hall (407 Grant Street) - Council Chambers**
Finance Members: Michael Martens (C), Gary Gisselman (VC), Becky McElhaney, Chad Henke, Vicki Tierney
ED Members: Carol Lukens (C), Chad Henke (VC), Gary Gisselman, Terry Kilian, Vicki Tierney

FINANCE COMMITTEE AGENDA ITEMS

- 1 Discussion and possible action regarding 2025 Budget modification for Lead Service Line Transfer for 2024 Project.
- 2 Discussion and possible action regarding 2025 General Obligation Promissory Note for Capital Improvements.
- 3 Discussion and possible action regarding 2025 Budget modification for parking lot construction.
- 4 Discussion and possible action regarding authorizing the acceptance of Housing Counseling Capacity Building grant through Wisconsin Housing and Economic Development Authority (WHEDA).
- 5 Discussion and possible action regarding authorizing the continuous acceptance of the Wisconsin Lead Safe Homes Program (LSHP) funds through the State of Wisconsin, Department of Health Services.

JOINT FINANCE COMMITTEE AND ECONOMIC DEVELOPMENT COMMITTEE AGENDA ITEMS

- 1 Discussion and possible action for purchasing property at 201 N 1st Avenue and 901 & 1021 Cherry Street in the City of Wausau.
CLOSED SESSION pursuant to 19.85(1)(e) of the Wisconsin Statutes for deliberating or negotiating the purchasing of public properties, the investing of public funds, or conducting other specified public business, whenever competitive or bargaining reasons require a closed session, in regards to purposes of purchasing property at 201 N 1st Avenue and 901 & 1021 Cherry Street in the City of Wausau.
RECONVENE into Open Session, if necessary, to take action on Closed Session items.

Adjourn

Michael Martens, Chairperson

NOTICE: It is possible that a quorum of members of other committees of the Common Council of the City of Wausau may be in attendance at the above-mentioned meeting. No action will be taken by any such groups.

Members of the public who do not wish to appear in person may view the meeting live over the internet, live by cable TV, Channel 981, and a video is available in its entirety and can be accessed at <https://tinyurl.com/WausauCityCouncil>. Any person wishing to offer public comment who does not appear in person to do so, may e-mail kody.hart2@ci.wausau.wi.us with "Finance Committee Public Comment" in the subject line prior to the meeting start. All public comment, either by email or in person, will be limited to items on the agenda at this time. The messages related to agenda items received prior to the start of the meeting will be provided to the Chair.

This Notice was posted at City Hall and transmitted to the Daily Herald newsroom 07/18/2025 at 4:30 PM.

In accordance with the requirements of Title II of the Americans with Disabilities Act of 1990 (ADA), the City of Wausau will not discriminate against qualified individuals with disabilities on the basis of disability in its services, programs or activities. If you need assistance or reasonable accommodations in participating in this meeting or event due to a disability as defined under the ADA, please call the ADA Coordinator at (715) 261-6590 or ADAServices@ci.wausau.wi.us to discuss your accessibility needs. We ask your request be provided a minimum of 72 hours before the scheduled event or meeting. If a request is made less than 72 hours before the event the City of Wausau will make a good faith effort to accommodate your request.

CITY OF WAUSAU, 407 Grant Street, Wausau, WI 54403

RESOLUTION OF THE FINANCE COMMITTEE

Adopting 2025 Budget Modification for the funding shortfall of the 2024 Lead Service Line Project

Committee Action: Approved

Fiscal Impact: \$150,000

File Number: 24-1109

Date Introduced: August 12, 2025

FISCAL IMPACT SUMMARY

COSTS	Budget Neutral	Yes ☐ No ☒	
	Included in Budget:	Yes ☐ No ☒	Budget Source: General Fund Balance
	One-time Costs:	Yes ☒ No ☐	Amount: \$150,000
	Recurring Costs:	Yes ☐ No ☒	Amount:
SOURCE	Fee Financed:	Yes ☐ No ☒	Amount:
	Grant Financed:	Yes ☐ No ☒	Amount: Funds
	Debt Financed:	Yes ☐ No ☒	Amount Annual Retirement
	TID Financed:	Yes ☐ No ☒	Amount:
	TID Source: Increment Revenue ☐ Debt ☐ Funds on Hand ☐ Interfund Loan ☐		

RESOLUTION

WHEREAS, the city completed the 2024 lead service line project after receiving notification of loan and grant funding from the State of Wisconsin; and

WHEREAS, the City entered into a financial assistance agreement with the State of Wisconsin Safe Drinking Water Program on June 11, 2025, after a long negotiation process with state officials; and

WHEREAS, during negotiations, state officials identified certain costs as ineligible for the Safe Drinking Water Program, resulting in a funding shortfall of approximately \$150,000; and

WHEREAS, your Finance Committee recommends a budget modification to transfer \$150,000 from the general fund to the capital projects fund to cover this one-time shortfall; and

*Fund	*Cost Center	Revenue Category	Spend Category	Debit Amount	Credit Amount
440 Capital Projects Fund - Bond Proceeds	59999 Fund Transfers	49210 Transfer from the General Fund		\$0.00	\$150,000.00
101 General Fund	59999 Fund Transfers		59240 Transfer To Capital Projects Fund	\$150,000.00	\$0.00

NOW THERE BE IT RESOLVED, by the Common Council of the City of Wausau, that the proper City officials are hereby authorized and directed to modify the 2025 Budget.

Approved:

Doug Diny, Mayor



TO: FINANCE COMMITTEE
FROM: MARYANNE GROAT
DATE: July 17, 2025
RE: 2025 Debt Issuance

Ehlers has provided a revised financing plan, which is attached to this memo.

The proposed debt issuance calendar is:

- July 22, 2025, Finance Committee considers and recommends the Financing Plan
- August 12, 2025, Finance and Council consider parameter resolution
- Expected Sale Date: September 3, 2025
- Closing Date: September 18, 2025

The use of a parameter resolution allows the financial advisor flexibility with the sale date to avoid any unexpected market changes. The parameters outline the acceptable conditions of the loan terms.

Parameters:

The Common Council will consider adoption of a Parameters Resolution on August 12, 2025, which delegates authority to the Finance Director or City Clerk to accept and approve a bid for the Notes so long as the bid meets certain parameters. These parameters are:

- * Issue size not to exceed \$14,960,000
- * Maximum Bid of 107.0%
- * Minimum Bid of 98.80%
- * Maximum True Interest Cost (TIC) of 5.0%
- * Maturity Schedule Adjustments for 2026-2031 maturities increases/decreases of not to exceed \$750,000 per maturity and 2032-2035 maturities increases/decreases of not to exceed \$450,000 per maturity

The projects funded by the issue are also disclosed in the financing plan.

Projects	Purpose/Dept.	Plan Issue	Funding	2025
Mall Project	TID 3	2025 G.O. Notes	G.O. Debt	4,170,000
Fulton Street/Second	TID 3	2025 G.O. Notes	G.O. Debt	3,120,000
Public On Street Parking	TID 3	2025 G.O. Notes	G.O. Debt	0
Jefferson Parking Ramp Improvements	TID 3	2025 G.O. Notes	G.O. Debt	0
Washington Street Retaining Wall	TID 8	2025 G.O. Notes	G.O. Debt	450,000
Concrete Street Improvements	TID 8	2025 G.O. Notes	G.O. Debt	350,000
Motor Pool	Levy	2025 G.O. Notes	G.O. Debt	1,600,000
Streets	Levy	2025 G.O. Notes	G.O. Debt	4,600,000
Facilities	Levy	2025 G.O. Notes	G.O. Debt	477,000
Actual CIP Costs				14,767,000

Financing Options

The Financing plan provides two options.

Option 1 plan amortizes the debt consistently with prior years. The 2026 levy will increase \$675,246 to meet this retirement schedule. The increase is due to the \$220,000 annual debt obligation related to the 2024 lead service line project, higher-than-average 2025 street project costs contributing another \$200,000 annually in debt, and the motor pool borrowing adding another \$200,000 annually. This is illustrated in Table 5, on page 12, in the "Levy Change" column.

Option 2 provides for a larger payment in 2026 and then returns to a standard repayment plan in future years. This is illustrated in Table 5, page 18, in the "Levy Change" column. Under this scenario, the debt levy requirement would increase by \$1,195,385 in 2026. This scenario was proposed to mitigate significant tax rate changes that may occur over the next two years due to the closure of TID 6 and the reallocation of the SAFER and ARPA positions to the levy in 2027.

- The TID 6 closure will drop the 2026 budget year levy by about \$1.6 million.
- The 2027 budget levy will increase by \$1.7 million to fund the 12 firefighters, the community outreach specialist, and grant-funded police positions.

Option 2 also reduces the total interest cost by \$155,000.

Both options amortize the debt over 10 years. The portion relating to TID 3 is paid off in 6 years, and TID 8 is paid over 9 years.

Impact on General Obligation Outstanding Debt

Table 6 notes the impact on outstanding general obligation debt before and after the issue. The 2025 debt changes will be as follows:

Balance Outstanding 12/31/2024	\$	69,209,779
Less		
2025 Payments		(9,660,000)
Add New Issues		
Safe Drinking Water Lead Service Line		2,172,756
2025 Issue		14,960,000
Balance 12/31/2025	\$	76,682,535

Future General Obligation Debt Issues

The 2025 budget anticipated two additional debt-funded projects: MBX land acquisition in TID 8 and the demolition of the Water Plant in TID 3. This debt would be taxable and would be presented when costs are known.

August 12, 2025

PRE-SALE REPORT FOR

City of Wausau, Wisconsin

**\$14,960,000 General Obligation Promissory Notes,
Series 2025A**



Prepared by:

Ehlers
N19W24400 Riverwood Drive,
Suite 100
Waukesha, WI 53188

Advisors:

Philip L. Cosson, Senior Municipal Advisor
Brian Roemer, Senior Municipal Advisor
Jon Cameron, Senior Municipal Advisor

BUILDING COMMUNITIES. IT'S WHAT WE DO.

EXECUTIVE SUMMARY OF PROPOSED DEBT

Proposed Issue:

\$14,960,000 General Obligation Promissory Notes, Series 2025A

Purposes:

The proposed issue includes financing for the following purposes:

Finance 2025 Capital Projects, Equipment and Projects for TIDs 3 & 8.

- Various capital projects. Debt service will be paid from ad valorem property taxes.
- Motor pool equipment. Debt service will be paid from ad valorem property taxes.
- TID 3 Projects. Debt service will be paid from ad valorem property taxes and abated with revenues from TID 3.
- TID 8 Projects. Debt service will be paid from ad valorem property taxes and abated with revenues from TID 8.

Authority:

The Notes are being issued pursuant to Wisconsin Statute:

- 67.12(12)

The Notes will be general obligations of the City for which its full faith, credit and taxing powers are pledged.

The Notes count against the City's General Obligation Debt Capacity Limit of 5% of total City Equalized Valuation. Following the issuance of the Notes, the City's total General Obligation debt principal outstanding will be approximately \$77.6 million, which is 35% of its limit. Remaining General Obligation Borrowing Capacity will be approximately \$141.6 million.

Term/Call Feature:

The Notes are being issued for a term of 10 years. Principal on the Notes will be due on April 1 in the years 2026 through 2035. Interest will be due every six months beginning April 1, 2026.

The Notes will be subject to prepayment at the discretion of the City on April 1, 2032, or any date thereafter.

Bank Qualification:

Because the City is issuing, or expects to issue, more than \$10,000,000 in tax-exempt obligations during the calendar year, these Notes will not be designated as “bank qualified” obligations.

Rating:

The City’s most recent bond issues were rated by Moody’s Investors Service. The current rating on those bonds is “Aa3”. The City will request a new rating for the Notes.

If the winning bidder on the Notes elects to purchase bond insurance, the rating for the issue may be higher than the City’s bond rating if the bond rating of the insurer is higher than that of the City.

Basis for Recommendation:

Based on your objectives, financial situation and need, risk tolerance, liquidity needs, experience with the issuance of Notes and long-term financial capacity, as well as the tax status considerations related to the Notes and the structure, timing and other similar matters related to the Notes, we are recommending the issuance of Notes as a suitable option.

Method of Sale/Placement:

We are recommending the Notes be issued as municipal securities and offered through a competitive underwriting process. You will solicit competitive bids, which we will compile on your behalf, for the purchase of the Notes from underwriters and banks.

An allowance for discount bidding will be incorporated in the terms of the issue. The discount is treated as an interest item and provides the underwriter with all or a portion of their compensation in the transaction.

If the Notes are purchased at a price greater than the minimum bid amount (maximum discount), the unused allowance may be used to reduce your borrowing amount.

Premium Pricing:

In some cases, investors in municipal bonds prefer “premium” pricing structures. A premium is achieved when the coupon for any maturity (the interest rate paid by the issuer) exceeds the yield to the investor, resulting in a price paid that is greater than the face value of the

bonds. The sum of the amounts paid in excess of face value is considered “reoffering premium.”

For this issue of the Notes, any premium amount received that is more than the underwriting discount, and any capitalized interest amounts must be placed in the debt service fund and used to pay a portion of the interest payments due on the Notes. We anticipate using any premium amounts received to reduce the issue size.

The premium allowed can be restricted in the bid specifications. Restrictions on premiums may result in fewer bids but may also eliminate large adjustments on the day of sale and unintended results with respect to debt service payment impacts. Ehlers will identify appropriate premium restrictions for the Notes intended to achieve the City’s objectives for this financing.

Parameters:

The Common Council will consider adoption of a Parameters Resolution on August 12, 2025, which delegates authority to the Finance Director or City Clerk to accept and approve a bid for the Notes so long as the bid meets certain parameters. These parameters are:

- * Issue size not to exceed \$14,960,000
- * Maximum Bid of 107.0%
- * Minimum Bid of 98.80%
- * Maximum True Interest Cost (TIC) of 5.0%
- * Maturity Schedule Adjustments for 2026-2031 maturities increases/decreases of not to exceed \$750,000 per maturity and 2032-2035 maturities increases/decreases of not to exceed \$450,000 per maturity

Other Considerations:

The Notes will be offered with the option of the successful bidder utilizing a term bond structure. By offering underwriters the option to “term up” some of the maturities at the time of the sale, it gives them more flexibility in finding a market for your Notes. This makes your issue more marketable, which can result in lower borrowing costs. In the event that the successful bidder utilizes a term bond structure, we recommend the City retain a paying agent to handle responsibility for processing mandatory redemption/call notices associated with term bonds.

Review of Existing Debt:

We have reviewed all outstanding indebtedness for the City and find that there are no refunding opportunities currently.

We will continue to monitor the market and the call dates for the City’s outstanding debt and will alert you to any future refunding opportunities.

Continuing Disclosure:

Because the City has more than \$10,000,000 in outstanding debt subject to a continuing disclosure undertaking (including this issue) and this issue does not meet an available exemption from continuing disclosure, the City will be agreeing to provide certain updated Annual Financial Information and its Audited Financial Statement annually, as well as providing notices of the occurrence of certain reportable events to the Municipal Securities Rulemaking Board (the “MSRB”), as required by rules of the Securities and Exchange Commission (SEC). The City is already obligated to provide such reports for its existing bonds and has contracted with Ehlers to prepare and file the reports.

Arbitrage Monitoring:

The City must ensure compliance with certain sections of the Internal Revenue Code and Treasury Regulations (“Arbitrage Rules”) throughout the life of the issue to maintain the tax-exempt status of the Notes. These Arbitrage Rules apply to amounts held in construction, escrow, reserve, debt service account(s), etc., along with related investment income on each fund/account.

IRS audits will verify compliance with rebate, yield restriction and records retention requirements within the Arbitrage Rules. The City’s specific arbitrage responsibilities will be detailed in the Tax Exemption Certificate (the “Tax Compliance Document”) prepared by your Bond Attorney and provided at closing.

The Notes may qualify for one or more exception(s) to the Arbitrage Rules by meeting 1) small issuer exception, 2) spend down requirements, 3) bona fide debt service fund limits, 4) reasonable reserve requirements, 5) expenditure within an available period limitations, 6) investments yield restrictions, 7) de minimis rules, or; 8) borrower limited requirements.

An Ehlers arbitrage expert will contact the City within 30 days after the sale date to review the City’s specific responsibilities for the Notes. The City is currently receiving arbitrage services from Ehlers in relation to the Notes.

Investment of Note Proceeds:

Ehlers can assist the City in developing a strategy to invest your Note proceeds until the funds are needed to pay project costs.

Risk Factors:

G.O. with Planned Abatement: The issuer is abating a portion of G.O. debt service payments for the issue with tax incremental revenues. In the event these revenues are not available, the City is obligated to levy property taxes in an amount sufficient to make all debt payments.

Other Service Providers:

This debt issuance will require the engagement of other public finance service providers. This section identifies those other service providers, so Ehlers can coordinate their engagement on your behalf. Where you have previously used a particular firm to provide a service, we have

assumed that you will continue that relationship. For services you have not previously requested, we have identified a service provider. Fees charged by these service providers will be paid from proceeds of the obligation, unless you notify us that you wish to pay them from other sources. Our pre-sale bond sizing includes a good faith estimate of these fees, but the final fees may vary. If you have any questions pertaining to the identified service providers or their role, or if you would like to use a different service provider for any of the listed services, please contact us.

Bond Counsel and Disclosure Counsel: Quarles & Brady LLP

Paying Agent: Bond Trust Services Corporation

Rating Agency: Moody's Investors Service, Inc.

PROPOSED DEBT ISSUANCE SCHEDULE

Pre-Sale Review by Common Council:	August 12, 2025
Conference with Rating Agency:	Week of August 18, 2025
Distribute Official Statement:	August 26, 2025
Designated Officials Award Sale of the Notes:	September 3, 2025
Estimated Closing Date:	September 18, 2025

Attachments

Base Case
 Capital Project List
 Estimated Sources and Uses of Funds
 Issue Sizing
 Estimated Proposed Debt Service Schedule
 Tax Impact Analysis
 Bond Buyer Index

EHLERS' CONTACTS

Philip L. Cosson, Senior Municipal Advisor	(262) 796-6161
Brian Roemer, Senior Municipal Advisor	(262) 796-6178
Jon Cameron, Senior Municipal Advisor	(262) 796-6179
Sue Porter, Lead Public Finance Analyst	(262) 796-6167
Kathy Myers, Senior Financial Analyst	(262) 796-6177

Table 1
Existing G.O. Debt Base Case

City of Wausau, WI

Year Ending	Existing Debt											Year Ending
	Total G.O. Debt Payments	Less: TID 3	Less: TID 6	Less: TID 8	Less: TID 10	Less: TID 11	Less: TID 12	Net Tax Levy	Equalized Value (TID OUT)	Tax Rate Per \$1,000	Annual Taxes \$350,000 Home	
2025	11,327,824	(2,128,846)	(1,022,425)	(1,041,368)	(390,210)	(1,214,910)	(856,334)	4,673,731	3,785,126,200	\$1.23	\$432.17	2025
2026	12,066,401	(3,484,563)		(777,893)	(540,971)	(1,222,008)	(1,145,600)	4,895,366	3,930,209,207	\$1.25	\$435.95	2026
2027	9,843,687	(1,832,408)		(775,700)	(580,110)	(1,226,225)	(745,950)	4,683,294	4,080,853,211	\$1.15	\$401.67	2027
2028	9,473,514	(1,837,210)		(768,650)	(574,285)	(1,220,098)	(747,015)	4,326,256	4,237,271,365	\$1.02	\$357.35	2028
2029	8,839,204	(1,536,970)		(756,013)	(567,810)	(1,212,245)	(741,968)	4,024,199	4,399,684,991	\$0.91	\$320.13	2029
2030	7,748,670	(1,423,600)		(505,163)	(531,080)	(1,202,873)	(736,060)	3,349,895	4,568,323,893	\$0.73	\$256.65	2030
2031	6,589,068	(923,650)		(402,088)	(415,750)	(1,197,038)	(689,675)	2,960,868	4,743,426,685	\$0.62	\$218.47	2031
2032	4,818,339	0		(386,250)	(393,750)	(784,755)	(689,405)	2,564,179	4,925,241,126	\$0.52	\$182.22	2032
2033	4,292,776			(342,575)	(380,625)	(786,208)	(689,853)	2,093,516	5,114,024,473	\$0.41	\$143.28	2033
2034	2,393,234			(35,525)	0	(492,568)	(326,755)	1,538,386	5,310,043,841	\$0.29	\$101.40	2034
2035	1,800,713			0		(489,244)	(325,348)	986,121	5,513,576,586	\$0.18	\$62.60	2035
2036	888,527					0	(323,520)	565,007	5,724,910,693	\$0.10	\$34.54	2036
2037	354,880						0	354,880	5,944,345,188	\$0.06	\$20.90	2037
2038	357,302							357,302	6,172,190,556	\$0.06	\$20.26	2038
2039	349,586							349,586	6,408,769,184	\$0.05	\$19.09	2039
2040	65,720							65,720	6,654,415,816	\$0.01	\$3.46	2040
2041	65,703							65,703	6,909,478,026	\$0.01	\$3.33	2041
2042	65,686							65,686	7,174,316,711	\$0.01	\$3.20	2042
2043	65,669							65,669	7,449,306,602	\$0.01	\$3.09	2043
2044	65,651							65,651	7,734,836,791	\$0.01	\$2.97	2044
Total	81,472,152	(13,167,247)	(1,022,425)	(5,791,223)	(4,374,591)	(11,048,168)	(8,017,481)	38,051,017				Total

Notes:

Legend:

Represents +/- 25% Change over previous year

Table 2

Capital Improvement Plan & Funding Uses

City of Wausau, WI

Projects	Purpose/Dept.	Plan Issue	Funding	2025	2026	Totals
Mall Project	TID 3	2025 G.O. Notes	G.O. Debt	4,170,000		4,170,000
Fulton Street/Second	TID 3	2025 G.O. Notes	G.O. Debt	3,120,000		3,120,000
Public On Street Parking	TID 3	2025 G.O. Notes	G.O. Debt	0		0
Jefferson Parking Ramp Improvements	TID 3	2025 G.O. Notes	G.O. Debt	0		0
Washington Street Retaining Wall	TID 8	2025 G.O. Notes	G.O. Debt	450,000		450,000
Concrete Street Improvements	TID 8	2025 G.O. Notes	G.O. Debt	350,000		350,000
Motor Pool	Levy	2025 G.O. Notes	G.O. Debt	1,600,000		1,600,000
Streets	Levy	2025 G.O. Notes	G.O. Debt	4,600,000		4,600,000
Facilities	Levy	2025 G.O. Notes	G.O. Debt	477,000		477,000
						0
						0
Actual CIP Costs				14,767,000	0	14,767,000

Percent Inflation	0%	0%	
Inflated Project Costs	14,767,000	0	14,767,000

Sources of Funding			
G.O. Debt		14,767,000	0
Revenue Debt		0	0
Grants/Aids		0	0
Special Assessment		0	0
User Fees		0	0
Tax Levy		0	0
Equipment Replacement Fund		0	0
Cash		0	0
Total		14,767,000	0

Debt Obligations			
2025 G.O. Notes		14,767,000	0
Enter Dated Date and Debt Type		0	0
Enter Dated Date and Debt Type		0	0
Total		14,767,000	0

Notes:

Table 3 Capital Improvements Financing Plan

City of Wausau, WI

	2025				
	G.O. Notes	TID 3 Portion	TID 8 Portion	Motor Pool Portion	City General Capital Portion
CIP Projects¹					
Mall Project	4,170,000	4,170,000			
Fulton Street/Second	3,120,000	3,120,000			
Washington Street Retaining Wall	450,000		450,000		
Concrete Street Improvements	350,000		350,000		
Motor Pool	1,600,000			1,600,000	
Streets	4,600,000				4,600,000
Facilities	477,000				477,000
Subtotal Project Costs	14,767,000	7,290,000	800,000	1,600,000	5,077,000
CIP Projects¹	14,767,000	7,290,000	800,000	1,600,000	5,077,000
Estimated Issuance Expenses	279,120	137,788	15,113	30,226	95,994
Maximum Underwriter's Discount	12.00 179,520	88,620	9,720	19,440	61,740
Paying Agent	850	420	46	92	292
Subtotal Issuance Expenses	279,120	137,788	15,113	30,226	95,994
TOTAL TO BE FINANCED	15,046,120	7,427,788	815,113	1,630,226	5,172,994
Estimated Interest Earnings	3.50% (86,141)	(42,525)	(4,667)	(9,333)	(29,616)
Assumed spend down (months)	2.00				
Rounding	21	(263)	(446)	(892)	1,622
NET BOND SIZE	14,960,000	7,385,000	810,000	1,620,000	5,145,000

Notes:

1) Project Total Estimates

Table 4
Allocation of Debt Service - 2025 G.O. Notes

City of Wausau, WI

Year Ending	TID 3 Portion				TID 8 Portion			Motor Pool Portion			City General Capital Portion		
	Principal	Est. Rate ¹	Interest	Total	Principal	Interest	Total	Principal	Interest	Total	Principal	Interest	Total
2025													
2026	1,120,000	3.45%	249,190	1,369,190	75,000	29,232	104,232	140,000	59,744	199,744	55,000	198,867	253,867
2027	1,165,000	3.45%	200,416	1,365,416	80,000	25,494	105,494	145,000	52,661	197,661	270,000	186,297	456,297
2028	1,210,000	3.45%	159,447	1,369,447	85,000	22,648	107,648	150,000	47,573	197,573	465,000	173,618	638,618
2029	1,250,000	3.47%	116,887	1,366,887	85,000	19,707	104,707	155,000	42,296	197,296	520,000	156,575	676,575
2030	1,295,000	3.55%	72,213	1,367,213	90,000	16,635	106,635	160,000	36,767	196,767	590,000	137,081	727,081
2031	1,345,000	3.66%	24,614	1,369,614	95,000	13,299	108,299	165,000	30,907	195,907	605,000	115,537	720,537
2032		3.75%		0	95,000	9,779	104,779	170,000	24,700	194,700	620,000	92,840	712,840
2033		3.85%		0	100,000	6,073	106,073	175,000	18,144	193,144	660,000	68,510	728,510
2034		3.95%		0	105,000	2,074	107,074	175,000	11,319	186,319	665,000	42,671	707,671
2035		4.25%		0			0	185,000	3,931	188,931	695,000	14,769	709,769
2036				0			0		0	0		0	0
Total	7,385,000		822,767	8,207,767	810,000	144,938	954,938	1,620,000	328,041	1,948,041	5,145,000	1,186,765	6,331,765

Year Ending	Totals		
	Principal (4/1)	Interest	Total
2026	1,390,000	537,033	1,927,033
2027	1,660,000	464,868	2,124,868
2028	1,910,000	403,286	2,313,286
2029	2,010,000	335,465	2,345,465
2030	2,135,000	262,695	2,397,695
2031	2,210,000	184,356	2,394,356
2032	885,000	127,319	1,012,319
2033	935,000	92,726	1,027,726
2034	945,000	56,064	1,001,064
2035	880,000	18,700	898,700
2036	0	0	0
Total	14,960,000	2,482,510	17,442,510

Notes:

1) Estimated Rate assumes AA- sale of 6/26/25 + .45

Table 5
Financing Plan Tax Impact
City of Wausau, WI

Year Ending	Existing Debt													Proposed Debt							Year Ending		
	Total Debt Payments	G.O. Debt Expense	Less: TID 3	Less: TID 6	Less: TID 8	Less: TID 10	Less: TID 11	Less: TID 12	Net Debt Service Levy	Change From Prior Year Levy	Equalized Value (TID OUT)	Tax Rate Per \$1,000	Annual Taxes \$350,000 Home	2025 G.O. Notes 14,960,000 Dated: 9/18/2025 Total Principal and Interest	Abatements		Debt Service Levy		Taxes				
														Less: TID 3	Less: TID 8	Total Net Debt Service Levy	Levy Change from Prior Year	Total Tax Rate for Debt Service	Annual Taxes \$350,000 Home	Annual Taxes Difference From Existing			
2025	11,327,824	0	(2,128,846)	(1,022,425)	(1,041,368)	(390,210)	(1,214,910)	(856,334)	4,673,731		3,785,126,200	\$1.23	\$432.17	0	0	0	4,673,731		\$1.23	\$432	\$0	2025	
2026	12,066,401	0	(3,484,563)		(777,893)	(540,971)	(1,222,008)	(1,145,600)	4,895,366	221,635	3,930,209,207	\$1.25	\$435.95	1,927,033	(1,369,190)	(104,232)	5,348,978	675,246	\$1.36	\$476	\$40	2026	
2027	9,843,687	0	(1,832,408)		(775,700)	(580,110)	(1,226,225)	(745,950)	4,683,294	(212,072)	4,080,853,211	\$1.15	\$401.67	2,124,868	(1,365,416)	(105,494)	5,337,252	(11,725)	\$1.31	\$458	\$56	2027	
2028	9,473,514	0	(1,837,210)		(768,650)	(574,285)	(1,220,098)	(747,015)	4,326,256	(357,038)	4,237,271,365	\$1.02	\$357.35	2,313,286	(1,369,447)	(107,648)	5,162,447	(174,805)	\$1.22	\$426	\$69	2028	
2029	8,839,204	0	(1,536,970)		(756,013)	(567,810)	(1,212,245)	(741,968)	4,024,199	(302,057)	4,399,684,991	\$0.91	\$320.13	2,345,465	(1,366,887)	(104,707)	4,898,070	(264,377)	\$1.11	\$390	\$70	2029	
2030	7,748,670	0	(1,423,600)		(505,163)	(531,080)	(1,202,873)	(736,060)	3,349,895	(674,305)	4,568,323,893	\$0.73	\$256.65	2,397,695	(1,367,213)	(106,635)	4,273,742	(624,328)	\$0.94	\$327	\$71	2030	
2031	6,589,068	0	(923,650)		0	(402,088)	(415,750)	(1,197,038)	2,960,868	(389,027)	4,743,426,685	\$0.62	\$218.47	2,394,356	(1,369,614)	(108,299)	3,877,311	(396,430)	\$0.82	\$286	\$68	2031	
2032	4,818,339	0	0	0	0	(386,250)	(393,750)	(784,755)	(689,405)	2,564,179	(396,688)	4,925,241,126	\$0.52	\$182.22	1,012,319	0	(104,779)	3,471,719	(405,592)	\$0.70	\$247	\$64	2032
2033	4,292,776	0	0	0	0	(342,575)	(380,625)	(786,208)	(689,853)	2,093,516	(470,663)	5,114,024,473	\$0.41	\$143.28	1,027,726	0	(106,073)	3,015,170	(456,549)	\$0.59	\$206	\$63	2033
2034	2,393,234	0	0	0	0	(35,525)	0	(492,568)	(326,755)	1,538,386	(555,130)	5,310,043,841	\$0.29	\$101.40	1,001,064	0	(107,074)	2,432,376	(582,793)	\$0.46	\$160	\$59	2034
2035	1,800,713	0	0	0	0	0	0	(489,244)	(325,348)	986,121	(552,265)	5,513,576,586	\$0.18	\$62.60	898,700	0	0	1,884,821	(547,555)	\$0.34	\$120	\$57	2035
2036	888,527	0	0	0	0	0	0	0	565,007	(421,114)	5,724,910,693	\$0.10	\$34.54	0	0	0	565,007	(1,319,814)	\$0.10	\$35	\$0	2036	
2037	354,880	0	0	0	0	0	0	0	354,880	(210,128)	5,944,345,188	\$0.06	\$20.90	0	0	0	354,880	(210,128)	\$0.06	\$21	\$0	2037	
2038	357,302	0	0	0	0	0	0	0	357,302	2,422	6,172,190,556	\$0.06	\$20.26	0	0	0	357,302	2,422	\$0.06	\$20	\$0	2038	
2039	349,586	0	0	0	0	0	0	0	349,586	(7,716)	6,408,769,184	\$0.05	\$19.09	0	0	0	349,586	(7,716)	\$0.05	\$19	\$0	2039	
2040	65,720	0	0	0	0	0	0	0	65,720	(283,866)	6,654,415,816	\$0.01	\$3.46	0	0	0	65,720	(283,866)	\$0.01	\$3	\$0	2040	
2041	65,703	0	0	0	0	0	0	0	65,703	(17)	6,909,478,026	\$0.01	\$3.33	0	0	0	65,703	(17)	\$0.01	\$3	\$0	2041	
2042	65,686	0	0	0	0	0	0	0	65,686	(17)	7,174,316,711	\$0.01	\$3.20	0	0	0	65,686	(17)	\$0.01	\$3	\$0	2042	
2043	65,669	0	0	0	0	0	0	0	65,669	(17)	7,449,306,602	\$0.01	\$3.09	0	0	0	65,669	(17)	\$0.01	\$3	\$0	2043	
2044	65,651	0	0	0	0	0	0	0	65,651	(18)	7,734,836,791	\$0.01	\$2.97	0	0	0	65,651	(18)	\$0.01	\$3	\$0	2044	
2045	0	0	0	0	0	0	0	0	0	0	(65,651)	8,031,311,285	\$0.00	\$0.00	0	0	0	0	(65,651)	\$0.00	\$0	\$0	2045
2046	0	0	0	0	0	0	0	0	0	0	0	8,339,149,578	\$0.00	\$0.00	0	0	0	0	0	\$0.00	\$0	\$0	2046
2047	0	0	0	0	0	0	0	0	0	0	8,658,787,241	\$0.00	\$0.00	0	0	0	0	0	0	\$0.00	\$0	\$0	2047
2048	0	0	0	0	0	0	0	0	0	0	8,990,676,542	\$0.00	\$0.00	0	0	0	0	0	0	\$0.00	\$0	\$0	2048
2049	0	0	0	0	0	0	0	0	0	0	9,335,287,082	\$0.00	\$0.00	0	0	0	0	0	0	\$0.00	\$0	\$0	2049
2050	0	0	0	0	0	0	0	0	0	0	9,693,106,464	\$0.00	\$0.00	0	0	0	0	0	0	\$0.00	\$0	\$0	2050
2051	0	0	0	0	0	0	0	0	0	0	10,064,640,979	\$0.00	\$0.00	0	0	0	0	0	0	\$0.00	\$0	\$0	2051
2052	0	0	0	0	0	0	0	0	0	0	10,450,416,326	\$0.00	\$0.00	0	0	0	0	0	0	\$0.00	\$0	\$0	2052
2053	0	0	0	0	0	0	0	0	0	0	10,850,978,353	\$0.00	\$0.00	0	0	0	0	0	0	\$0.00	\$0	\$0	2053
2054	0	0	0	0	0	0	0	0	0	0	11,266,893,829	0	0	0	0	0	0	0	0	0	0	0	2054
Total	81,472,152	0	(13,167,247)	(1,022,425)	(5,791,223)	(4,374,591)	(11,048,168)	(8,017,481)	38,051,017					17,442,510	(8,207,767)	(954,938)					617	Total	

Notes:

Table 1
Existing G.O. Debt Base Case

City of Wausau, WI

Year Ending	Existing Debt											Year Ending
	Total G.O. Debt Payments	Less: TID 3	Less: TID 6	Less: TID 8	Less: TID 10	Less: TID 11	Less: TID 12	Net Tax Levy	Equalized Value (TID OUT)	Tax Rate Per \$1,000	Annual Taxes \$350,000 Home	
2025	11,327,824	(2,128,846)	(1,022,425)	(1,041,368)	(390,210)	(1,214,910)	(856,334)	4,673,731	3,785,126,200	\$1.23	\$432.17	2025
2026	12,066,401	(3,484,563)		(777,893)	(540,971)	(1,222,008)	(1,145,600)	4,895,366	3,930,209,207	\$1.25	\$435.95	2026
2027	9,843,687	(1,832,408)		(775,700)	(580,110)	(1,226,225)	(745,950)	4,683,294	4,080,853,211	\$1.15	\$401.67	2027
2028	9,473,514	(1,837,210)		(768,650)	(574,285)	(1,220,098)	(747,015)	4,326,256	4,237,271,365	\$1.02	\$357.35	2028
2029	8,839,204	(1,536,970)		(756,013)	(567,810)	(1,212,245)	(741,968)	4,024,199	4,399,684,991	\$0.91	\$320.13	2029
2030	7,748,670	(1,423,600)		(505,163)	(531,080)	(1,202,873)	(736,060)	3,349,895	4,568,323,893	\$0.73	\$256.65	2030
2031	6,589,068	(923,650)		(402,088)	(415,750)	(1,197,038)	(689,675)	2,960,868	4,743,426,685	\$0.62	\$218.47	2031
2032	4,818,339	0		(386,250)	(393,750)	(784,755)	(689,405)	2,564,179	4,925,241,126	\$0.52	\$182.22	2032
2033	4,292,776			(342,575)	(380,625)	(786,208)	(689,853)	2,093,516	5,114,024,473	\$0.41	\$143.28	2033
2034	2,393,234			(35,525)	0	(492,568)	(326,755)	1,538,386	5,310,043,841	\$0.29	\$101.40	2034
2035	1,800,713			0		(489,244)	(325,348)	986,121	5,513,576,586	\$0.18	\$62.60	2035
2036	888,527					0	(323,520)	565,007	5,724,910,693	\$0.10	\$34.54	2036
2037	354,880						0	354,880	5,944,345,188	\$0.06	\$20.90	2037
2038	357,302							357,302	6,172,190,556	\$0.06	\$20.26	2038
2039	349,586							349,586	6,408,769,184	\$0.05	\$19.09	2039
2040	65,720							65,720	6,654,415,816	\$0.01	\$3.46	2040
2041	65,703							65,703	6,909,478,026	\$0.01	\$3.33	2041
2042	65,686							65,686	7,174,316,711	\$0.01	\$3.20	2042
2043	65,669							65,669	7,449,306,602	\$0.01	\$3.09	2043
2044	65,651							65,651	7,734,836,791	\$0.01	\$2.97	2044
Total	81,472,152	(13,167,247)	(1,022,425)	(5,791,223)	(4,374,591)	(11,048,168)	(8,017,481)	38,051,017				Total

Notes:

Legend:

Represents +/- 25% Change over previous year

Table 2 Capital Improvement Plan & Funding Uses

City of Wausau, WI

Projects	Purpose/Dept.	Plan Issue	Funding	2025	2026	Totals
Mall Project	TID 3	2025 G.O. Notes	G.O. Debt	4,170,000		4,170,000
Fulton Street/Second	TID 3	2025 G.O. Notes	G.O. Debt	3,120,000		3,120,000
Public On Street Parking	TID 3	2025 G.O. Notes	G.O. Debt	0		0
Jefferson Parking Ramp Improvements	TID 3	2025 G.O. Notes	G.O. Debt	0		0
Washington Street Retaining Wall	TID 8	2025 G.O. Notes	G.O. Debt	450,000		450,000
Concrete Street Improvements	TID 8	2025 G.O. Notes	G.O. Debt	350,000		350,000
Motor Pool	Levy	2025 G.O. Notes	G.O. Debt	1,600,000		1,600,000
Streets	Levy	2025 G.O. Notes	G.O. Debt	4,600,000		4,600,000
Facilities	Levy	2025 G.O. Notes	G.O. Debt	477,000		477,000
						0
						0
Actual CIP Costs				14,767,000	0	14,767,000

Percent Inflation	0%	0%	
Inflated Project Costs	14,767,000	0	14,767,000

Sources of Funding			
G.O. Debt		14,767,000	0
Revenue Debt		0	0
Grants/Aids		0	0
Special Assessment		0	0
User Fees		0	0
Tax Levy		0	0
Equipment Replacement Fund		0	0
Cash		0	0
Total		14,767,000	0

Debt Obligations			
2025 G.O. Notes		14,767,000	0
Enter Dated Date and Debt Type		0	0
Enter Dated Date and Debt Type		0	0
Total		14,767,000	0

Notes:

Table 3 Capital Improvements Financing Plan

City of Wausau, WI

	2025				
	G.O. Notes	TID 3 Portion	TID 8 Portion	Motor Pool Portion	City General Capital Portion
CIP Projects¹					
Mall Project	4,170,000	4,170,000			
Fulton Street/Second	3,120,000	3,120,000			
Washington Street Retaining Wall	450,000		450,000		
Concrete Street Improvements	350,000		350,000		
Motor Pool	1,600,000			1,600,000	
Streets	4,600,000				4,600,000
Facilities	477,000				477,000
Subtotal Project Costs	14,767,000	7,290,000	800,000	1,600,000	5,077,000
CIP Projects¹	14,767,000	7,290,000	800,000	1,600,000	5,077,000
Estimated Issuance Expenses	279,120	137,788	15,113	30,226	95,994
Maximum Underwriter's Discount	12.00 179,520	88,620	9,720	19,440	61,740
Paying Agent	850	420	46	92	292
Subtotal Issuance Expenses	279,120	137,788	15,113	30,226	95,994
TOTAL TO BE FINANCED	15,046,120	7,427,788	815,113	1,630,226	5,172,994
Estimated Interest Earnings	3.50% (86,141)	(42,525)	(4,667)	(9,333)	(29,616)
Assumed spend down (months)	2.00				
Rounding	21	(263)	(446)	(892)	1,622
NET BOND SIZE	14,960,000	7,385,000	810,000	1,620,000	5,145,000

Notes:

1) Project Total Estimates

Table 4
Allocation of Debt Service - 2025 G.O. Notes

City of Wausau, WI

Year Ending	TID 3 Portion				TID 8 Portion			Motor Pool Portion			City General Capital Portion		
	Principal	Est. Rate ¹	Interest	Total	Principal	Interest	Total	Principal	Interest	Total	Principal	Interest	Total
2025													
2026	1,120,000	3.45%	249,190	1,369,190	75,000	29,232	104,232	140,000	59,744	199,744	590,000	187,006	777,006
2027	1,165,000	3.45%	200,416	1,365,416	80,000	25,494	105,494	145,000	52,661	197,661	270,000	165,299	435,299
2028	1,210,000	3.45%	159,447	1,369,447	85,000	22,648	107,648	150,000	47,573	197,573	465,000	152,620	617,620
2029	1,250,000	3.47%	116,887	1,366,887	85,000	19,707	104,707	155,000	42,296	197,296	520,000	135,577	655,577
2030	1,295,000	3.55%	72,213	1,367,213	90,000	16,635	106,635	160,000	36,767	196,767	550,000	116,793	666,793
2031	1,345,000	3.66%	24,614	1,369,614	95,000	13,299	108,299	165,000	30,907	195,907	550,000	96,965	646,965
2032		3.75%	0	0	95,000	9,779	104,779	170,000	24,700	194,700	550,000	76,588	626,588
2033		3.85%	0	0	100,000	6,073	106,073	175,000	18,144	193,144	550,000	55,688	605,688
2034		3.95%	0	0	105,000	2,074	107,074	175,000	11,319	186,319	550,000	34,238	584,238
2035		4.25%	0	0		0	0	185,000	3,931	188,931	550,000	11,688	561,688
2036			0	0		0	0		0	0		0	0
Total	7,385,000		822,767	8,207,767	810,000	144,938	954,938	1,620,000	328,041	1,948,041	5,145,000	1,032,460	6,177,460

Year Ending	Totals		
	Principal (4/1)	Interest	Total
2026	1,925,000	525,172	2,450,172
2027	1,660,000	443,870	2,103,870
2028	1,910,000	382,288	2,292,288
2029	2,010,000	314,467	2,324,467
2030	2,095,000	242,407	2,337,407
2031	2,155,000	165,784	2,320,784
2032	815,000	111,066	926,066
2033	825,000	79,904	904,904
2034	830,000	47,630	877,630
2035	735,000	15,619	750,619
2036	0	0	0
Total	14,960,000	2,328,206	17,288,206

Notes:

1) Estimated Rate assumes AA- sale of 6/26/25 + .45


Table 5
Financing Plan Tax Impact
City of Wausau, WI

Year Ending	Existing Debt													Proposed Debt							Year Ending	
	Total Debt Payments	G.O. Debt Expense	Less: TID 3	Less: TID 6	Less: TID 8	Less: TID 10	Less: TID 11	Less: TID 12	Net Debt Service Levy	Change From Prior Year Levy	Equalized Value (TID OUT)	Tax Rate Per \$1,000	Annual Taxes \$350,000 Home	2025 G.O. Notes 14,960,000 Dated: 9/18/2025	Abatements		Debt Service Levy		Taxes			
														Total Principal and Interest	Less: TID 3	Less: TID 8	Total Net Debt Service Levy	Levy Change from Prior Year	Total Tax Rate for Debt Service	Annual Taxes \$350,000 Home		Annual Taxes Difference From Existing
2025	11,327,824	0	(2,128,846)	(1,022,425)	(1,041,368)	(390,210)	(1,214,910)	(856,334)	4,673,731		3,785,126,200	\$1.23	\$432.17	0	0	0	4,673,731		\$1.23	\$432	\$0	2025
2026	12,066,401	0	(3,484,563)		(777,893)	(540,971)	(1,222,008)	(1,145,600)	4,895,366	221,635	3,930,209,207	\$1.25	\$435.95	2,450,172	(1,369,190)	(104,232)	5,872,117	1,198,385	\$1.49	\$523	\$87	2026
2027	9,843,687	0	(1,832,408)		(775,700)	(580,110)	(1,226,225)	(745,950)	4,683,294	(212,072)	4,080,853,211	\$1.15	\$401.67	2,103,870	(1,365,416)	(105,494)	5,316,254	(555,862)	\$1.30	\$456	\$54	2027
2028	9,473,514	0	(1,837,210)		(768,650)	(574,285)	(1,220,098)	(747,015)	4,326,256	(357,038)	4,237,271,365	\$1.02	\$357.35	2,292,288	(1,369,447)	(107,648)	5,141,449	(174,805)	\$1.21	\$425	\$67	2028
2029	8,839,204	0	(1,536,970)		(756,013)	(567,810)	(1,212,245)	(741,968)	4,024,199	(302,057)	4,399,684,991	\$0.91	\$320.13	2,324,467	(1,366,887)	(104,707)	4,877,072	(264,377)	\$1.11	\$388	\$68	2029
2030	7,748,670	0	(1,423,600)		(505,163)	(531,080)	(1,202,873)	(736,060)	3,349,895	(674,305)	4,568,323,893	\$0.73	\$256.65	2,337,407	(1,367,213)	(106,635)	4,213,454	(663,618)	\$0.92	\$323	\$66	2030
2031	6,589,068	0	(923,650)		0	(402,088)	(415,750)	(1,197,038)	2,960,868	(389,027)	4,743,426,685	\$0.62	\$218.47	2,320,784	(1,369,614)	(108,299)	3,803,740	(409,714)	\$0.80	\$281	\$62	2031
2032	4,818,339	0	0		0	(386,250)	(393,750)	(784,755)	2,564,179	(396,688)	4,925,241,126	\$0.52	\$182.22	926,066	0	(104,779)	3,385,467	(418,273)	\$0.69	\$241	\$58	2032
2033	4,292,776	0	0		0	(342,575)	(380,625)	(786,208)	2,093,516	(470,663)	5,114,024,473	\$0.41	\$143.28	904,904	0	(106,073)	2,892,347	(493,119)	\$0.57	\$198	\$55	2033
2034	2,393,234	0	0		0	(35,525)	0	(492,568)	1,538,386	(555,130)	5,310,043,841	\$0.29	\$101.40	877,630	0	(107,074)	2,308,943	(583,405)	\$0.43	\$152	\$51	2034
2035	1,800,713	0	0		0	0	0	(489,244)	986,121	(552,265)	5,513,576,586	\$0.18	\$62.60	750,619	0	0	1,736,740	(572,203)	\$0.31	\$110	\$48	2035
2036	888,527	0	0		0	0	0	(323,520)	565,007	(421,114)	5,724,910,693	\$0.10	\$34.54	0	0	0	565,007	(1,171,733)	\$0.10	\$35	\$0	2036
2037	354,880	0	0		0	0	0	0	354,880	(210,128)	5,944,345,188	\$0.06	\$20.90	0	0	0	354,880	(210,128)	\$0.06	\$21	\$0	2037
2038	357,302	0	0		0	0	0	0	357,302	2,422	6,172,190,556	\$0.06	\$20.26	0	0	0	357,302	2,422	\$0.06	\$20	\$0	2038
2039	349,586	0	0		0	0	0	0	349,586	(7,716)	6,408,769,184	\$0.05	\$19.09	0	0	0	349,586	(7,716)	\$0.05	\$19	\$0	2039
2040	65,720	0	0		0	0	0	0	65,720	(283,866)	6,654,415,816	\$0.01	\$3.46	0	0	0	65,720	(283,866)	\$0.01	\$3	\$0	2040
2041	65,703	0	0		0	0	0	0	65,703	(17)	6,909,478,026	\$0.01	\$3.33	0	0	0	65,703	(17)	\$0.01	\$3	\$0	2041
2042	65,686	0	0		0	0	0	0	65,686	(17)	7,174,316,711	\$0.01	\$3.20	0	0	0	65,686	(17)	\$0.01	\$3	\$0	2042
2043	65,669	0	0		0	0	0	0	65,669	(17)	7,449,306,602	\$0.01	\$3.09	0	0	0	65,669	(17)	\$0.01	\$3	\$0	2043
2044	65,651	0	0		0	0	0	0	65,651	(18)	7,734,836,791	\$0.01	\$2.97	0	0	0	65,651	(18)	\$0.01	\$3	\$0	2044
2045	0	0	0		0	0	0	0	0	(65,651)	8,031,311,285	\$0.00	\$0.00	0	0	0	0	(65,651)	\$0.00	\$0	\$0	2045
2046	0	0	0		0	0	0	0	0	0	8,339,149,578	\$0.00	\$0.00	0	0	0	0	0	\$0.00	\$0	\$0	2046
2047	0	0	0		0	0	0	0	0	0	8,658,787,241	\$0.00	\$0.00	0	0	0	0	0	\$0.00	\$0	\$0	2047
2048	0	0	0		0	0	0	0	0	0	8,990,676,542	\$0.00	\$0.00	0	0	0	0	0	\$0.00	\$0	\$0	2048
2049	0	0	0		0	0	0	0	0	0	9,335,287,082	\$0.00	\$0.00	0	0	0	0	0	\$0.00	\$0	\$0	2049
2050	0	0	0		0	0	0	0	0	0	9,693,106,464	\$0.00	\$0.00	0	0	0	0	0	\$0.00	\$0	\$0	2050
2051	0	0	0		0	0	0	0	0	0	10,064,640,979	\$0.00	\$0.00	0	0	0	0	0	\$0.00	\$0	\$0	2051
2052	0	0	0		0	0	0	0	0	0	10,450,416,326	\$0.00	\$0.00	0	0	0	0	0	\$0.00	\$0	\$0	2052
2053	0	0	0		0	0	0	0	0	0	10,850,978,353	\$0.00	\$0.00	0	0	0	0	0	\$0.00	\$0	\$0	2053
2054	0	0	0		0	0	0	0	0	0	11,266,893,829	0	0	0	0	0	0	0	0	0	0	2054
Total	81,472,152	0	(13,167,247)	(1,022,425)	(5,791,223)	(4,374,591)	(11,048,168)	(8,017,481)	38,051,017					17,288,206	(8,207,767)	(954,938)					616	Total

Notes:

1 YEAR TREND IN MUNICIPAL BOND INDICES

Weekly Rates July, 2024 - July, 2025



The Bond Buyer "20 Bond Index" (BBI) shows average yields on a group of municipal bonds that mature in 20 years and have an average rating equivalent to Moody's Aa2 and S&P's AA.

Source: The Bond Buyer





MEMO

TO: Finance Committee

FROM: Andrew Lynch, Economic Development Manager

DATE: July 17, 2025

RE: Budget Amendment for Parking lot construction

In accordance with the development agreement between the City and the Woodchucks organization, the City is obligated to complete specific improvements to the facilities at Athletic Park. City staff have been actively working on these upgrades since the original agreement was established in 2020, followed by the First Amendment in 2022. A key element of this agreement includes the expansion and enhancement of parking to better accommodate visitors to Athletic Park. To stay on schedule with these upgrades there are two lots to be constructed in 2025.

Boileau Field Lot – This is currently a gravel lot that would be paved and improved to hold 30 spaces. Winter use and maintenance is not expected. Construction estimate is \$138,621.

508 E. Wausau Ave – After a house fire, the owner worked with staff to donate the parcel with the condition that it be used for an ADA parking lot. A Conditional Use Permit was issued by the Plan Commission to allow for that use. This will accommodate seven parking spots and potentially free up the current ADA parking for other uses. Winter use and maintenance is not expected. Construction estimate is \$91,033.

Included is a map that shows the location of the Boileau and '508' parking lots. Also shown is a large parking lot that will be included in the 2026 budget process.

Staff is seeking approval of the Budget Amendments.

If you have any questions prior to the meeting, please feel free to contact me at 715-261-6686 or email me at andrew.lynch@wausauwi.gov.

Thank you.



CITY OF WAUSAU, 407 Grant Street, Wausau, WI 54403

RESOLUTION OF THE FINANCE COMMITTEE

Adopting the 2025 Budget Modification for the Athletic Parking Construction

Committee Action: Approved

Fiscal Impact: \$229,654

File Number: 24-1109

Date Introduced: August 12, 2025

FISCAL IMPACT SUMMARY

COSTS	<i>Budget Neutral</i>	Yes ☐ No ☒	
	<i>Included in Budget:</i>	Yes ☐ No ☒	<i>Budget Source: Tax Increment District Three</i>
	<i>One-time Costs:</i>	Yes ☒ No ☐	<i>Amount: \$229,654</i>
	<i>Recurring Costs:</i>	Yes ☐ No ☒	<i>Amount:</i>
SOURCE	<i>Fee Financed:</i>	Yes ☐ No ☒	<i>Amount:</i>
	<i>Grant Financed:</i>	Yes ☐ No ☒	<i>Amount:</i>
	<i>Debt Financed:</i>	Yes ☐ No ☒	<i>Amount</i> <i>Annual Retirement</i>
	<i>TID Financed:</i>	Yes ☒ No ☐	<i>Amount: \$229,654</i>
	<i>TID Source: Increment Revenue ☒ Debt ☐ Funds on Hand ☐ Interfund Loan ☐</i>		

RESOLUTION

WHEREAS, the city executed a development agreement with the Woodchucks organization that committed the city to expand and enhance visitor parking; and

WHEREAS, the parking expansion has been identified as the Boileau Field Lot and 508 E Wausau Avenue for; and

WHEREAS, Athletic Park parking improvements were identified as costs of Tax Increment District Three; and

WHEREAS, development staff recommended constructing parking this fall to ensure timely compliance with the agreement; and

WHEREAS, your Finance Committee recommends a budget modification for Tax Increment District Three reserves to cover the parking costs; and

*Fund	*Cost Center	Spend Category	Project	Debit Amount
403 Tax Increment District Three	53453 Parking Facilities Capital Projects	58244 Parking Lot Improvements	Athletic Park Parking	\$229,654.00

NOW THERE BE IT RESOLVED, by the Common Council of the City of Wausau, that the proper City officials are hereby authorized and directed to modify the 2025 Budget.

Approved:

Doug Diny, Mayor



N RIVER DR

Large Lot

WINTON ST

DEVOE ST

E UNION AV

N 2ND ST

N 3RD ST

N 5TH ST

N 5TH

N 6TH ST

GOWEN ST

MOBILE AV

PARK AV

Players

A
D
A

Construction Cost Estimate
2025 Woodchucks ADA Parking Lot
508 E. Wausau Ave
City of Wausau

	WisDOT Spec					
	Section No.	Item	Unit	Unit Cost	Quantity	Costs
1	204.0150	Removing Curb & Gutter	Ln Ft	\$3.00	56	\$168.00
2	204.0155.S	Removing Concrete Sidewalk	Sq Yd	\$4.00	54	\$216.00
3	205.0100	Excavation Common	Cu Yd	\$14.50	250	\$3,625.00
4	209.0100.S	Granular Backfill	Cu Yd	\$20.00	100	\$2,000.00
5	305.0125.S	Base Aggregate Dense 1 1/4"	Cu Yd	\$28.00	111	\$3,108.00
6	455.0605	Tack Coat	Gal	\$5.00	16	\$80.00
7	460.6224.S	HMA Pavement 4 MT 58-28 S	Ton	\$86.00	40	\$3,440.00
8	460.6225.S	HMA Pavement 5 MT 58-28 S	Ton	\$86.00	28	\$2,408.00
9	601.0409	Concrete Curb & Gutter 30" Type A	Ln Ft	\$25.00	56	\$1,400.00
10	602.0405.S	Concrete Sidewalk 4"	Sq Ft	\$6.00	203	\$1,218.00
11	602.0415.S	Concrete Sidewalk 6"	Sq Ft	\$7.00	903	\$6,321.00
12	619.1000.S	Mobilization	LS	\$20,000.00	1	\$20,000.00
13	624.0100	Water	Mgal	\$35.00	5	\$175.00
14	624.0200.S	Water For Seeded Areas	Mgal	\$60.00	5	\$300.00
15	625.0600.S	Topsoil, Seed, Fertilizer and Mulch	Sq Yd	\$8.00	392	\$3,136.00
16	628.7560	Tracking Pad	Ea	\$500.00	1	\$500.00
17	643.0100.S	Temporary Traffic Control	LS	\$5,000.00	1	\$5,000.00
18	646.5220	Marking Symbol Epoxy	Ea	\$200.00	7	\$1,400.00
19	646.7020	Marking Diagonal Epoxy 6-inch	Ln Ft	\$9.00	187	\$1,683.00
20	646.8320	Marking Parking Stall Epoxy 4-inch	Ln Ft	\$8.00	206	\$1,648.00
21		Landscaping	LS	\$5,000.00	1	\$5,000.00
22		Lighting	LS	\$10,000.00	1	\$10,000.00

Estimated Construction Cost	\$72,826
25% Contingencies	\$18,207
Total Estimated Construction Cost	\$91,033

Construction Cost Estimate
2025 Woodchucks Players Parking Lot - Option 1
2408 N. 5th Street
City of Wausau

	WisDOT Spec					
	Section No.	Item	Unit	Unit Cost	Quantity	Costs
1	204.0150	Removing Curb & Gutter	Ln Ft	\$3.00	15	\$45.00
2	204.0155.S	Removing Concrete Sidewalk	Sq Yd	\$4.00	14	\$56.00
3	205.0100	Excavation Common	Cu Yd	\$15.00	470	\$7,050.00
4	209.0100.S	Granular Backfill	Cu Yd	\$20.00	50	\$1,000.00
5	305.0125.S	Base Aggregate Dense 1 1/4"	Cu Yd	\$30.00	225	\$6,750.00
6	455.0605	Tack Coat	Gal	\$5.00	40	\$200.00
7	460.6224.S	HMA Pavement 4 MT 58-28 S	Ton	\$90.00	101	\$9,090.00
8	460.6225.S	HMA Pavement 5 MT 58-28 S	Ton	\$90.00	72	\$6,480.00
9	520.8000	Concrete Collars for Pipe	Ea	\$720.00	2	\$1,440.00
10	530.0112	Culvert Pipe Corrugated Polyethylene 12-Inch	Ln ft	\$50.00	149	\$7,450.00
11	601.0407	Concrete Curb & Gutter 18" Type D	Ln Ft	\$25.00	446	\$11,150.00
12	601.0408.S	Concrete Curb & Gutter 24" Type D	Ln Ft	\$25.00	15	\$375.00
13	602.0415.S	Concrete Sidewalk 6"	Sq Ft	\$7.00	122	\$854.00
	608.0412	Storm Sewer Pipe Reinforced Concrete Class IV 12"	Ln Ft	\$80.00	8	\$640.00
14	611.0624	Inlet Covers Type H	Ea	\$1,300.00	2	\$2,600.00
15	611.0535.S	Manhole Covers Type J-Special (Storm & Sanitary)	Ea	\$1,200.00	1	\$1,200.00
16	611.2004	Manholes 4-Ft Diameter	Ea	\$2,700.00	1	\$2,700.00
17	619.1000.S	Mobilization	LS	\$10,000.00	1	\$10,000.00
18	624.0100	Water	Mgal	\$35.00	5	\$175.00
19	624.0200.S	Water For Seeded Areas	Mgal	\$60.00	5	\$300.00
20	625.0600.S	Topsoil, Seed, Fertilizer and Mulch	Sq Yd	\$8.00	420	\$3,360.00
21	628.7560	Tracking Pad	Ea	\$500.00	1	\$500.00
22	643.0100.S	Temporary Traffic Control	LS	\$2,500.00	1	\$2,500.00
23	646.5220	Marking Symbol Epoxy	Ea	\$200.00	1	\$200.00
24	646.7020	Marking Diagonal Epoxy 6-inch	Ln Ft	\$9.00	59	\$531.00
25	646.8320	Marking Parking Stall Epoxy 4-inch	Ln Ft	\$8.00	519	\$4,152.00
26	690.0150	Sawing Asphalt	Ln Ft	\$3.00	33	\$99.00
27		Lighting	LS	\$25,000.00	1	\$25,000.00
28		Landscaping	LS	\$ 5,000.00	1	\$5,000.00

Estimated Construction Cost	\$110,897
25% Contingencies	\$27,724
Total Estimated Construction Cost	\$138,621

Construction Cost Estimate
2026 Riverfront Parking Lot
2001 N. River Drive
City of Wausau

	WisDOT Spec					
	Section No.	Item	Unit	Unit Cost	Quantity	Costs
1	204.0155.S	Removing Concrete Sidewalk	Sq Yd	\$4.00	9	\$36.00
2	205.0100	Excavation Common	Cu Yd	\$20.00	1415	\$28,300.00
3	205.0600.S	Contaminated Soils Excavation	Cu Yd	\$15.00	1915	\$28,725.00
4	205.1500.S	Excavation Below Subgrade	CU Yd	\$12.50	300	\$3,750.00
5	209.0100.S	Granular Backfill	Cu Yd	\$20.00	100	\$2,000.00
6	305.0125.S	Base Aggregate Dense 1 1/4"	Cu Yd	\$30.00	1005	\$30,150.00
7	311.0200.S	Breaker Run with Fines	Cu Yd	\$35.00	300	\$10,500.00
8	455.0605	Tack Coat	Gal	\$5.00	165	\$825.00
9	460.6224.S	HMA Pavement 4 MT 58-28 S	Ton	\$115.00	475	\$54,625.00
10	460.6225.S	HMA Pavement 5 MT 58-28 S	Ton	\$125.00	350	\$43,750.00
11	530.0112	Culvert Pipe Corrugated Polyethylene 12-Inch	Ln ft	\$50.00	406	\$20,300.00
12	530.0115	Culvert Pipe Corrugated Polyethylene 15-Inch	Ln ft	\$60.00	8	\$480.00
13	530.0118	Culvert Pipe Corrugated Polyethylene 18-Inch	Ln ft	\$70.00	49	\$3,430.00
14	601.0407	Concrete Curb & Gutter 18" Type D	Ln Ft	\$25.00	1111	\$27,775.00
15	601.0411	Concrete Curb & Gutter 30" Type D	Ln Ft	\$25.00	163	\$4,075.00
16	602.0415.S	Concrete Sidewalk 6"	Sq Ft	\$7.00	3900	\$27,300.00
17	602.0515	Curb Ramp Detectable Warning Field Natural Patina	Sq Ft	\$38.20	40	\$1,528.00
18	611.0624	Inlet Covers Type H	Ea	\$1,300.00	5	\$6,500.00
19	611.0535.S	Manhole Covers Type J-Special (Storm & Sanitary)	Ea	\$1,200.00	2	\$2,400.00
20	611.1230	Catch Basin 2x3-Ft	Ea	\$2,065.00	4	\$8,260.00
21	611.2004	Manholes 4-Ft Diameter	Ea	\$2,700.00	1	\$2,700.00
22	612.1001.S	Underground Storage Detention	LS	\$60,000.00	1	\$60,000.00
23	619.1000.S	Mobilization	LS	\$20,000.00	1	\$20,000.00
24	624.0100	Water	Mgal	\$35.00	20	\$700.00
25	624.0200.S	Water For Seeded Areas	Mgal	\$60.00	20	\$1,200.00
26	625.0600.S	Topsoil, Seed, Fertilizer and Mulch	Sq Yd	\$8.00	1322	\$10,576.00
27	628.7005	Inlet Protection Type A	Ea	\$130.00	4	\$520.00
28	628.7015	Inlet Protection Type C	Ea	\$50.00	6	\$300.00
29	628.7560	Tracking Pad	Ea	\$500.00	1	\$500.00
30	643.0100.S	Temporary Traffic Control	LS	\$2,500.00	1	\$2,500.00
31	646.5220	Marking Symbol Epoxy	Ea	\$200.00	4	\$800.00
32	646.7020	Marking Diagonal Epoxy 6-inch	Ln Ft	\$9.00	101	\$909.00
33	646.7520	Marking Crosswalk Epoxy Block Style 24"	Ln Ft	\$20.00	56	\$1,120.00
34	646.8320	Marking Parking Stall Epoxy 4-inch	Ln Ft	\$8.00	2263	\$18,104.00
35	652.0215	Conduit Nonmetallic Schedule 40 1 1/4"	Ln Ft	\$8.00	500	\$4,000.00
36	653.1000.S	Pull Box Corrugated Polyethylene 18x24"	Ea	\$900.00	1	\$900.00
37	654.0300.S	Light Pole Bases	Ea	\$1,500.00	4	\$6,000.00
38		Lights & Wire (Installed by Electrical Dept.)	Ea	\$12,000.00	4	\$48,000.00
39	690.0150	Sawing Asphalt	Ln Ft	\$3.00	209	\$627.00
40		Professional Services - Stormwater	LS	\$15,000.00	1	\$15,000.00

Estimated Construction Cost	\$499,165
25% Contingencies	\$124,791
Total Estimated Construction Cost	\$623,956



Planning, Community and Economic Development

MEMO

TO: Finance Committee members

FROM: Tammy Stratz, Community Development Manager

DATE: July 14, 2025

RE: Wisconsin Housing and Economic Development Authority
Housing Counseling Capacity Building Grant

The City of Wausau became a HUD approved Housing Counseling agency in 2020 and has adopted the National Industry Standards which allows borrowers to utilize our services for several different loan products and downpayment assistance programs. We are also the only HUD approved Housing Counseling agency within a 100-mile radius and have been requested services from Stevens Point, Merrill, Mosinee, the greater Wausau area, even as far as Ashland. The good news is we can charge for our services. The bad news is the time it takes to prepare for a counseling session has taken time away from other department duties. We have internally discussed the ramifications of discontinuing our services but have not found a good solution.

Wisconsin Housing and Economic Development Authority reached out to us as we are a HUD approved housing agency. They have a new grant opportunity that they believe could assist with our dilemma. The grant is for Housing Counseling capacity building for already approved HUD approved agencies. This two-year grant will allow for training and certification for additional counselors as well as expand the type of services we can offer. Rather than trying to hire additional staff, we have reached out to other organizations who might be willing to offer their personnel to get the required training and then fall under the City's HUD approved agency umbrella. The grant will pay for this training and the reporting expenses. The reply was amazing. Judicare offers foreclosure counseling but is not HUD approved; they could partner with us. A couple of lenders were interested in partnering with us, the Hmong American Center was interested so we could outreach to our Hmong and Laotian residents, United Way is interested. We have reached out to HOLA and other non-profits to see how/if they can participate. Also, once we are fully staffed with our Administration position filled, we could get that person certified so we can increase our ability to better serve our clients. This is an exciting opportunity. Once we are at better capacity, we (the city) can apply for federal housing counseling funding to make these abilities more sustainable.

Attached is the application we submitted. We are hoping to hear a decision from WHEDA within the next month or so as their fiscal year will end 9/30/25 with the new grant cycle starting 9/1/25.

Thank you for your consideration. If you have any questions or concerns prior to the committee meeting, please feel free to contact me at 715-261-6682 or tammy.stratz@ausauwi.gov

REQUEST FOR QUALIFICATIONS (RFQ) SUBMISSION

Agency Name: City of Wausau Development Department

5.2: ORGANIZATIONAL CAPABILITIES

A. Brief Description of Wausau's Agency

- **Mission and History**

The mission of the City of Wausau Development Department is to enhance community vitality through housing, economic development, and neighborhood initiatives. Since its inception, the department has focused on creating safe, affordable, and sustainable housing opportunities while fostering inclusive economic growth across the city. Over time, this work has expanded to include direct service delivery to meet emerging community needs.

Recognizing that access to quality and stable housing involves more than just physical structures or financial assistance, the City has long supported education and individualized guidance as essential components of successful homeownership. When a local nonprofit housing provider discontinued counseling services following the retirement of their only counselor—effectively ending local housing counseling services—it left a critical gap for community members, particularly those preparing to become homeowners.

In response, the City of Wausau became a HUD-Certified Housing Counseling Agency, ensuring that residents would continue to have access to the guidance needed to navigate the complexities of homeownership. The addition of housing counseling services represents a mission-aligned expansion of the City's efforts to remove barriers to housing stability and promote successful homeownership—an enhancement that proved especially vital for participants in the City's Down Payment Assistance Program, which requires both education and counseling. By offering these services directly, the City ensures residents can access HUD-compliant housing counseling locally and at no cost.

This initiative reinforces Wausau's commitment to removing barriers, promoting equitable access to housing, and supporting residents at every step of their housing journey.

- **Organizational Composition**

The City of Wausau's Development Department oversees a broad portfolio of housing, community development, and economic initiatives. The department is staffed with a multidisciplinary team that includes a Director, Economic Development Manager, two Planners, Community Development Manager and a Community Development Specialist who also serves as the city's only HUD-Certified Housing Counselor.

The team brings a diverse range of expertise, including HUD-certified housing counseling, licensed lead risk assessment, federal grant administration, strategic planning, and community engagement. This structure allows the department to implement comprehensive housing programs and provide high-quality counseling and support services to residents.

Housing counseling services are fully integrated into the Development Department's operations, ensuring coordinated service delivery and access to complementary resources such as public funding programs, home rehabilitation initiatives, and economic development

opportunities. Despite limited counseling staff, the department effectively reaches and serves households across the region, with a strong focus on low-to-moderate income individuals, first-time homebuyers, and underrepresented populations.

- **Current Programs and Services**

- o Pre-purchase housing counseling
- o Post-purchase education and counseling
- o Financial literacy and budget coaching
- o Homebuyer education workshops
- o Lead hazard reduction program support

- **Population Served**

Our agency is committed to supporting low-to-moderate income households, underrepresented populations, and first-time homebuyers as they pursue and sustain long-term homeownership. Despite being staffed with only one HUD-Certified Housing Counselor, we continue to meet the needs of individuals and families facing systemic housing barriers. Our clients come from diverse backgrounds, and we remain focused on helping those most in need of guidance and access to safe, stable housing.

See attached validated HUD Forms 9902 for past clientele.

B. Service Area Summary

The City of Wausau Development Department is the only HUD-Certified Housing Counseling Agency within nearly a 100-mile radius of Wausau, serving a region where the northern and eastern areas of the state have few to no available services. This positions us to serve a uniquely broad and underserved service footprint. While our primary service area includes the City of Wausau and Marathon County, our reach regularly extends across central and northern and eastern Wisconsin. Services are provided both virtually and in-person from our downtown Wausau office, and we also partner with community centers, libraries, and nonprofit organizations to host offsite workshops and events, ensuring accessibility to residents in surrounding communities.

See attached map of greater Wausau area and Marathon County.

C. Engagement

The department actively collaborates with local non-profits, financial institutions, and community groups to reach low-to-moderate income and underrepresented populations. We've seen strong participation in our program and consistent referrals from regional service providers.

The City of Wausau offers a Down Payment Assistance Loan Program, providing up to \$10,000 toward down payment and/or closing costs for income-qualified households. As a condition of this program, participants are required to complete Homebuyer Education and Housing Counseling provided by a HUD-Certified Housing Counselor.

In addition to supporting the City's Down Payment Assistance Program, our Housing Counselor also provides services for eligible participants of the Downpayment Plus Program and other mortgage loan products that require housing education and/or counseling all of which serve households within specific income limits.

D. Marketing and Outreach Plan

While the Community Development Department does not currently operate under a formalized marketing and outreach plan, it remains actively engaged in ongoing efforts to increase visibility and accessibility of its housing counseling services, particularly for underserved and financially vulnerable populations. Current outreach strategies include:

- **Community Partnerships:** Collaborating with local nonprofit organizations such as Habitat for Humanity, the Hmong American Center, Healthy Opportunities for Latin Americans (HOLA), and the Wausau Housing Authority to connect with low- to moderate-income households in need of support.
- **State and National Visibility:** Maintaining an active listing in the HUD Housing Counseling Agency Directory and participating in the National Industry Standards for Homeownership Education and Counseling, which ensures our agency's inclusion in nationwide referral databases.
- **Online Access:** Posting up-to-date program information and resources on the City of Wausau's official departmental webpages to reach a broader audience.
- **Industry Engagement:** Conducting direct outreach to area lenders, real estate professionals, and financial institutions to increase awareness, foster relationships, and generate referrals for eligible clients.
- **Language Access & Cultural Competency:** Actively working to expand services to households with limited English proficiency by identifying partners who can become HUD-Certified under our umbrella. While translator assistance is helpful, we recognize the added value of having housing professionals fluent in both language and industry-specific terminology to deliver more impactful, culturally competent education.
- **Staff Capacity & Responsiveness:** With limited staffing, responding to last-minute referrals—often made just days before closing—remains a significant challenge. Increasing staff capacity would allow for greater flexibility, improved service delivery, and more time to provide meaningful education, rather than simply fulfilling a requirement for loan closing. We continue to educate industry partners on the importance of early referrals to better support homebuyer success.
- **Populations Reached**
 - o First-time homebuyers
 - o Down payment assistance recipients
 - o Immigrant and refugee communities
 - o Persons with disabilities
 - o Families earning below 80% of the area median income

E. HUD 9902 Report History

- **Attached:** HUD 9902 End-of-Year Reports for the past two years

F. Financial Statements

- Due to the size of the most recently completed financial statements, please refer to the following link: [City of Wausau Annual Financial Reports](#).
 - The City's 2024 financial audit is currently in progress.
-

5.3: STAFFING INFORMATION

A. Program Staff

- **Shannon Graff**, *HUD-Certified Housing Counselor* – Specializes in financial analysis, homebuyer education workshops, and credit coaching.
- **Tammy Stratz**, *Housing Program Manager* – Focused on outreach, education workshops, and program compliance.

B. Program Contact

- Shannon Graff | Community Development Specialist
Email: shannon.graff@wausauwi.gov | **Phone:** 715-261-6679

❖ *Resumes for each listed staff member are included with this submission.*

5.4: REQUESTED AWARD AND USE PLAN

A. Total Award Requested (Two-Year Cycle): \$350,000.

B. Detailed Budget Plan (see following chart for specifics in each area)

Year 1 Use Plan:

- o \$113,000 – Salary support for additional housing counselor(s) including bilingual.
- o \$8,500 – Technology upgrades (client management software and digital tools)
- o \$26,500 – Community outreach and translation services
- o \$41,540 – Post-purchase and programming

Year 2 Use Plan:

- o \$132,200 – Continued staffing
 - o \$14,500 – Program evaluation and client impact studies
 - o \$7,700 – Expanded digital access tools
 - o \$50,000 – Additional group education sessions and materials
-

YEAR 1	AMOUNT
In partnership with at least two nonprofit agencies, support for housing counseling training and certification for one staff member or new hire at each agency to provide services in Hmong and Spanish. The budget includes training, travel, and salary/fringe costs during the training and certification process.	\$ 36,500
Salary and fringe benefits for two housing counselors who will be responsible for developing, implementing, and delivering the housing counseling program. Each counselor is anticipated to work approximately 20 hours per week during, equating to an estimated 2,080 hours annually (20 hours/week x 52 weeks x 2 counselors x \$25/hour).	\$ 52,000
Salary for the existing housing counselor to provide training, onboarding, and ongoing oversight of two new counselors. This includes approximately 10 hours per week dedicated to mentorship, monitoring, and quality assurance, totaling 520 hours annually (10 hours/week x 52 weeks x \$50/hour).	\$ 36,000
TOTAL	\$113,000

TECHNOLOGY UPGRADES & ADMINISTRATION	AMOUNT
Additional annual licenses for MPact (HUD reporting system) \$500/user	\$ 1,000
Laptops for additional counselors- \$2,500 x 2 counselors	\$ 5,000
Supplies (binders, paper, printing/copier – packets for client)- \$50 x 50	\$ 2,500
TOTAL	\$ 8,500

COMMUNITY OUTREACH & TRANSLATION SERVICES	AMOUNT
Counselors reaching out to realtors/bankers (5 hours/week x \$25/hour x 52 weeks)	\$ 6,500
Brochures in English, Spanish, Hmong	\$ 8,000
Client paperwork translated in Spanish and Hmong	\$ 12,000
TOTAL	\$ 26,500

INCREASE IN SERVICES OFFERED	AMOUNT
Partner with Legal Action of Wisconsin to expand housing counseling services into additional areas such as rental counseling and foreclosure prevention. Budget includes training and certification. Also includes ongoing training required to maintain HUD certification for staff.	\$ 14,500
Salaries/fringes for Judicare Housing Counselor to provide these services (approximately 10 hours/week x \$50/week x 52 weeks)	\$ 27,040
TOTAL	\$ 41,540
YEAR 1 TOTAL	\$189,540

YEAR 2	AMOUNT
Onboarding and development of one additional part-time Housing Counselor. This includes costs associated with initial certification training, travel expenses, and salary/fringe benefits. The request also includes continuing education and professional development opportunities for existing certified counselors to maintain compliance and enhance service quality.	\$ 18,200

Additional housing counselor – additional part time counselor to assist with the current one at City Hall. (20 x \$25/hour x 52 weeks)	\$ 26,000
On-going salaries/fringes for the (1 st yr) two counselors to provide services. This equates to approximately 20 hours a week for the first year (20 hours/week x 52 weeks x \$25/hour x 2 counselors).	\$ 52,000
Ten hours a week for current housing counselor's time to train, onboard, monitor and oversee new counselors (10 hours/week x \$50/hour x 52 weeks)	\$ 36,000
TOTAL	\$132,200

TECHNOLOGY UPGRADE & ADMINISTRATION	AMOUNT
Additional annual licenses for MPact (HUD reporting system) \$500 per user	\$ 1,500
Laptops for additional counselors- \$2,500 x 2 counselors	\$ 5,000
Supplies (binders, paper, printing/copier – packets for client)- \$50/hour x 75	\$ 3,700
TOTAL	\$ 10,200

COMMUNITY OUTREACH & TRANSLATION SERVICES	AMOUNT
Counselors reaching out to realtors/bankers (5 hours/week x \$25/hour x 52 weeks)	\$ 6,500
Printing brochures in English, Spanish, Hmong	\$ 4,000
Printing client paperwork translated in Spanish and Hmong	\$ 4,000
TOTAL	\$ 14,500

INCREASE IN SERVICES OFFERED	AMOUNT
Ongoing partnership with Judicare for rental and foreclosure counseling services (approximately 10 hours/week x \$50/week x 52 weeks)	\$ 27,040
TOTAL	\$ 27,040
YEAR 2 TOTAL	\$183,940

TOTAL BUDGET: **\$373,480**

TOTAL REQUEST: **\$350,000**

C. Positive Impact of Funding

- **Impact of Funding: The additional funding will allow us to:**
 - Increase our counseling capacity and decrease wait times for our clients
 - Improve access for non-English speaking clients by working with trusted agencies for those clients
 - Expand our community reach through modern technology
 - Provide comprehensive, preventative homeowner support to sustain long-term success
 - Increase services offered to include rental counseling and foreclosure counseling
- **Techniques and Methods**
 - Culturally tailored education for both our Hmong and Spanish residents
 - Partnerships with trusted community leaders by increased early referrals by lenders and realtors
 - Targeted outreach in high-need census tracts
 - Streamlined digital intake and scheduling for accessibility

D. Response to Potential Award Adjustment

We recognize and respect the competitive nature of this grant process and understand that full funding of our Total Award Requested may not be guaranteed. If awarded less than the full amount requested, we are prepared to adjust our implementation plan to prioritize the most critical and high-impact components of our proposal.

Our top priority would be to preserve direct service delivery to clients, particularly one-on-one housing counseling and homebuyer education services. To support this, we would prioritize additional staffing or pursue strategic partnerships with other agencies to ensure continued access to these critical services.

We would focus our remaining resources on maintaining service consistency to low-to-moderate income households and underrepresented populations. To accommodate a reduced award, we may need to scale back on non-essential capacity-building elements, such as broad marketing expansion—especially given our current statewide reach—certain technology enhancements, or the addition of a part-time program support staff member.

While a reduction in funding would likely extend our timeline for achieving full program expansion and limit our ability to reach new or remote populations as aggressively, we are confident that the core goals of the program—supporting purchase-ready homebuyers and promoting long-term, sustainable homeownership—can still be achieved at a smaller scale.

We are committed to maximizing the impact of any awarded amount and will continuously assess our operations to ensure efficient use of funds while striving to meet the original intent of the proposed plan.

Attachments:

1. Service Area Map and Client Data
2. HUD 9902 Reports (2023, 2024)
3. Audited Financial Statement (Most Recent) – see website link due to size
4. Staff Resumes
5. Cost Sheet

CITY OF WAUSAU, 407 Grant Street, Wausau, WI 54403

RESOLUTION OF THE FINANCE COMMITTEE

Authorizing the acceptance of the Housing Counseling Capacity Building grant through the Wisconsin Housing and Economic Development Authority.

Committee Action:

Fiscal Impact: \$375,000 2-year contract

File Number:

Date Introduced:

FISCAL IMPACT SUMMARY

COSTS	<i>Budget Neutral</i>	Yes ☒ No ☐	
	<i>Included in Budget:</i>	Yes ☐ No ☐	<i>Budget Source:</i>
	<i>One-time Costs:</i>	Yes ☐ No ☐	<i>Amount:</i>
	<i>Recurring Costs:</i>	Yes ☐ No ☐	<i>Amount:</i>
SOURCE	<i>Fee Financed:</i>	Yes ☐ No ☐	<i>Amount:</i>
	<i>Grant Financed:</i>	Yes ☒ No ☐	<i>Amount: appr \$375,000 – 2-year contract</i>
	<i>Debt Financed:</i>	Yes ☐ No ☐	<i>Amount Annual Retirement</i>
	<i>TID Financed:</i>	Yes ☐ No ☐	<i>Amount:</i>
	<i>TID Source: Increment Revenue ☐ Debt ☐ Funds on Hand ☐ Interfund Loan ☐</i>		

RESOLUTION

WHEREAS, the City is in its first year implementing the 2025-2029 five-year Consolidated Plans, and

WHEREAS, the need for housing counseling and homebuyer education are rated as high priorities in City's Consolidated Plans for many years, and

WHEREAS, the City of Wausau became a HUD approved Housing Counseling agency in 2020 but receives no funding that goes with that certification; and

WHEREAS, Wisconsin Housing and Economic Development Authority (WHEDA), has implemented a Housing Counseling Capacity Building grant to assist HUD approved Housing Counseling agencies to increase their capacity to better serve our clientele and to better qualify for HUD Counseling grants.

BE IT RESOLVED, by the Common Council of the City of Wausau that it hereby approves the applications of and the acceptance of the Housing Counseling Capacity Building grant from WHEDA and to partner with willing joint agencies who will work together to increase the ability to provide additional counseling services to our residents; and

BE IT FURTHER RESOLVED that the Mayor be designated as the authorized representative of the city to execute both grant and partnership agreements and Community Development staff be authorized to provide all information, reports, and other documents necessary to implement the WHEDA grant.

Approved:

Doug Diny, Mayor



Planning, Community and Economic Development

MEMO

TO: Finance Committee members

FROM: Tammy Stratz, Community Development Manager

DATE: July 14, 2025

RE: State of Wisconsin Lead Safe-Homes Program application continuation

As you may recall, since 2019 the State of Wisconsin Department of Health Services, Division of Health has offered their funding opportunity called the Lead-Safe Homes Program. This program addresses lead based paint hazards in housing units occupied by children. In order to qualify, the building must have been built prior to 1978, be occupied by children of which at least one qualifies for Medicaid or CHIP programs, have identified lead based paint hazards, and be current on their real estate taxes. Local municipalities are encouraged to work with local health departments to assist with the identifying potential projects. In 2023, City Council authorized staff to assist this program with properties outside of the City limits but within Marathon County since the grant can reimburse for hours staff works in these homes.

Community Development and Marathon County Health Department staff have partnered together for over 20 years with the potential abatement of all lead paint hazards in older housing. The grant funds assist with the abatement of identified lead hazards, relocation of household members while the abatement work is being performed, and administration costs associated with program operations. Annually, we are notified by the state as to how much the City is allocated. In 2024-2025 grant year, the City was allocated just over \$200,000. We are waiting to see how much the 2025-2026 program year will consist of. Currently we have assisted 18 properties, with 3 in the pipeline of work to be completed, and 3 in the pre-approval stages.

These funds could only be used towards the abatement of lead-based paint hazards; however, we could utilize the Homeowner Rehabilitation Loan or the Rental Rehabilitation Loan Program IF there are other identified issues with the property – i.e., electrical, plumbing, HVAC, etc.

We are looking for authorization to continue to accept these funds as long as they are available and as long as the guidelines remain consistent. If the program changes or needs additional resources, staff will bring the grant opportunity back to council to see if it continues to make sense in utilizing these funds.

Thank you for your consideration. If you have any questions or concerns prior to the committee meeting, please feel free to contact me at 715-261-6682 or tammy.stratz@wausauwi.gov

CITY OF WAUSAU, 407 Grant Street, Wausau, WI 54403

RESOLUTION OF THE FINANCE COMMITTEE

Authorizing the continuous acceptance of the Wisconsin Lead-Safe Homes Program (LSHP) Funds through the State of Wisconsin, Department of Health Services.

Committee Action:

Fiscal Impact: \$200,000 In grants/annually

File Number:

Date Introduced:

FISCAL IMPACT SUMMARY

COSTS	<i>Budget Neutral</i>	Yes ☒ No ☐	
	<i>Included in Budget:</i>	Yes ☐ No ☐	<i>Budget Source:</i>
	<i>One-time Costs:</i>	Yes ☐ No ☐	<i>Amount:</i>
	<i>Recurring Costs:</i>	Yes ☐ No ☐	<i>Amount:</i>
SOURCE	<i>Fee Financed:</i>	Yes ☐ No ☐	<i>Amount:</i>
	<i>Grant Financed:</i>	Yes ☒ No ☐	<i>Amount: \$200,000/annually</i>
	<i>Debt Financed:</i>	Yes ☐ No ☐	<i>Amount Annual Retirement</i>
	<i>TID Financed:</i>	Yes ☐ No ☐	<i>Amount:</i>
	<i>TID Source: Increment Revenue ☐ Debt ☐ Funds on Hand ☐ Interfund Loan ☐</i>		

RESOLUTION

WHEREAS, the City is in its first year implementing the 2025-2029 five-year Consolidated Plans, and

WHEREAS, the need for abating lead-based paint hazards in housing units with children is critical so children are not exposed and possibly poisoned by lead based paint hazards and has listed as a high priority in City's Consolidated Plans for many years, and

WHEREAS, Wausau City Council initially approved the acceptance of these funds since 2019; and

WHEREAS, the State of Wisconsin Department of Health Services, Division of Health, has continued its Lead-Safe Homes Program (LSHP) to finance lead-based paint abatement housing projects for City of Wausau residents; and

WHEREAS, the City of Wausau and Marathon County Health Department have formed a partnership for over 20 years to identify lead-based paint hazards in homes with children and how to eradicate those hazards; therefore,

BE IT RESOLVED, by the Common Council of the City of Wausau that it hereby approves the continuation of applications and acceptance from the State of Wisconsin for LSHP funds to finance lead-based paint hazards in qualified homes occupied by qualifying families with children, and

BE IT FURTHER RESOLVED, that the Mayor be designated the authorized representative of the city to execute agreements and Community Development staff be authorized to provide all information, reports, and other documents necessary to implement the LSHP programs.

Approved:

Doug Diny, Mayor

WISCONSIN LEAD-SAFE HOMES PROGRAM PROGRAM ADMINISTRATIVE GRANTEE APPLICATION

Instructions: Complete and email this application along with all other required documents outlined in the Request for Applications to DHSLeadSafe@dhs.wisconsin.gov by May 12, 2025, at 11:59pm CST. LSHP may consider applications submitted after the deadline for "emergency" situations, at the sole discretion of LSHP and availability of funding. Contact DHSLeadSafe@dhs.wisconsin.gov with questions.

Applicant Information

Organization Name	Contact Name		
City of Wausau	Tammy Stratz		
Address	City	State	Zip Code
407 Grant Street	Wausau	WI	54403
Phone Number	Email		
715-261-6682	tammy.stratz@wausau.wi.gov		

Review Criteria 1. Applicant Capacity and Experience (35 points)

- a. *Key Personnel (5 points).* Describe the roles and responsibilities of each key personnel for the project.
- Community Development Manager, Tammy Stratz, is the key staff member responsible for administering the grant. Tammy has been a State licensed Lead-Based Paint Risk Assessor since 2000. She has managed the Wausau's Homeowner Rehabilitation Loan Program, funded through both CDBG and HOME, since 1997 and has served as the lead administrator for the Lead Safe Homes Program through the past five funding cycles.
- For over 20 years, Tammy has partnered with Marathon County Health Department (MCHD) which identifies children with elevated blood lead levels (EBLL). She provides assistance throughout the application process, ensuring all documentation is complete and accurate before it is submitted to the Wisconsin Department of Health Services (DHS). Tammy also coordinates communication between DHS, MCHD, clients (owners and occupants), contractors, relocation accommodations, and others as necessary. She completes quarterly reports and reimbursement requests and submits to DHS and conducts progress inspections during construction, Tammy also maintains regular communication with residents about project status, relocation and re-occupancy timelines.
- The Community Development Specialist serves as the backup in Tammy's absence, such as during scheduling conflicts, vacations, or illness. She became a State certified Lead Paint Risk Assessor in 2024 and is currently working alongside Tammy to learn the full scope of the program's administration.
- The department's administrative assistant is responsible for sending out annual re-certification letters to the landlords three years after the project completion to comply with affordability requirements. She also verifies that properties benefiting from the program have not been sold during the affordability period.
- b. *Program Administration and Oversight (10 points).* Describe how you will provide program oversight, staff supervision, and sub-contractor oversight (if applicable) to ensure grant objectives are met.
- The Community Development Manager reviews all applications, risk assessments and scopes of work prior to releasing projects for bid to lead abatement contractors. Tammy has worked closely with DHS to stay updated on evolving policies of the Lead Safe Homes Program. When possible, she attends the initial Risk Assessment appointments to familiarize herself with the property layout to better understand the scope of work. She previously prepared the scope of work herself and is well versed in lead hazard terminology and how to explain the planned work to property owners.

She works with all the area lead abatement contractors and has established a good rapport with them. She has also begun connecting with several out-of-town licensed contractors. She requires copies of State notifications and Occupancy Protection Plans so she knows when the contractor will be on-site, allowing her to drop in to observe the work being performed and to ensure the occupants are out of the house when required. To authorize payments to a contractor throughout the project, she works with the property owner and the clearance examiner to ensure the property passes clearance, the work was performed according to the Scope of Work and city codes, and the property owner is happy with the performed work..

- c. *Relevant Organization Experience (15 points)*. Describe your experience providing direct services and/or grant management related to environmental health, weatherization, and/or housing programs and how intended outcomes were achieved. **If a previous Lead-Safe Homes Program grantee**, describe your experience and accomplishments as a Lead-Safe Homes Program provider.

Tammy has managed Community Development Block Grant and HOME-funded Homeowner Rehabilitation projects since 1997. Her responsibilities include, assisting homeowners with application completion, underwriting files to determine eligibility, conducting property inspections, preparing bid specifications and reviewing bids, as well as preparing closing documents and completing loan settlements. In order to authorize payments to a contractor, she completes project progress inspections, ensures all building permits have been pulled and an inspection is completed by the Inspection's Department, if necessary. Additionally, she has administered Wausau's Rental Rehabilitation Loan Program, since 2000, and understands how to work with both property owners and the tenants. She has been involved with Lead-Based Paint activities since the law went into effect in 2000 and has been a State certified Lead Paint Risk Assessor since that time. Between the CDBG and HOME funds she has closed hundreds of loans. The City of Wausau has been a recipient of the Lead Safe Homes program since its inception and is currently in its fifth year. To date we have enrolled 19 projects, with five more in various stages ranging from application to awaiting Risk Assessments and/or Scope of Work completion. These projects have ranged in cost from as little as \$4,450 to as much as \$99,869.

Prior to the Lead Safe Homes program, the City and MCHD have collaborated for over 20 years to assist property owners with funding to remediate lead hazards - especially when there was a sick child involved. Tammy was instrumental in advocating the use of CDBG funds as emergency assistance when a child with an EBL was identified which allowed quicker intervention without waiting on a list for their turn, which has helped many households prevent continued exposure.

- d. *Health Equity (5 points)*. Describe your organization's history of and ability to authentically engage and positively impact members of the priority populations. Describe how you plan to incorporate diversity, equity, and inclusion into hiring, supervision, program services, and community engagement.

The City works closely with the MCHD. When a child has elevated blood lead levels, the department is notified by the child's doctor's office. A public health nurse and sanitarian (who are also State licensed Lead Paint Risk Assessors or Investigators) meet with the family to provide education and perform a Risk Assessment (if the lead levels meet the State's threshold). If levels do not meet the threshold, they still provide the family lead education and assess the home and provide feedback on possible lead hazards. The Health Department has worked with a variety of households including recent immigrants, many who immigrated here already exposed to lead based paint. This program has been successful in educating the families on ways they can minimize exposure. They collaborate with Bridge Community Health Clinic which serves low income families, those who are underinsured, or have no coverage at all. They also collaborate with Ethiopia Community Development Council (ECDC) an organization that supports the refugees as they resettle in our community. No family is turned away from lead education or learning about possible grant opportunities to help keep their children safe.

Community Development staff often attend local Landlord Association meetings to educate and promote the Lead Safe Homes program. Many of these landlords rent to lower income households, however, only one landlord applied proactively, before having orders issued due to an exposed child, submitting four applications for two duplexes. Staff hopes he will spread the word to other landlords by sharing his positive experience and encouraging more landlord participation so their properties can become safer for their tenants.

Review Criteria 2. Qualification Statement (50 points)

- a. *Planned Approach (20 points)*. Describe a plan for program start-up and implementation that includes objectives for each major program activity outlined in the public notice. Indicate how many households you have capacity to serve in a year. **If a previous Lead-Safe Homes Program grantee**, describe how you successfully implemented the program in the previous grant year. If there were barriers to successful program implementation in the previous grant year, discuss your planned approach to address those barriers.

The City of Wausau has been a grantee of the Lead Safe Homes program since inception. To date, we have completed 16 projects, with another three nearing finalization and seven more units in stages ranging from receiving approval to requesting bids. The City has a great relationship with MCHD who has identified a majority of our projects through families whose young children were diagnosed with an elevated blood lead level. Their public health nurse asks specific questions to determine whether the family qualifies for the program. If so, the family completes the occupancy application spreadsheet, and signs a Release of Information so city staff can talk with the family for additional information. Once the grant application has been approved, staff in the Community Development Department take it from there.

In previous grant cycles, we may not have been able to fully utilize the funds awarded to us but the main challenge has been completing projects from start to finish in a timely manner. Many components are now outside of our control and we must wait for certain portions to be completed by others. We have been successful in securing new contractors to assist with projects, and once we have a signed agreement, several of the contractors move quickly. Another barrier is completing projects within the 10-day relocation timeframe. Some interior projects contain multiple lead components, and having contractors complete abatement and replacement within those 10 days can be difficult. However, with each job they perform, they continue to improve.

- b. *Program Administrative Grantee (20 points)*. List any experience, certifications, or qualifications your staff have related to project management, procurement, grant deliverables and reporting, documentation of activities, invoicing, dispute resolution, quality control, etc.

Tammy Stratz, Community Development Manager, has been a certified Lead Paint Risk Assessor since 2000 and has over 25 years experience with CDBG and HOME-funded rehabilitation projects including Lead Safe Homes projects since inception. She has worked closely with the health department on lead projects since the beginning of her tenure. She is well-versed in all aspects of rehabilitation project and grant management, including applications, required documentation and underwriting, loan settlement as well as property inspections, bidding, permitting, state notifications, relocation, contractor oversight, invoicing, project reconciliation, file closeouts, grant reimbursement requests, and quarterly reporting.

Shannon Graff, Community Development Specialist, has been with Community Development for almost five years. She recently obtained her State Lead Paint Risk Assessor License and will serve as Tammy's backup when Tammy is unavailable. She is already proficient with intake, documentation, eligibility, closing documentation, grant reimbursement requests and working with property owners and has begun learning inspections, bidding and other processes of the Lead Safe Homes Program.

- c. *Program Financial Management (10 points)*. Discuss how you will ensure financial stability and accountability throughout the grant period.

The City of Wausau has extensive experience managing federal and state grants. The City's Finance Department is accustomed to covering expenses to pay invoices until reimbursement is received from the State or Federal government.

Review Criteria 3. Partnerships (5 points)

- a. *Partner Description (5 points)*. List and describe the partners (within and/or outside your organization) and sub-contractors (if applicable) that you will work with to deliver or supplement the environmental services provided in this grant opportunity.

Marathon County Health Department has been a trusted partner for over 20 years. They have referred Wausau properties with lead abatement orders for possible funding to address the lead hazards. Both the City's identified project staff and health department staff have State of Wisconsin-licensed Lead Paint Risk Assessors and/or Inspectors so they both understand how orders are written and how they should be remediated.

Lead Abatement Contractors: Recently the Community Development Department has had three local contractors that are State licensed Lead Abatement Contractors. Unfortunately, one chose to relinquish his license after being fined by DHS enforcement. This is particularly upsetting as he was our most experienced abatement contractor, being licensed for over 20 years which he maintained because of his long-standing relationship with our department.

We have another contractor from outside the area who has submitted bids for every project we've solicited and has been awarded a couple of contracts. We are hopeful this relationship continues.

Lead Capacity Building Grant: Wausau was recently awarded this grant through U.S. Department of Housing and Urban Development's, Healthy Homes Division. It will support efforts to partner with other organizations to help educate the public about lead-based paint hazards and to identify units in need of assistance, ideally, BEFORE a child is poisoned. It will also fund training for new contractors which we are hopeful will increase our contractor base.

Wausau's Inspection Department works closely with Community Development ensuring code compliance, necessary permits are pulled and inspections are completed prior to any invoices being paid. Inspections would also help Community Development with any contractor/owner disputes should any arise due to perceived quality of work.

Private Lab: Funding through the Lead Safe Homes Program assisted in securing a private lab for risk assessments and clearance swabs so the State lab is no longer needed. This has provided a quicker turnaround for clearance test results, with results received within 24 hours of their receipt instead of over a week.

State Lead Safe Homes Administrators: The City and State have been working together since the inception of this program. We have a strong relationship - from the application process, to the Risk Assessment, Scope of Work, bid approvals, funding reimbursements, quarterly reporting, and any unique questions that come up. The positive working relationship with our program administrators has been enjoyable and look forward to the continued collaboration. Together with the state, Wausau has been able to accomplish great things over the past five years!

Review Criteria 4. Enforcement Actions (10 points)

- a. *Enforcement actions (10 points)*. List and describe all current (open, pending, and/or appealed) and closed enforcement actions from all local, state, and federal regulatory agencies within the previous 12 months related to lead activities. Provide the date of the enforcement action, a description of the violation, and the outcome of the enforcement action. Failure to disclose enforcement actions may disqualify the application from consideration.

To the best of our knowledge, Wausau has no open, pending, or closed enforcement actions related to lead activities. All quarterly lead activity reports and Lead Safe Homes reports have been submitted in a timely manner. One contractor did face an enforcement action with his last project and was fined. Staff requested he respond to it but in frustration of the enforcement process he chose to pay the fine, relinquish his license and send it back to the State. This is very unfortunate considering his status of the most experienced and reliable contractor. Losing him will have a major impact on completion of lead projects.



April 4, 2025

CITY OF WAUSAU
Attn: Randy Fifrick
407 Grant Street
Wausau, WI 54403

SUBJECT:

PHASE II ENVIRONMENTAL SITE ASSESSMENT

Marathon Box Corp.
201 N. 1st Avenue
Wausau, WI 54401

DEAR MR. FIFRICK:

The purpose of this correspondence is to provide the results of the Phase II Environmental Site Assessment (ESA) conducted at 201 N. 1st Avenue, in the City of Wausau, Marathon County, Wisconsin. The site location is shown on the attached **Figure 1**.

BACKGROUND

REI Engineering, Inc. (REI) completed a Phase I ESA on January 6, 2025. REI identified the following Recognized Environmental Conditions (RECs) associated with the Subject Property:

- The original portion of the current building was constructed in 1962. A 1963 Sanborn Fire Insurance map depicts "Iron Fuel Oil Tanks" and a "Pump House" near what is now the northwest corner of the building. In addition, a 2,000-gallon fuel oil UST was removed from the site in 1989. A site assessment was not required at the time of removal.
- Commercial and industrial properties along the Wisconsin River corridor in Wausau have been documented to have been filled with foundry sand containing heavy metals above the NR 720 Groundwater Pathway Protection Residual Contaminant Level.

A Recognized Environmental Condition (REC) is defined by ASTM as: (1) the presence of hazardous substances or petroleum products in, on, or at the subject property due to a release to the environment; (2) the likely presence of hazardous substances or petroleum products in, on, or at the subject property due to a release or likely release to the environment; or (3) the presence of hazardous substances or petroleum products in, on, or at the subject property under conditions that pose a material threat of a future release to the environment.

Based on the results of the Phase I ESA report, REI recommended further investigation of site soils and groundwater to evaluate potential impacts on the Subject Property resulting from the identified



RESPONSIVE. EFFICIENT. INNOVATIVE.

4080 N. 20th Avenue Wausau, WI 54401
715-675-9784 REIengineering.com

RECs. After completion of the Phase I ESA report, REI received documentation from the Wisconsin Department of Agriculture, Trade and Consumer Protection (DATCP) which confirmed verification of Clean Closure Status of the 2,000 gallon fuel oil Underground Storage Tank (UST) in 1989. Therefore, this tank is no longer considered a REC for the Subject Property. Following authorization, REI proceeded with coordination of subcontractors, coordinated property access, and completed a utility locate in advance of the site work which was completed on March 10, 2025.

SUMMARY OF FIELDWORK

REI personnel mobilized to the site on March 10, 2025, with drilling subcontractor, Geiss Soil and Samples, LLC (Geiss) of Merrill, WI, to advance hydraulic push soil borings (Geoprobe) for collection of environmental samples.

Upon arrival to the site, underground utilities were marked. Ten (10) soil borings were advanced across the property to evaluate identified RECs. Soil borings GP-1 and GP-2 were advanced on the northern portion of the property, while GP-8, GP-9, and GP-10 were advanced on the southern portion of the property. Each of these borings were advanced to a depth of twelve (12) feet below ground surface (bgs) to evaluate potential fill material. Soil borings GP-3 through GP-7 were advanced near the center of the Subject Property, around the iron fuel oil tanks and pump house. These borings were advanced to encounter the groundwater table and were drilled to a depth of twenty (20) feet bgs. A detailed site map showing the location of the soil borings is included as **Figure 2**.

Brown/red brown sand and gravel was encountered at the ground surface in each of the borings excepting GP-7, located near the center of the Subject Property, where brown sand was encountered. Depths and compositions of the sand and gravel material varied throughout the borings ranging from not encountered (GP-7) to eighteen (18) feet bgs (GP-5). The sand and gravel encountered was typically shades of brown, with black sand and gravel encountered in borings GP-3, GP-4, GP-5, GP-6, GP-8, and GP-9. The black material was encountered between 2.5 and 8 feet bgs in these borings. Poorly graded and well graded sand was encountered beneath the sand and gravel material, with well graded sand typical around the water table. Groundwater was encountered approximately between seventeen (17) and nineteen (19) feet bgs across the site. Boring logs and borehole abandonment forms are included in **Attachment A**. Methods and procedures for the advancement of the hydraulic push soil borings and collection of soil and groundwater samples are included in **Attachment B**. Photographs of borings and surrounding locations are included in **Attachment C**.

Soil borings were advanced to a sufficient depth to facilitate collection of soil and groundwater samples to evaluate subsurface conditions on the property. Soil sampling was conducted at continuous five (5) foot intervals in the soil borings. All samples were field screened for the presence of organic vapors using a Photoionization Detector (PID). Soil samples were collected at depths where the highest PID reading was encountered or at locations above the observed water table. Soil samples collected within four (4) feet of the ground surface (one [1] from each boring) were submitted for laboratory analysis of Volatile Organic Compounds (VOCs), Polycyclic Aromatic Hydrocarbons (PAHs), and Resource Conservation and Recovery Act (RCRA) Metals. Deeper soil samples collected from the five (5) borings advanced around the historical iron fuel oil tanks and

pump house were submitted for laboratory analysis of VOCs. Groundwater samples were also collected from these five (5) borings and submitted for VOC laboratory analysis. All samples were retained on ice and submitted to Pace Analytical Laboratories in Green Bay, WI. In total, fifteen (15) soil samples and five (5) groundwater samples were submitted for laboratory analysis. No elevated PID readings were encountered in the completed soil borings.

SOIL ANALYTICAL RESULTS

Soil samples collected within four (4) feet of the ground surface (one [1] from each boring) were submitted for laboratory analysis of VOCs, PAHs, and RCRA Metals. Deeper soil samples collected from the five (5) borings advanced around the historical iron fuel oil tanks and pump house were submitted for laboratory analysis of VOCs. Elevated PID readings were not encountered during boring activities across the site.

Concentrations of soil contaminants exceeding applicable state standards were noted across the site. VOC compounds included benzene, methylene chloride, and naphthalene. Methylene chloride is a common laboratory contaminant and is likely not relevant to this assessment. Benzene was detected above the NR 720 Wis. Adm. Code Groundwater Pathway Protection Residual Contaminant Level (RCL) in borings GP-4, GP-5, GP-6, and GP-8, while naphthalene was detected above the Groundwater Pathway Protection RCL in boring GP-4.

Metals compounds exceeding applicable standards at the site were limited to arsenic and lead. Arsenic was detected above the Groundwater Pathway Protection and Non-Industrial Not-to-Exceed Direct Contact RCL in borings GP-4, GP-6, GP-7, GP-8, and GP-9 while lead was detected above the Groundwater Pathway Protection RCL in borings GP-4, GP-5, and GP-6. Each of these detections were reported at concentrations below Wisconsin Background Threshold Value (BTV) concentrations.

PAH compounds exceeding applicable standards at the site included benzo(a)pyrene, benzo(b)fluoranthene, chrysene, dibenzo(a,h)anthracene, 1-methylnaphthalene, and naphthalene. These compounds were detected above the Groundwater Pathway Protection RCL and Non-Industrial Not-to-Exceed Direct Contact RCL in borings GP-3, GP-4, GP-5, and GP-6. 1-Methylnaphthalene was also detected above the Industrial Not-to-Exceed Direct Contact RCL in boring GP-4.

All relevant exceedances of state standards were reported in samples collected from the direct contact interval (0-4' bgs) excepting one (1) benzene detection at a laboratory estimated concentration sample GP-4 (15-16'). Soil analytical results are summarized in **Tables 1A through 1C**. A summary of all compounds detected at concentrations exceeding applicable Wisconsin Department of Natural Resources (WDNR) soil standards is included as **Table 3**. A figure depicting soil contamination at the site is included as **Figure 3**. The complete laboratory analytical report is included in **Attachment D**.

GROUNDWATER ANALYTICAL RESULTS

Groundwater samples were collected from soil borings GP-3 through GP-7, advanced near the center of the Subject Property around the historical iron fuel oil tanks and pump house and were submitted to a state certified laboratory for VOC analysis. No detections of analyzed parameters were identified in any of the collected groundwater samples. Groundwater analytical results are summarized in **Table 2**. The complete laboratory analytical report is included in **Attachment D**.

DISCUSSION

Relevant exceedances of applicable state standards were noted across the site in shallow soil samples. Arsenic and lead concentrations were reported below the state BTV for these compounds. Detected lead and arsenic across the site is likely reflective of background concentrations within the potential historical fill material brought to the site.

Benzene and naphthalene are contaminants commonly associated with petroleum products. They also may be associated with industrial activities, similar to identified PAH contamination. These compounds were detected above applicable state standards in soil borings advanced around the north side of the building, proximal to the historical iron fuel oil tanks and pump house. As discussed above, a layer of black sand and gravel was encountered in each of these borings within eight (8) feet of the ground surface.

CONCLUSION AND RECOMMENDATIONS

REI completed the Phase II ESA at the Marathon Box Corp. site located at 201 N 1st Avenue in the City of Wausau, WI. The Phase II ESA included the collection and analysis of soil and groundwater samples at the Subject Property with respect to the previously identified RECs. The sitework has revealed the detection of multiple compounds in exceedance of applicable state soil standards. Per Wisconsin Statute Chapter 292.11, the contamination should be reported to the Wisconsin Department of Natural Resources (WDNR).

Chapter 292.11, Wis. Stats., is known as the spills law. It states that *A person who possesses or controls a hazardous substance or who causes the discharge of a hazardous substance shall notify the department immediately of any discharge not exempted under sub. (9).* REI can assist with this notification if requested. Following notification to the state, additional site investigation may be required by the WDNR to define the degree and extent of the contamination associated with this site.

If you have any questions or comments, please contact our office at (715) 675-9784 or electronically at ckresl@reiengineering.com.

MARATHON BOX CORP. – PHASE II ENVIRONMENTAL SITE ASSESSMENT

Attn: Mr. Randy Fifrick

April 2025



Sincerely,



CHASE J. KRESL, P.G.

Hydrogeologist

REI Engineering, Inc.

CKresl@REIengineering.com

(715) 675-9784

LIST OF TABLES

Table 1A – Summary of Soil Analytical Results – VOCs

Table 1B – Summary of Soil Analytical Results – RCRA Metals

Table 1C – Summary of Soil Analytical Results – PAHs

Table 2A – Summary of Groundwater Analytical Results – VOCs

Table 3 – Summary of Exceedances

LIST OF FIGURES

Figure 1 Vicinity Map

Figure 2 Detailed Site Map

Figure 3 Soil Contamination Map

ATTACHMENTS

Attachment A – Boring Logs & Borehole Abandonment Forms

Attachment B – Methods and Procedures

Attachment C – Photographic Documentation

Attachment D – Laboratory Analytical Report

TABLES

Table 1A
Soil Analytical Results - VOCs
Marathon Box Corp.
201 N. 1st Avenue
Wausau, WI 54401

Collected By-->					REI Engineering, Inc.														
Date-->					3/10/25	3/10/25	3/10/25	3/10/25	3/10/25	3/10/25	3/10/25	3/10/25	3/10/25	3/10/25	3/10/25	3/10/25	3/10/25	3/10/25	
Sample-->					GP-1 (2-4')	GP-2 (2-4')	GP-3 (2-4')	GP-3 (16-18')	GP-4 (2-4')	GP-4 (15-16')	GP-5 (2-4')	GP-5 (15-17')	GP-6 (2-4')	GP-6 (15-16')	GP-7 (2-4')	GP-7 (15-17')	GP-8 (2-4')	GP-9 (2-4')	GP-10 (2-4')
Sample Depth (Feet)-->					2-4	2-4	2-4	16-18	2-4	15-16	2-4	15-17	2-4	15-16	2-4	15-17	2-4	2-4	2-4
PID (ppm)-->					0.0	0.1	0.0	0.0	0.4	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0
Percent Moisture (%)-->					6.5	5.7	4.8	7.3	7.0	6.1	3.2	7.0	12.3	4.7	2.5	3.3	13.2	14.6	2.0
Saturated (S) vs Unsaturated (U)-->					U	U	U	U	U	U	U	U	U	U	U	U	U	U	U
VOC's (mg/kg)	CAS Number	Non-Industrial Not-to-Exceed DC RCL	Industrial Not-to-Exceed DC RCL	Groundwater Pathway Protection RCL															
Benzene	71-43-2	1.6	7.07	0.005	<0.0135	<0.0133	<0.0131	<0.0138	0.104	0.0146 ¹	0.0566	<0.0137	0.0762	<0.0131	<0.0125	<0.0127	0.0339	<0.0160	<0.0124
Bromobenzene	108-86-1	342	679	--	<0.0222	<0.0218	<0.0214	<0.0226	<0.0224	<0.0220	<0.0208	<0.0224	<0.0250	<0.0214	<0.0205	<0.0208	<0.0254	<0.0262	<0.0203
Bromochloromethane	74-97-5	216	906	--	<0.0156	<0.0153	<0.0151	<0.0158	<0.0158	<0.0155	<0.0146	<0.0158	<0.0176	<0.0150	<0.0144	<0.0146	<0.0179	<0.0184	<0.0142
Bromodichloromethane	75-27-4	0.418	1.83	0.00033	<0.0135	<0.0133	<0.0131	<0.0138	<0.0137	<0.0134	<0.0127	<0.0137	<0.0152	<0.0131	<0.0125	<0.0127	<0.0155	<0.0160	<0.0124
Bromoform	75-25-2	25.4	113	0.002	<0.250	<0.246	<0.242	<0.254	<0.253	<0.249	<0.234	<0.253	<0.282	<0.242	<0.231	<0.235	<0.287	<0.295	<0.229
Bromomethane	74-83-9	9.6	43	0.005	<0.0798	<0.0785	<0.0771	<0.0811	<0.0806	<0.0792	<0.0747	<0.0806	<0.0898	<0.0770	<0.0737	<0.0748	<0.0914	<0.0941	<0.0729
n-Butylbenzene	104-51-8	108	108	--	<0.0261	<0.0257	<0.0252	<0.0265	<0.0263	<0.0259	<0.0244	<0.0263	<0.0293	<0.0252	<0.0241	<0.0244	<0.0299	<0.0307	<0.0238
sec-Butylbenzene	135-98-8	145	145	--	<0.0195	<0.0192	<0.0189	<0.0198	0.0248 ¹	<0.0194	<0.0183	<0.0197	<0.0220	<0.0188	<0.0180	<0.0183	<0.0224	<0.0230	<0.0178
tert-Butylbenzene	98-06-6	183	183	--	<0.0179	<0.0176	<0.0173	<0.0182	<0.0181	<0.0177	<0.0167	<0.0181	<0.0201	<0.0172	<0.0165	<0.0168	<0.0205	<0.0211	<0.0163
Carbon tetrachloride	56-23-5	0.916	4.03	0.004	<0.0125	<0.0123	<0.0121	<0.0127	<0.0127	<0.0124	<0.0117	<0.0126	<0.0141	<0.0121	<0.0116	<0.0117	<0.0143	<0.0148	<0.0114
Chlorobenzene	108-90-7	370	761	--	<0.0068	<0.0067	<0.0066	<0.0069	<0.0069	<0.0068	<0.0064	<0.0069	<0.0077	<0.0066	<0.0063	<0.0064	<0.0078	<0.0080	<0.0062
Chloroethane	75-00-3	--	--	--	<0.0240	<0.0236	<0.0232	<0.0244	<0.0243	<0.0238	<0.0225	<0.0243	<0.0270	<0.0232	<0.0222	<0.0225	<0.0275	<0.0283	<0.0219
Chloroform	67-66-3	0.454	1.98	0.003	<0.0407	<0.0401	<0.0394	<0.0414	<0.0412	<0.0405	<0.0382	<0.0412	<0.0459	<0.0393	<0.0376	<0.0382	<0.0467	<0.0480	<0.0372
Chloromethane	74-87-3	159	669	0.016	<0.0216	<0.0213	<0.0209	<0.0220	<0.0219	<0.0215	<0.0203	<0.0218	<0.0243	<0.0209	<0.0200	<0.0203	<0.0248	<0.0255	<0.0198
2-Chlorotoluene	95-49-8	907	907	--	<0.0184	<0.0181	<0.0178	<0.0187	<0.0186	<0.0183	<0.0173	<0.0186	<0.0208	<0.0178	<0.0170	<0.0173	<0.0211	<0.0217	<0.0168
4-Chlorotoluene	106-43-4	253	253	--	<0.0216	<0.0213	<0.0209	<0.0220	<0.0219	<0.0215	<0.0203	<0.0218	<0.0243	<0.0209	<0.0200	<0.0203	<0.0248	<0.0255	<0.0198
1,2-Dibromo-3-chloropropane	96-12-8	0.008	0.092	0.00017	<0.0442	<0.0435	<0.0427	<0.0449	<0.0446	<0.0438	<0.0414	<0.0446	<0.0497	<0.0426	<0.0408	<0.0414	<0.0506	<0.0521	<0.0403
Dibromochloromethane	124-48-1	8.28	38.9	0.032	<0.195	<0.191	<0.188	<0.198	<0.197	<0.193	<0.182	<0.197	<0.219	<0.188	<0.180	<0.182	<0.223	<0.229	<0.178
1,2-Dibromoethane (EDB)	106-93-4	0.05	0.221	2.80E-05	<0.0156	<0.0153	<0.0151	<0.0158	<0.0158	<0.0155	<0.0146	<0.0158	<0.0176	<0.0150	<0.0144	<0.0146	<0.0179	<0.0184	<0.0142
Dibromomethane	74-95-3	34	143	--	<0.0168	<0.0166	<0.0163	<0.0171	<0.0170	<0.0167	<0.0158	<0.0170	<0.0190	<0.0163	<0.0156	<0.0158	<0.0193	<0.0199	<0.0154
1,2-Dichlorobenzene	95-50-1	376	376	1.2	<0.0176	<0.0174	<0.0170	<0.0179	<0.0178	<0.0175	<0.0165	<0.0178	<0.0199	<0.0170	<0.0163	<0.0165	<0.0202	<0.0208	<0.0161
1,3-Dichlorobenzene	541-73-1	--	--	--	<0.0156	<0.0153	<0.0151	<0.0158	<0.0158	<0.0155	<0.0146	<0.0158	<0.0176	<0.0150	<0.0144	<0.0146	<0.0179	<0.0184	<0.0142
1,4-Dichlorobenzene	106-46-7	3.74	16.4	0.14	<0.0156	<0.0153	<0.0151	<0.0158	<0.0158	<0.0155	<0.0146	<0.0158	<0.0176	<0.0150	<0.0144	<0.0146	<0.0179	<0.0184	<0.0142
Dichlorodifluoromethane	75-71-8	126	530	3.1	<0.0245	<0.0241	<0.0236	<0.0249	<0.0247	<0.0243	<0.0229	<0.0247	<0.0275	<0.0236	<0.0226	<0.0229	<0.0280	<0.0289	<0.0224
1,1-Dichloroethane	75-34-3	5.06	22.2	0.48	<0.0146	<0.0143	<0.0141	<0.0148	<0.0147	<0.0145	<0.0136	<0.0147	<0.0164	<0.0141	<0.0135	<0.0137	<0.0167	<0.0172	<0.0133
1,2-Dichloroethane	107-06-2	0.652	2.87	0.003	<0.0189	<0.0186	<0.0183	<0.0192	<0.0191	<0.0188	<0.0177	<0.0191	<0.0213	<0.0182	<0.0175	<0.0177	<0.0217	<0.0223	<0.0173
1,1-Dichloroethene	75-35-4	320	1,190	0.005	<0.0131	<0.0129	<0.0126	<0.0133	<0.0132	<0.0130	<0.0123	<0.0132	<0.0147	<0.0126	<0.0121	<0.0123	<0.0150	<0.0154	<0.0120
cis-1,2-Dichloroethene	156-59-2	76.7	498	0.041	<0.0122	<0.0120	<0.0118	<0.0124	<0.0123	<0.0121	<0.0114	<0.0123	<0.0137	<0.0118	<0.0112	<0.0114	<0.0140	<0.0144	<0.0111
trans-1,2-Dichloroethene	156-60-5	98.5	433	0.063	<0.0124	<0.0122	<0.0120	<0.0126	<0.0126	<0.0124	<0.0117	<0.0126	<0.0140	<0.0120	<0.0115	<0.0117	<0.0143	<0.0147	<0.0114
1,2-Dichloropropane	78-87-5	3.4	15	0.003	<0.0135	<0.0133	<0.0131	<0.0138	<0.0137	<0.0134	<0.0127	<0.0137	<0.0152	<0.0131	<0.0125	<0.0127	<0.0155	<0.0160	<0.0124
1,3-Dichloropropane	142-28-9	1,490	1,490	--	<0.0124	<0.0122	<0.0120	<0.0126	<0.0125	<0.0123	<0.0116	<0.0125	<0.0140	<0.0120	<0.0115	<0.0116	<0.0142	<0.0146	<0.0113
2,2-Dichloropropane	594-20-7	--	--	--	<0.0154	<0.0151	<0.0148	<0.0156	<0.0155	<0.0153	<0.0144	<0.0155	<0.0173	<0.0148	<0.0142	<0.0144	<0.0176	<0.0181	<0.0140
1,1-Dichloropropene	563-58-6	--	--	--	<0.0184	<0.0181	<0.0178	<0.0187	<0.0186	<0.0183	<0.0173	<0.0186	<0.0208	<0.0178	<0.0170	<0.0173	<0.0211	<0.0217	<0.0168
cis-1,3-Dichloropropene	10061-01-5	--	--	--	<0.0376	<0.0370	<0.0363	<0.0382	<0.0380	<0.0373	<0.0352	<0.0379	<0.0423	<0.0362	<0.0347	<0.0352	<0.0430	<0.0443	<0.0343
trans-1,3-Dichloropropene	10061-02-6	--	--	--	<0.163	<0.160	<0.157	<0.165	<0.164	<0.162	<0.152	<0.164	<0.183	<0.157	<0.150	<0.153	<0.187	<0.192	<0.149
Diisopropyl ether	108-20-3	2,260	2,260	--	<0.0141	<0.0139	<0.0136	<0.0143	<0.0143	<0.0140	<0.0132	<0.0143	<0.0159	<0.0136	<				

Table 1B
Soil Analytical Results - RCRA Metals
Marathon Box Corp.
201 N. 1st Avenue
Wausau, WI 54401



Collected By-->						REI Engineering, Inc.									
Date-->						3/10/25	3/10/25	3/10/25	3/10/25	3/10/25	3/10/25	3/10/25	3/10/25	3/10/25	3/10/25
Sample-->						GP-1 (2-4')	GP-2 (2-4')	GP-3 (2-4')	GP-4 (2-4')	GP-5 (2-4')	GP-6 (2-4')	GP-7 (2-4')	GP-8 (2-4')	GP-9 (2-4')	GP-10 (2-4')
Sample Depth (Feet)-->						2-4	2-4	2-4	2-4	2-4	2-4	2-4	2-4	2-4	2-4
PID (ppm)-->						0.0	0.1	0.0	0.4	0.2	0.0	0.0	0.4	0.0	0.0
Percent Moisture -->						2	5.7	4.8	7.0	3.2	12.3	2.5	13.2	14.6	2.0
Saturated (S) vs Unsaturated (U)-->						U	U	U	U	U	U	U	U	U	U
Metals (mg/kg)	CAS Number	Wisconsin BTV	Non-Industrial Not-to-Exceed DC RCL	Industrial Not-to-Exceed DC RCL	Groundwater Pathway Protection RCL										
Arsenic (As)	7440-38-2	8.3	0.667	3	0.58	<3.1	<1.5	<2.9	2.7	<1.4	2.4 ¹	1.5 ¹	2.0 ¹	3.0	<1.4
Barium (Ba)	7440-39-3	364	15,300	100,000	165	104	116	107	57.6	33.8	93.7	26.6	44.4	72.1	21.3
Cadmium (Cd)	7440-43-9	1.1	7.14	99.7	0.75	0.30 ¹	<0.14	<0.26	<0.13	<0.13	0.23 ¹	<0.12	<0.15	<0.15	<0.13
Total Chromium (Cr)	7440-47-3	44	--	--	360,000	13.0	1.3	8.2	11.7	11.5	14.0	10.7	12.1	22.8	17.7
Lead (Pb)	7439-92-1	52	200	800	27	19.4	9.5	13.0	35.7	28.9	37.9	1.8 ¹	4.1	35.1	1.9
Selenium (Se)	7782-49-2	--	391	5,840	0.52	<2.8	<1.4	<2.6	<1.3	<1.3	<1.3	<1.2	<1.4	<1.5	<1.2
Silver (Ag)	7440-22-4	--	391	5,840	0.85	<0.65	<0.32	<0.60	<0.30	<0.30	<0.31	<0.29	0.35 ¹	<0.35	0.57 ¹
Mercury (Hg)	7439-97-6	--	3.13	3.13	0.21	0.020 ¹	<0.0098	0.14	0.027 ¹	0.029 ¹	0.022 ¹	0.014 ¹	0.012 ¹	0.019 ¹	<0.0099

Notes:
NR 720 Standards Obtained From WDNR RR Program's Soil RCL Spreadsheet
This site is assessed as Industrial
BTV = Background Threshold Value
RCL = Residual Contaminant Level
DC = Direct Contact
mg/kg = Parts Per Million (ppm)
< = Concentration Below Laboratory Detection Limit
-- = Not Sampled/Collected
-- = No Standard/Not Applicable
¹ = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)
Please note: Exceedances for compounds with background threshold values are only identified as exceeding a RCL after exceeding the background threshold values.

<i>Italic</i>	= Exceeds NR720 Groundwater Pathway Protection
Bold	= Exceeds NR720 Non-Industrial Not-To-Exceed DC RCL
<u>Underlined</u>	= Exceeds NR720 Industrial Not-To-Exceed DC RCL

Table 1C
Soil Analytical Results - PAHs
Marathon Box Corp.
201 N. 1st Avenue
Wausau, WI 54401



Collected By-->					REI Engineering, Inc.									
Date-->					3/10/25	3/10/25	3/10/25	3/10/25	3/10/25	3/10/25	3/10/25	3/10/25	3/10/25	3/10/25
Sample-->					GP-1 (2-4')	GP-2 (2-4')	GP-3 (2-4')	GP-4 (2-4')	GP-5 (2-4')	GP-6 (2-4')	GP-7 (2-4')	GP-8 (2-4')	GP-9 (2-4')	GP-10 (2-4')
Sample Depth (Feet)-->					2-4	2-4	2-4	2-4	2-4	2-4	2-4	2-4	2-4	2-4
PID (ppm)-->					0.0	0.1	0.0	0.4	0.2	0.0	0.0	0.4	0.0	0.0
Percent Moisture (%)-->					2	5.7	4.8	7.0	3.2	12.3	2.5	13.2	14.6	2.0
Saturated (S) vs Unsaturated (U)-->					U	U	U	U	U	U	U	U	U	U
PAH's (mg / kg)	CAS Number	Non-Industrial Not-to-Exceed DC RCL	Industrial Not-to-Exceed DC RCL	Groundwater Pathway Protection RCL										
Acenaphthene	83-32-9	3,590	45,200	--	<0.0023	<0.0023	0.0042 ¹	0.0513 ¹	0.0438 ¹	0.0219 ¹	<0.0022	<0.0025	<0.0025	<0.0022
Acenaphthylene	208-96-8	--	--	--	0.0144 ¹	0.0062 ¹	0.0139 ¹	0.107 ¹	0.137	0.0594 ¹	<0.0022	0.0030 ¹	0.0269	<0.0021
Anthracene	120-12-7	17,900	100,000	197	0.0082 ¹	0.0063 ¹	0.0193	0.155 ¹	0.294	0.0515 ¹	<0.0021	0.0059 ¹	0.0142 ¹	<0.0021
Benzo (a) Anthracene	56-55-3	1.14	20.8	--	0.0436	0.0252	0.108	0.399	0.800	0.197	<0.0022	0.0143 ¹	0.0524	<0.0022
Benzo (a) Pyrene	50-32-8	0.115	2.11	0.47	0.0631	0.0328	0.152	0.382	0.757	0.193	<0.0019	0.0101 ¹	0.0762	<0.0019
Benzo (b) Fluoranthene	205-99-2	1.15	21.1	0.48	0.0858	0.0525	0.240	0.662	0.920	0.362	<0.0024	0.0129 ¹	0.106	<0.0024
Benzo (g,h,i) Perylene	191-24-2	--	--	--	0.0564	0.0316	0.154	0.341 ¹	0.510	0.219	<0.0030	0.0108 ¹	0.0626	<0.0030
Benzo (k) Fluoranthene	207-08-9	11.5	211	--	0.0382	0.0240	0.0964	0.232 ¹	0.383	0.104	<0.0022	0.0033 ¹	0.0469	<0.0022
Chrysene	218-01-9	115	2,110	0.144	0.0649	0.0475	0.184	0.578	0.868	0.311	<0.0032	0.0235	0.0730	<0.0032
Dibenzo (a,h) Anthracene	53-70-3	0.115	2.11	--	0.0103 ¹	0.0067 ¹	0.0331	0.0842 ¹	0.135	0.0470 ¹	<0.0024	<0.0027	0.0162 ¹	<0.0024
Fluoranthene	206-44-0	2,390	30,100	89	0.0914	0.0601	0.292	0.856	1.54	0.363	<0.0020	0.0166 ¹	0.0831	<0.0020
Fluorene	86-73-7	2,390	30,100	15	<0.0021	0.0028 ¹	0.0061 ¹	0.103 ¹	0.0808 ¹	0.0341 ¹	<0.0021	0.0042 ¹	0.0029 ¹	<0.0020
Indeno (1,2,3-cd) Pyrene	193-39-5	1.15	21.1	--	0.0428	0.0229	0.116	0.230 ¹	0.372	0.123	<0.0036	0.0045 ¹	0.0491	<0.0035
1-Methyl Naphthalene	90-12-0	0.265	1.11	--	0.0033 ¹	0.0294	0.0861	2.28	0.147	1.10	<0.0025	0.130	0.0168 ¹	<0.0025
2-Methyl Naphthalene	91-57-6	239	3,010	--	0.0064 ¹	0.0366	0.110	3.22	0.197	1.50	<0.0025	0.188	0.0207	<0.0025
Naphthalene	91-20-3	2.4	10.2	0.66	0.0036 ¹	0.0198	0.0670	2.11	0.145	0.908	<0.0017	0.128	0.0183 ¹	<0.0017
Phenanthrene	85-01-8	--	--	--	0.0548	0.0490	0.157	1.76	1.01	0.850	<0.0020	0.0916	0.0363	<0.0019
Pyrene	129-00-0	1,790	22,600	55	0.0758	0.0485	0.239	0.700	1.44	0.316	<0.0025	0.0204	0.0779	<0.0025

Notes:

NR 720 Standards Obtained From WDNR RR Program's Soil RCL Spreadsheet

This site is assessed as Industrial

RCL = Residual Contaminant Level

DC = Direct Contact

mg/kg = Parts Per Million (ppm)

< = Concentration Below Laboratory Detection Limit

-- = Not Sampled/Collected

-- = No Standard/Not Applicable

¹ = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)

<i>Italic</i>	= Exceeds NR720 Groundwater Pathway Protection
Bold	= Exceeds NR720 Non-Industrial Not-To-Exceed DC RCL
<u>Underlined</u>	= Exceeds NR720 Industrial Not-To-Exceed DC RCL

Table 2
Groundwater Analytical Results - VOCs
Marathon Box Corp.
201 N 1st Avenue
Wausau, WI 54401



Collected By-->				REI Engineering, Inc.				
Date-->				3/10/25	3/10/25	3/10/25	3/10/25	3/10/25
Sample-->				GP-3 H ₂ O	GP-4 H ₂ O	GP-5 H ₂ O	GP-6 H ₂ O	GP-7 H ₂ O
VOC's (µg/L)	CAS Number	Enforcement Standard (ES)	Preventive Action Limit (PAL)					
Benzene	71-43-2	5	0.5	<0.30	<0.30	<0.30	<0.30	<0.30
Bromobenzene	108-86-1	--	--	<0.36	<0.36	<0.36	<0.36	<0.36
Bromochloromethane	74-97-5	--	--	<0.36	<0.36	<0.36	<0.36	<0.36
Bromodichloromethane	75-27-4	0.6	0.06	<0.21	<0.21	<0.21	<0.21	<0.21
Bromoform	75-25-2	4.4	0.44	<0.43	<0.43	<0.43	<0.43	<0.43
Bromomethane	74-83-9	10	1	<1.2	<1.2	<1.2	<1.2	<1.2
n-Butylbenzene	104-51-8	--	--	<0.86	<0.86	<0.86	<0.86	<0.86
sec-Butylbenzene	135-98-8	--	--	<0.42	<0.42	<0.42	<0.42	<0.42
tert-Butylbenzene	98-06-6	--	--	<0.59	<0.59	<0.59	<0.59	<0.59
Carbon tetrachloride	56-23-5	5	0.5	<0.37	<0.37	<0.37	<0.37	<0.37
Chlorobenzene	108-90-7	--	--	<0.86	<0.86	<0.86	<0.86	<0.86
Chloroethane	75-00-3	400	80	<1.4	<1.4	<1.4	<1.4	<1.4
Chloroform	67-66-3	6	0.6	<0.50	<0.50	<0.50	<0.50	<0.50
Chloromethane	74-87-3	30	3	<1.6	<1.6	<1.6	<1.6	<1.6
2-Chlorotoluene	95-49-8	--	--	<0.89	<0.89	<0.89	<0.89	<0.89
4-Chlorotoluene	106-43-4	--	--	<0.89	<0.89	<0.89	<0.89	<0.89
1,2-Dibromo-3-chloropropane	96-12-8	0.2	0.02	<0.36	<0.36	<0.36	<0.36	<0.36
Dibromochloromethane	124-48-1	60	6	<2.6	<2.6	<2.6	<2.6	<2.6
1,2-Dibromoethane (EDB)	106-93-4	0.05	0.005	<0.31	<0.31	<0.31	<0.31	<0.31
Dibromomethane	74-95-3	--	--	<0.99	<0.99	<0.99	<0.99	<0.99
1,2-Dichlorobenzene	95-50-1	600	60	<0.33	<0.33	<0.33	<0.33	<0.33
1,3-Dichlorobenzene	541-73-1	600	120	<0.35	<0.35	<0.35	<0.35	<0.35
1,4-Dichlorobenzene	106-46-7	75	15	<0.89	<0.89	<0.89	<0.89	<0.89
Dichlorodifluoromethane	75-71-8	1,000	200	<0.46	<0.46	<0.46	<0.46	<0.46
1,1-Dichloroethane	75-34-3	850	85	<0.30	<0.30	<0.30	<0.30	<0.30
1,2-Dichloroethane	107-06-2	5	0.5	<0.58	<0.58	<0.58	<0.58	<0.58
1,1-Dichloroethene	75-35-4	7	0.7	<0.29	<0.29	<0.29	<0.29	<0.29
cis-1,2-Dichloroethene	156-59-2	70	7	<0.47	<0.47	<0.47	<0.47	<0.47
trans-1,2-Dichloroethene	156-60-5	100	20	<0.53	<0.53	<0.53	<0.53	<0.53
1,2-Dichloropropane	78-87-5	5	0.5	<0.45	<0.45	<0.45	<0.45	<0.45
1,3-Dichloropropane	142-28-9	--	--	<0.30	<0.30	<0.30	<0.30	<0.30
2,2-Dichloropropane	594-20-7	--	--	<0.42	<0.42	<0.42	<0.42	<0.42
1,1-Dichloropropene	563-58-6	--	--	<0.41	<0.41	<0.41	<0.41	<0.41
cis-1,3-Dichloropropene	10061-01-5	0.4	0.04	<0.24	<0.24	<0.24	<0.24	<0.24
trans-1,3-Dichloropropene	10061-02-6	0.4	0.04	<0.27	<0.27	<0.27	<0.27	<0.27
Diisopropyl ether	108-20-3	--	--	<1.1	<1.1	<1.1	<1.1	<1.1
Ethylbenzene	100-41-4	700	140	<0.33	<0.33	<0.33	<0.33	<0.33
Hexachloro-1,3-butadiene	87-68-3	--	--	<2.7	<2.7	<2.7	<2.7	<2.7
Isopropylbenzene (cumene)	98-82-8	--	--	<1.0	<1.0	<1.0	<1.0	<1.0
p-Isopropyltoluene	99-87-6	--	--	<1.0	<1.0	<1.0	<1.0	<1.0
Methylene Chloride	75-09-2	5	1	<0.32	<0.32	<0.32	<0.32	<0.32
Methyl-tert-butyl ether (MTBE)	1634-04-4	60	12	<1.1	<1.1	<1.1	<1.1	<1.1
Naphthalene	91-20-3	100	10	<1.9	<1.9	<1.9	<1.9	<1.9
n-Propylbenzene	103-65-1	--	--	<0.35	<0.35	<0.35	<0.35	<0.35
Styrene	100-42-5	100	10	<0.36	<0.36	<0.36	<0.36	<0.36
1,1,1,2-Tetrachloroethane	630-20-6	70	7	<0.36	<0.36	<0.36	<0.36	<0.36
1,1,2,2-Tetrachloroethane	79-34-5	0.2	0.02	<0.25	<0.25	<0.25	<0.25	<0.25
Tetrachloroethene (PCE)	127-18-4	5	0.5	<0.41	<0.41	<0.41	<0.41	<0.41
Toluene	108-88-3	800	160	<0.29	<0.29	<0.29	<0.29	<0.29
1,2,3-Trichlorobenzene	87-61-6	--	--	<1.0	<1.0	<1.0	<1.0	<1.0
1,2,4-Trichlorobenzene	120-82-1	70	14	<0.95	<0.95	<0.95	<0.95	<0.95
1,1,1-Trichloroethane	71-55-6	200	40	<0.30	<0.30	<0.30	<0.30	<0.30
1,1,2-Trichloroethane	79-00-56	5	0.5	<0.34	<0.34	<0.34	<0.34	<0.34
Trichloroethene (TCE)	79-01-6	5	0.5	<0.32	<0.32	<0.32	<0.32	<0.32
Trichlorofluoromethane	75-69-4	--	--	<0.42	<0.42	<0.42	<0.42	<0.42
1,2,3-Trichloropropane	96-18-4	60	12	<0.56	<0.56	<0.56	<0.56	<0.56
Trimethylbenzenes (TMB) ¹	25551-13-7	480	96	<0.81	<0.81	<0.81	<0.81	<0.81
Vinyl chloride	75-01-4	0.2	0.02	<0.17	<0.17	<0.17	<0.17	<0.17
Xylenes ²	1330-20-7	2,000	400	<1.05	<1.05	<1.05	<1.05	<1.05

Notes:

¹ = NR140.10 Trimethylbenzene standard is for combined 1,2,4- and 1,3,5- isomers

² = NR140.10 Xylene standard is for combined m-, o-, and p- isomers

µg/L - Parts Per Billion (ppb)

< = Concentration Below Laboratory Detection Limit

- = Not Sampled

-- = No Standard/Not Applicable

^J = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)

Bold	= Exceeds NR140.10 Enforcement Standard
<i>Italic</i>	= Exceeds NR140.10 Preventive Action Limit

Responsive. Efficient. Innovative.


Table 3
Summary of Exceedances
Marathon Box Corp.
201 N. 1st Avenue
Wausau, WI 54401

Collected By-->					REI Engineering, Inc.											
Date-->					3/10/25	3/10/25	3/10/25	3/10/25	3/10/25	3/10/25	3/10/25	3/10/25	3/10/25	3/10/25	3/10/25	3/10/25
Sample-->					GP-1 (2-4')	GP-2 (2-4')	GP-3 (2-4')	GP-3 (16-18')	GP-4 (2-4')	GP-4 (15-16')	GP-5 (2-4')	GP-5 (15-17')	GP-6 (2-4')	GP-6 (15-16')	GP-7 (2-4')	GP-7 (15-17')
Sample Depth (Feet)-->					2-4	2-4	2-4	16-18	2-4	15-16	2-4	15-17	2-4	15-16	2-4	15-17
PID (ppm)-->					0.0	0.1	0.0	0.0	0.4	0.0	0.2	0.0	0.0	0.0	0.0	0.0
Percent Moisture (%)-->					6.5	5.7	4.8	7.3	7.0	6.1	3.2	7.0	12.3	4.7	2.5	3.3
Saturated (S) vs Unsaturated (U)-->					U	U	U	U	U	U	U	U	U	U	U	U
VOC's (mg / kg)	CAS Number	Non-Industrial Not-to-Exceed DC RCL	Industrial Not-to-Exceed DC RCL	Groundwater Pathway Protection RCL												
Benzene	71-43-2	1.6	7.07	0.005	--	--	--	--	0.104	0.0146 ^J	0.0566	--	0.0762	--	--	0.0339
Methylene Chloride	75-09-2	61.8	1,150	0.003	0.0590	0.0758	0.0154 ^J	0.0184 ^J	--	--	--	0.0212 ^J	0.0688	0.0504 ^J	0.0342 ^J	0.0446 ^J
Naphthalene	91-20-3	2.4	10.2	0.66	--	--	--	--	1.15	--	--	--	--	--	--	--
Metals (mg / kg)	Wisconsin BTV	Non-Industrial Not-to-Exceed DC RCL	Industrial Not-to-Exceed DC RCL	Groundwater Pathway Protection RCL												
Arsenic (As)	8.3	0.667	3	0.58	--	--	--	X	2.7	X	--	X	2.4 ^J	X	1.5 ^J	X
Lead (Pb)	52	200	800	27	--	--	--	X	35.7	X	28.9	X	37.9	X	--	X
PAH's (mg / kg)	CAS Number	Non-Industrial Not-to-Exceed DC RCL	Industrial Not-to-Exceed DC RCL	Groundwater Pathway Protection RCL												
Benzo (a) Pyrene	50-32-8	0.115	2.11	0.47	--	--	0.152	X	0.382	X	0.757	X	--	X	--	X
Benzo (b) Fluoranthene	205-99-2	1.15	21.1	0.48	--	--	--	X	0.662	X	0.920	X	--	X	--	X
Chrysene	218-01-9	115	2,110	0.144	--	--	0.184	X	0.578	X	0.868	X	0.311	X	--	X
Dibenzo (a,h) Anthracene	53-70-3	0.115	2.11	--	--	--	--	X	--	X	0.135	X	--	X	--	X
1-Methyl Naphthalene	90-12-0	0.265	1.11	--	--	--	--	X	2.28	X	--	X	1.10	X	--	X
Naphthalene	91-20-3	2.4	10.2	0.66	--	--	--	X	2.11	X	--	X	0.908	X	--	X


Notes:
NR 720 Standards Obtained From WDNR RR Program's Soil RCL Spreadsheet
This site is assessed as Industrial
RCL = Residual Contaminant Level
DC = Direct Contact
mg/kg = Parts Per Million (ppm)
X = Not Sampled/Collected
- - = Did not exceed applicable standards
^J = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)

<i>Italic</i>	= Exceeds NR720 Groundwater Pathway Protection
Bold	= Exceeds NR720 Non-Industrial Not-To-Exceed DC RCL
<u>Underlined</u>	= Exceeds NR720 Industrial Not-To-Exceed DC RCL

FIGURES



SCALE 1:24 000



CONTOUR INTERVAL 10 FEET
NORTH AMERICAN VERTICAL DATUM OF 1988

WAUSAU WEST QUADRANGLE
WISCONSIN - MARATHON COUNTY
7.5-MINUTE SERIES



QUADRANGLE LOCATION

UTM GRID AND 2019 MAGNETIC NORTH
DECLINATION AT CENTER OF SHEET

2°44'
49 MILS
1°54'
34 MILS

REI **REI Engineering, INC.**
4080 N. 20TH AVENUE
WAUSAU, WISCONSIN 54401
PHONE: 715.675.9784
EMAIL: MAIL@REIENGINEERING.COM

DATE: 02/17/2025
DRAWN BY: CJK
APPROVED BY: BJB

SITE VICINITY MAP
MARATHON BOX CORP.
201 N. 1ST AVENUE
WAUSAU, WI 54401

REI No. 11874
FIGURE: 1



LEGEND	
	GEOPROBE SOIL BORING (SHALLOW)
	GEOPROBE SOIL BORING (DEEP W/ WATER)
	PROPERTY BOUNDARY (APPROXIMATE)



LEGEND	
	GEOPROBE SOIL BORING (SHALLOW)
	GEOPROBE SOIL BORING (DEEP W/ WATER)
	PROPERTY BOUNDARY (APPROXIMATE)

ATTACHMENT A

BORING LOGS & BOREHOLE ABANDONMENT FORMS



SOIL BORING LOG

BORING NUMBER : GP-1

State of Wisconsin Department of Natural Resources
Route to : Remediation/Redevelopment

PROJECT INFORMATION				DRILLING INFORMATION			
Facility/Project Name : Marathon Box Corp.				Boring Drilled By : Geiss Soil and Samples LLC			
BRRTS Number : N/A				Driller : Darren Prentice			
Facility ID : 737078760				Date : 03/10/2025			
Town/City/or Village : Wausau (C)				Drilling Method : Geoprobe (Direct Push)			
County : Marathon (37)				Borehole Diameter : 2 in.			
PLSS (S/T/R) : 26, 29N, 07E				Static Water Level : NM			
PLSS (1/4:1/4 Section) : NW of SE				Surface Elevation : NM			
REI Project Number : 11030				Well Name/WI ID : N/A			

Sample			Graphic Log	Depth (ft. bls)	Soil / Rock Description	USCS	Well Diagram	PID (ppm)	Moisture Content	Comments
Number	Type	Recovery (in.)								
1	M C	1 8		0	GW: SAND AND GRAVEL; Red brown; dry; well graded; fine to coarse sand and gravel	GW		0.0	Dry	
					GW: Transitions to brown at 3 feet bgs			0.0		
	GW: Transitions to gray brown at 5 feet bgs	0.0								
2	M C	1 8			0.0					
3	M C	6		10	GW: Transitions to wet at 10 feet bgs		0.0	Wet		
					: End of boring at 12 feet bgs					

Signature

Firm

REI Engineering, Inc.
4080 N 20th Avenue, Wausau, WI 54401



SOIL BORING LOG

BORING NUMBER : GP-2

State of Wisconsin Department of Natural Resources
Route to : Remediation/Redevelopment

PROJECT INFORMATION				DRILLING INFORMATION			
Facility/Project Name : Marathon Box Corp.				Boring Drilled By : Geiss Soil and Samples LLC			
BRRTS Number : N/A				Driller : Darren Prentice			
Facility ID : 737078760				Date : 03/10/2025			
Town/City/or Village : Wausau (C)				Drilling Method : Geoprobe (Direct Push)			
County : Marathon (37)				Borehole Diameter : 2 in.			
PLSS (S/T/R) : 26, 29N, 07E				Static Water Level : NM			
PLSS (1/4:1/4 Section) : NW of SE				Surface Elevation : NM			
REI Project Number : 11030				Well Name/WI ID : N/A			

Sample			Graphic Log	Depth (ft. bls)	Soil / Rock Description	USCS	Well Diagram	PID (ppm)	Moisture Content	Comments
Number	Type	Recovery (in.)								
1	M C	3 6		0	GW: SAND AND GRAVEL; Red brown; dry; well graded; fine to coarse sand and gravel	GW		0.0	Dry	
					SP: SAND; Gray; dry; poorly graded; fine grained	SP		0.1		
2	M C	2 4		5	GW: SAND AND GRAVEL; Red brown; dry; well graded; fine to coarse sand and gravel GW: Transitions to brown; poorly graded; medium grained sand at 5 feet bgs	GW		0.3		
								0.1		
3	M C	2 4		10	GW: Transitions to red brown; well graded; fine to coarse grained sand at 10 feet bgs			0.2		
				: End of boring at 12 feet bgs						

Signature

Firm

REI Engineering, Inc.
4080 N 20th Avenue, Wausau, WI 54401






SOIL BORING LOG

BORING NUMBER : GP-3

State of Wisconsin Department of Natural Resources
Route to : Remediation/Redevelopment

PROJECT INFORMATION				DRILLING INFORMATION			
Facility/Project Name : Marathon Box Corp.				Boring Drilled By : Geiss Soil and Samples LLC			
BRRTS Number : N/A				Driller : Darren Prentice			
Facility ID : 737078760				Date : 03/10/2025			
Town/City/or Village : Wausau (C)				Drilling Method : Geoprobe (Direct Push)			
County : Marathon (37)				Borehole Diameter : 2 in.			
PLSS (S/T/R) : 26, 29N, 07E				Static Water Level : NM			
PLSS (1/4:1/4 Section) : NW of SE				Surface Elevation : NM			
REI Project Number : 11030				Well Name/WI ID : N/A			

Sample			Graphic Log	Depth (ft. bls)	Soil / Rock Description	USCS	Well Diagram	PID (ppm)	Moisture Content	Comments
Number	Type	Recovery (in.)								
1	M C	4 8		0	GW: SAND AND GRAVEL; Red brown; dry; well graded; fine to coarse sand and gravel	GW		0.0	Dry	
					GW: Transitions to brown at 3 feet bgs			0.0		
2	M C	3 6		5				0.0		
					GW: Transitions to brown/black; damp at 8 feet bgs			0.0	Damp	
3	M C	1 8		10		SW		0.0		
					SW: SAND; Brown; well graded; fine to coarse grained; contains few fine gravel			0.0		
4	M C	3 0		15				0.0		
					SW: Transitions to wet at 19 feet bgs			0.0	Wet	
				20	: End of boring at 20 feet bgs					

Signature

Firm

REI Engineering, Inc.
4080 N 20th Avenue, Wausau, WI 54401



SOIL BORING LOG

BORING NUMBER : GP-4

State of Wisconsin Department of Natural Resources
Route to : Remediation/Redevelopment

PROJECT INFORMATION				DRILLING INFORMATION			
Facility/Project Name :		Marathon Box Corp.		Boring Drilled By :		Geiss Soil and Samples LLC	
BRRTS Number :		N/A		Driller :		Darren Prentice	
Facility ID :		737078760		Date :		03/10/2025	
Town/City/or Village :		Wausau (C)		Drilling Method :		Geoprobe (Direct Push)	
County :		Marathon (37)		Borehole Diameter :		2 in.	
PLSS (S/T/R)		26, 29N, 07E		Static Water Level :		NM	
PLSS (1/4:1/4 Section) :		NW of SE		Surface Elevation :		NM	
REI Project Number :		11030		Well Name/WI ID :		N/A	

Sample			Graphic Log	Depth (ft. bls)	Soil / Rock Description	USCS	Well Diagram	PID (ppm)	Moisture Content	Comments
Number	Type	Recovery (in.)								
1	M C	3 6		0	GW: SAND AND GRAVEL; Red brown; dry; well graded; fine to coarse sand and gravel	GW		0.0	Dry	
					GW: Transitions to brown/black at 2 feet bgs			0.4		
2	M C	1 0		5	GW: Transitions to brown at 6 feet bgs			0.6		
								0.1		
3	M C	2 4		10	SP: SAND; Brown; damp; poorly graded; medium grained; contains some fine to coarse gravel and cobbles	SP	0.0	Damp		
							0.0			
4	M C	3 6		15			0.0			
					SW: SAND; Brown; wet; well graded; fine to coarse grained; contains few fine gravel	SW	0.0	Wet		
				20	: End of boring at 20 feet bgs					

Signature

Firm

REI Engineering, Inc.
4080 N 20th Avenue, Wausau, WI 54401








SOIL BORING LOG

BORING NUMBER : GP-5

State of Wisconsin Department of Natural Resources
Route to : Remediation/Redevelopment

PROJECT INFORMATION				DRILLING INFORMATION			
Facility/Project Name : Marathon Box Corp.				Boring Drilled By : Geiss Soil and Samples LLC			
BRRTS Number : N/A				Driller : Darren Prentice			
Facility ID : 737078760				Date : 03/10/2025			
Town/City/or Village : Wausau (C)				Drilling Method : Geoprobe (Direct Push)			
County : Marathon (37)				Borehole Diameter : 2 in.			
PLSS (S/T/R) : 26, 29N, 07E				Static Water Level : NM			
PLSS (1/4:1/4 Section) : NW of SE				Surface Elevation : NM			
REI Project Number : 11030				Well Name/WI ID : N/A			

Sample			Graphic Log	Depth (ft. bls)	Soil / Rock Description	USCS	Well Diagram	PID (ppm)	Moisture Content	Comments
Number	Type	Recovery (in.)								
1	M C	3 6		0	GW: SAND AND GRAVEL; Red brown; dry; well graded; fine to coarse sand and gravel	GW		0.2	Dry	
					GW: Transitions to brown at 1.5 feet bgs			0.2		
					GW: Transitions to brown/black at 3.5 feet bgs					
2	M C	1 2		5	GW: Transitions to damp at 6 feet bgs			0.2	Damp	
								0.1		
3	M C	8		10				0.1		
								0.1		
4	M C	2 4		15				0.0		
					SW: SAND; Brown; wet; well graded; fine to coarse grained; contains few fine gravel	SW	0.0	Wet		
				20	: End of boring at 20 feet bgs					

Signature

Firm

REI Engineering, Inc.
4080 N 20th Avenue, Wausau, WI 54401



SOIL BORING LOG

BORING NUMBER : GP-6

State of Wisconsin Department of Natural Resources
Route to : Remediation/Redevelopment

PROJECT INFORMATION				DRILLING INFORMATION			
Facility/Project Name :		Marathon Box Corp.		Boring Drilled By :		Geiss Soil and Samples LLC	
BRRTS Number :		N/A		Driller :		Darren Prentice	
Facility ID :		737078760		Date :		03/10/2025	
Town/City/or Village :		Wausau (C)		Drilling Method :		Geoprobe (Direct Push)	
County :		Marathon (37)		Borehole Diameter :		2 in.	
PLSS (S/T/R)		26, 29N, 07E		Static Water Level :		NM	
PLSS (1/4:1/4 Section) :		NW of SE		Surface Elevation :		NM	
REI Project Number :		11030		Well Name/WI ID :		N/A	

Sample			Graphic Log	Depth (ft. bls)	Soil / Rock Description	USCS	Well Diagram	PID (ppm)	Moisture Content	Comments
Number	Type	Recovery (in.)								
1	M C	3 0		0	ASPHALT: 2"	GW		0.0	Dry	
					GW: SAND AND GRAVEL; Brown; damp; well graded; fine to coarse sand and gravel			0.0		
					GW: Transitions to brown/black; medium grained sand at 3.5 feet bgs			0.0	Damp	
2	M C	2 4			GW: Transitions to brown at 6 feet bgs	0.0		Dry		
					SW: SAND; Brown; dry; well graded; fine to coarse grained; contains some fine to coarse gravel	0.0				
3	M C	4 8		10	SW: Transitions to damp at 11 feet bgs	0.0			Damp	
						0.0				
						0.0				
4	M C	6 0		15	SW: Transitions to contain few fine to coarse gravel at 15 feet bgs	0.0		Wet		
					SW: Transitions to wet at 17.5 feet bgs	0.0				
								20	: End of boring at 20 feet bgs	

Signature

Firm

REI Engineering, Inc.
4080 N 20th Avenue, Wausau, WI 54401





SOIL BORING LOG

BORING NUMBER : GP-7

State of Wisconsin Department of Natural Resources
Route to : Remediation/Redevelopment

PROJECT INFORMATION				DRILLING INFORMATION			
Facility/Project Name :		Marathon Box Corp.		Boring Drilled By :		Geiss Soil and Samples LLC	
BRRTS Number :		N/A		Driller :		Darren Prentice	
Facility ID :		737078760		Date :		03/10/2025	
Town/City/or Village :		Wausau (C)		Drilling Method :		Geoprobe (Direct Push)	
County :		Marathon (37)		Borehole Diameter :		2 in.	
PLSS (S/T/R)		26, 29N, 07E		Static Water Level :		NM	
PLSS (1/4:1/4 Section) :		NW of SE		Surface Elevation :		NM	
REI Project Number :		11030		Well Name/WI ID :		N/A	

Sample			Graphic Log	Depth (ft. bls)	Soil / Rock Description	USCS	Well Diagram	PID (ppm)	Moisture Content	Comments
Number	Type	Recovery (in.)								
1	M C	6 0		0	SP: SAND; Brown; damp; poorly graded; medium grained; contains few fine gravel	SP		0.0	Damp	
					SW: SAND; Brown; dry; well graded; fine to coarse grained; contains some fine to coarse gravel	SW		0.0	Dry	
2	M C	4 8		5				0.0		
					0.0					
					0.0					
3	M C	6 0		10				0.0	Moist	
					0.0					
4	M C	6 0		15	SW: Transitions to moist at 15 feet bgs			0.0	Wet	
					SW: Transitions to wet at 18 feet bgs			0.0		
				20	: End of boring at 20 feet bgs					

Signature

Firm

REI Engineering, Inc.
4080 N 20th Avenue, Wausau, WI 54401





SOIL BORING LOG

BORING NUMBER : GP-8

State of Wisconsin Department of Natural Resources
Route to : Remediation/Redevelopment

PROJECT INFORMATION				DRILLING INFORMATION			
Facility/Project Name : Marathon Box Corp.				Boring Drilled By : Geiss Soil and Samples LLC			
BRRTS Number : N/A				Driller : Darren Prentice			
Facility ID : 737078760				Date : 03/10/2025			
Town/City/or Village : Wausau (C)				Drilling Method : Geoprobe (Direct Push)			
County : Marathon (37)				Borehole Diameter : 2 in.			
PLSS (S/T/R) : 26, 29N, 07E				Static Water Level : NM			
PLSS (1/4:1/4 Section) : NW of SE				Surface Elevation : NM			
REI Project Number : 11030				Well Name/WI ID : N/A			

Sample			Graphic Log	Depth (ft. bls)	Soil / Rock Description	USCS	Well Diagram	PID (ppm)	Moisture Content	Comments
Number	Type	Recovery (in.)								
1	M C	4 8		0	GW: SAND AND GRAVEL; Red brown; dry; well graded; fine to coarse grained sand and gravel	GW		0.0	Dry	
					SP: SAND; Black; damp; poorly graded; medium grained SP: Transitions to brown at 2 feet bgs	SP			0.4	
2	M C	3 0		5	SP: Transitions to contain some fine to coarse gravel at 4 feet bgs			SW	0.0	
					SW: SAND; Brown; dry; well graded; fine to coarse grained; contains few fine to coarse gravel	0.0				
3	M C	2 4		10		0.0				
					: End of boring at 12 feet bgs					

Signature

Firm

REI Engineering, Inc.
4080 N 20th Avenue, Wausau, WI 54401



SOIL BORING LOG

BORING NUMBER : GP-9

State of Wisconsin Department of Natural Resources
Route to : Remediation/Redevelopment

PROJECT INFORMATION				DRILLING INFORMATION			
Facility/Project Name : Marathon Box Corp.				Boring Drilled By : Geiss Soil and Samples LLC			
BRRTS Number : N/A				Driller : Darren Prentice			
Facility ID : 737078760				Date : 03/10/2025			
Town/City/or Village : Wausau (C)				Drilling Method : Geoprobe (Direct Push)			
County : Marathon (37)				Borehole Diameter : 2 in.			
PLSS (S/T/R) : 26, 29N, 07E				Static Water Level : NM			
PLSS (1/4:1/4 Section) : NW of SE				Surface Elevation : NM			
REI Project Number : 11030				Well Name/WI ID : N/A			

Sample			Graphic Log	Depth (ft. bls)	Soil / Rock Description	USCS	Well Diagram	PID (ppm)	Moisture Content	Comments
Number	Type	Recovery (in.)								
1	M C	3 6		0	GW: SAND AND GRAVEL; Red brown; dry; well graded; fine to coarse grained sand and gravel	GW		0.0	Dry	
					GW: Transitions to brown/black with trace organics at 2 feet bgs			0.0		
				5				0.0		
2	M C	4 8			SW: SAND; Brown; dry; well graded; fine to coarse grained; contains some fine to coarse gravel and cobbles	SW		0.0	Dry	
				10				0.0		
3	M C	2 4						0.0		
					: End of boring at 12 feet bgs					

Signature

Firm

REI Engineering, Inc.
4080 N 20th Avenue, Wausau, WI 54401



SOIL BORING LOG

BORING NUMBER : GP-10

State of Wisconsin Department of Natural Resources
Route to : Remediation/Redevelopment

PROJECT INFORMATION				DRILLING INFORMATION			
Facility/Project Name :		Marathon Box Corp.		Boring Drilled By :		Geiss Soil and Samples LLC	
BRRTS Number :		N/A		Driller :		Darren Prentice	
Facility ID :		737078760		Date :		03/10/2025	
Town/City/or Village :		Wausau (C)		Drilling Method :		Geoprobe (Direct Push)	
County :		Marathon (37)		Borehole Diameter :		2 in.	
PLSS (S/T/R)		26, 29N, 07E		Static Water Level :		NM	
PLSS (1/4:1/4 Section) :		NW of SE		Surface Elevation :		NM	
REI Project Number :		11030		Well Name/WI ID :		N/A	

Sample			Graphic Log	Depth (ft. b/s)	Soil / Rock Description	USCS	Well Diagram	PID (ppm)	Moisture Content	Comments
Number	Type	Recovery (in.)								
1	M C	3 0		0	ASPHALT: 3" GW: SAND AND GRAVEL; Brown; dry; well graded; fine to coarse grained sand and gravel	GW		0.0	Dry	
2	M C	4 8		5				0.0		
3	M C	2 4		10	SW: SAND; Brown; dry; well graded; fine to coarse grained; contains some fine to coarse gravel and cobbles			0.0		
					: End of boring at 12 feet bgs					

Signature

Firm

REI Engineering, Inc.
4080 N 20th Avenue, Wausau, WI 54401

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

☒ **Verification Only of Fill and Seal**

Route to DNR Bureau:

☐ Drinking Water

☐ Watershed/Wastewater

☒ Remediation/Redevelopment

☐ Waste Management

☐ Other: _____

1. Well Location Information

County **Marathon** WI Unique Well # of Removed Well **GP-1** Hicap # _____

Latitude / Longitude (see instructions) _____ N ☐ DD ☐ GPS008
_____ W ☐ DDM ☐ SCR002
☐ OTH001

1/4 1/4 **NW** 1/4 **SE** Section **26** Township **29 N** Range ☒ **E** ☐ **W**
or Gov't Lot # _____

Well Street Address
201 N. 1st Avenue

Well City, Village or Town **Wausau (C)** Well ZIP Code **54401**

Subdivision Name _____ Lot # _____

Reason for Removal from Service **Sampling Complete** WI Unique Well # of Replacement Well _____

3. Filled & Sealed Well / Drillhole / Borehole Information

☐ Monitoring Well

☐ Water Well

☒ Borehole / Drillhole

Original Construction Date (mm/dd/yyyy)
03/10/2025

If a Well Construction Report is available, please attach.

Construction Type:

☐ Drilled

☐ Driven (Sandpoint)

☐ Dug

☒ Other (specify): **Geoprobe - Direct Push**

Formation Type:

☒ Unconsolidated Formation

☐ Bedrock

Total Well Depth From Ground Surface (ft.) **12** Casing Diameter (in.) _____

Lower Drillhole Diameter (in.) **2** Casing Depth (ft.) _____

Was well annular space grouted? ☐ Yes ☒ No ☐ Unknown

If yes, to what depth (feet)? _____ Depth to Water (feet) _____

5. Material Used to Fill Well / Drillhole

3/8" Holeplug Bentonite

2. Facility / Owner Information

Facility Name
Marathon Box Corp.

Facility ID (FID or PWS) _____

License/Permit/Monitoring # _____

Original Well Owner
Marathon Box Corporation

Present Well Owner
Marathon Box Corporation

Mailing Address of Present Owner
150611 Windflower Lane

City of Present Owner **Wausau** State **WI** ZIP Code **54401**

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed? ☐ Yes ☐ No ☒ N/A

Liner(s) removed? ☐ Yes ☐ No ☒ N/A

Liner(s) perforated? ☐ Yes ☐ No ☒ N/A

Screen removed? ☐ Yes ☐ No ☒ N/A

Casing left in place? ☐ Yes ☐ No ☒ N/A

Was casing cut off below surface? ☐ Yes ☐ No ☒ N/A

Did sealing material rise to surface? ☒ Yes ☐ No ☐ N/A

Did material settle after 24 hours? ☐ Yes ☒ No ☐ N/A

If yes, was hole retopped? ☐ Yes ☐ No ☒ N/A

If bentonite chips were used, were they hydrated with water from a known safe source? ☐ Yes ☒ No ☐ N/A

Required Method of Placing Sealing Material

☐ Conductor Pipe-Gravity ☐ Conductor Pipe-Pumped

☒ Screened & Poured (Bentonite Chips) ☐ Other (Explain): _____

Sealing Materials

☐ Neat Cement Grout

☐ Concrete

☐ Sand-Cement (Concrete) Grout

☒ Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:

☐ Bentonite Chips

☐ Bentonite - Cement Grout

☐ Granular Bentonite

☐ Bentonite - Sand Slurry


6. Comments

Geoprobe boring installed and abandoned by Geiss Soil and Samples under REI Engineering oversight.

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing **Geiss, C/O REI Engineering, Inc.** License # _____ Date of Filling & Sealing or Verification (mm/dd/yyyy) **03/10/2025**

Street or Route **4080 N 20th Avenue** Telephone Number **(715) 675-9784**

City **Wausau** State **WI** ZIP Code **54401** Signature of Person Doing Work  Date Signed **03/20/2025**

DNR Use Only

Date Received _____ Noted By _____

Comments _____

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

☒ **Verification Only of Fill and Seal**

Route to DNR Bureau:

☐ Drinking Water

☐ Watershed/Wastewater

☒ Remediation/Redevelopment

☐ Waste Management

☐ Other: _____

1. Well Location Information

County **Marathon** WI Unique Well # of Removed Well **GP-2** Hicap # _____

Latitude / Longitude (see instructions) _____ N ☐ DD ☐ GPS008
_____ W ☐ DDM ☐ SCR002
☐ OTH001

1/4 1/4 **NW** 1/4 **SE** Section **26** Township **29 N** Range **07** ☒ E ☐ W
or Gov't Lot # _____

Well Street Address
201 N. 1st Avenue

Well City, Village or Town **Wausau (C)** Well ZIP Code **54401**

Subdivision Name _____ Lot # _____

Reason for Removal from Service **Sampling Complete** WI Unique Well # of Replacement Well _____

3. Filled & Sealed Well / Drillhole / Borehole Information

☐ Monitoring Well

☐ Water Well

☒ Borehole / Drillhole

Original Construction Date (mm/dd/yyyy)
03/10/2025

If a Well Construction Report is available, please attach.

Construction Type:

☐ Drilled

☐ Driven (Sandpoint)

☐ Dug

☒ Other (specify): **Geoprobe - Direct Push**

Formation Type:

☒ Unconsolidated Formation

☐ Bedrock

Total Well Depth From Ground Surface (ft.) **12** Casing Diameter (in.) _____

Lower Drillhole Diameter (in.) **2** Casing Depth (ft.) _____

Was well annular space grouted? ☐ Yes ☒ No ☐ Unknown

If yes, to what depth (feet)? _____ Depth to Water (feet) _____

5. Material Used to Fill Well / Drillhole

3/8" Holeplug Bentonite

2. Facility / Owner Information

Facility Name
Marathon Box Corp.

Facility ID (FID or PWS) _____

License/Permit/Monitoring # _____

Original Well Owner
Marathon Box Corporation

Present Well Owner
Marathon Box Corporation

Mailing Address of Present Owner
150611 Windflower Lane

City of Present Owner **Wausau** State **WI** ZIP Code **54401**

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed? ☐ Yes ☐ No ☒ N/A

Liner(s) removed? ☐ Yes ☐ No ☒ N/A

Liner(s) perforated? ☐ Yes ☐ No ☒ N/A

Screen removed? ☐ Yes ☐ No ☒ N/A

Casing left in place? ☐ Yes ☐ No ☒ N/A

Was casing cut off below surface? ☐ Yes ☐ No ☒ N/A

Did sealing material rise to surface? ☒ Yes ☐ No ☐ N/A

Did material settle after 24 hours? ☐ Yes ☒ No ☐ N/A

If yes, was hole retopped? ☐ Yes ☐ No ☒ N/A

If bentonite chips were used, were they hydrated with water from a known safe source? ☐ Yes ☒ No ☐ N/A

Required Method of Placing Sealing Material

☐ Conductor Pipe-Gravity

☐ Conductor Pipe-Pumped

☒ Screened & Poured (Bentonite Chips)

☐ Other (Explain): _____

Sealing Materials

☐ Neat Cement Grout

☐ Concrete

☐ Sand-Cement (Concrete) Grout

☒ Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:

☐ Bentonite Chips

☐ Bentonite - Cement Grout

☐ Granular Bentonite

☐ Bentonite - Sand Slurry

6. Comments

Geoprobe boring installed and abandoned by Geiss Soil and Samples under REI Engineering oversight.

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing **Geiss, C/O REI Engineering, Inc.** License # _____ Date of Filling & Sealing or Verification (mm/dd/yyyy) **03/10/2025**

Street or Route **4080 N 20th Avenue** Telephone Number **(715) 675-9784**

City **Wausau** State **WI** ZIP Code **54401** Signature of Person Doing Work **Ch Kel** Date Signed **03/20/2025**

DNR Use Only

Date Received _____ Noted By _____

Comments _____

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

☒ **Verification Only of Fill and Seal**

Route to DNR Bureau:

☐ Drinking Water

☐ Watershed/Wastewater

☒ Remediation/Redevelopment

☐ Waste Management

☐ Other: _____

1. Well Location Information

County: **Marathon** WI Unique Well # of Removed Well: **GP-3** Hicap #: _____

Latitude / Longitude (see instructions): _____ N ☐ DD ☐ GPS008
_____ W ☐ DDM ☐ SCR002
☐ OTH001

1/4 1/4 NW 1/4 SE Section: **26** Township: **29 N** Range: ☒ E ☐ W
or Gov't Lot # **07**

Well Street Address: **201 N. 1st Avenue**

Well City, Village or Town: **Wausau (C)** Well ZIP Code: **54401**

Subdivision Name: _____ Lot #: _____

Reason for Removal from Service: **Sampling Complete** WI Unique Well # of Replacement Well: _____

3. Filled & Sealed Well / Drillhole / Borehole Information

☐ Monitoring Well

☐ Water Well

☒ Borehole / Drillhole

Original Construction Date (mm/dd/yyyy): **03/10/2025**

If a Well Construction Report is available, please attach.

Construction Type:

☐ Drilled

☐ Driven (Sandpoint)

☐ Dug

☒ Other (specify): **Geoprobe - Direct Push**

Formation Type:

☒ Unconsolidated Formation

☐ Bedrock

Total Well Depth From Ground Surface (ft.): **20** Casing Diameter (in.): _____

Lower Drillhole Diameter (in.): **2** Casing Depth (ft.): _____

Was well annular space grouted? ☐ Yes ☒ No ☐ Unknown

If yes, to what depth (feet)? _____ Depth to Water (feet): **18**

5. Material Used to Fill Well / Drillhole

3/8" Holeplug Bentonite

2. Facility / Owner Information

Facility Name: **Marathon Box Corp.**

Facility ID (FID or PWS): _____

License/Permit/Monitoring #: _____

Original Well Owner: **Marathon Box Corporation**

Present Well Owner: **Marathon Box Corporation**

Mailing Address of Present Owner: **150611 Windflower Lane**

City of Present Owner: **Wausau** State: **WI** ZIP Code: **54401**

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed? ☐ Yes ☐ No ☒ N/A

Liner(s) removed? ☐ Yes ☐ No ☒ N/A

Liner(s) perforated? ☐ Yes ☐ No ☒ N/A

Screen removed? ☐ Yes ☐ No ☒ N/A

Casing left in place? ☐ Yes ☐ No ☒ N/A

Was casing cut off below surface? ☐ Yes ☐ No ☒ N/A

Did sealing material rise to surface? ☒ Yes ☐ No ☐ N/A

Did material settle after 24 hours? ☐ Yes ☒ No ☐ N/A

If yes, was hole retopped? ☐ Yes ☐ No ☒ N/A

If bentonite chips were used, were they hydrated with water from a known safe source? ☐ Yes ☒ No ☐ N/A

Required Method of Placing Sealing Material

☐ Conductor Pipe-Gravity ☐ Conductor Pipe-Pumped

☒ Screened & Poured (Bentonite Chips)

☐ Other (Explain): _____

Sealing Materials

☐ Neat Cement Grout

☐ Concrete

☐ Sand-Cement (Concrete) Grout

☒ Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:

☐ Bentonite Chips

☐ Bentonite - Cement Grout

☐ Granular Bentonite

☐ Bentonite - Sand Slurry

6. Comments

Geoprobe boring installed and abandoned by Geiss Soil and Samples under REI Engineering oversight.

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing: **Geiss, C/O REI Engineering, Inc.** License #: _____ Date of Filling & Sealing or Verification (mm/dd/yyyy): **03/10/2025**

Street or Route: **4080 N 20th Avenue** Telephone Number: **(715) 675-9784**

City: **Wausau** State: **WI** ZIP Code: **54401** Signature of Person Doing Work: _____ Date Signed: **03/20/2025**

DNR Use Only

Date Received: _____ Noted By: _____

Comments: _____

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

☒ **Verification Only of Fill and Seal**

Route to DNR Bureau:

☐ Drinking Water

☐ Watershed/Wastewater

☒ Remediation/Redevelopment

☐ Waste Management

☐ Other: _____

1. Well Location Information

County: **Marathon** WI Unique Well # of Removed Well: **GP-4** Hicap #: _____

Latitude / Longitude (see instructions): _____ N ☐ DD ☐ GPS008
_____ W ☐ DDM ☐ SCR002
☐ OTH001

1/4 1/4 NW 1/4 SE Section: **26** Township: **29 N** Range: ☒ E ☐ W
or Gov't Lot # _____

Well Street Address: **201 N. 1st Avenue**

Well City, Village or Town: **Wausau (C)** Well ZIP Code: **54401**

Subdivision Name: _____ Lot #: _____

Reason for Removal from Service: **Sampling Complete** WI Unique Well # of Replacement Well: _____

3. Filled & Sealed Well / Drillhole / Borehole Information

☐ Monitoring Well

☐ Water Well

☒ Borehole / Drillhole

Original Construction Date (mm/dd/yyyy): **03/10/2025**

If a Well Construction Report is available, please attach.

Construction Type:

☐ Drilled

☐ Driven (Sandpoint)

☐ Dug

☒ Other (specify): **Geoprobe - Direct Push**

Formation Type:

☒ Unconsolidated Formation

☐ Bedrock

Total Well Depth From Ground Surface (ft.): **20** Casing Diameter (in.): _____

Lower Drillhole Diameter (in.): **2** Casing Depth (ft.): _____

Was well annular space grouted? ☐ Yes ☒ No ☐ Unknown

If yes, to what depth (feet)? _____ Depth to Water (feet): **18**

5. Material Used to Fill Well / Drillhole

3/8" Holeplug Bentonite

2. Facility / Owner Information

Facility Name: **Marathon Box Corp.**

Facility ID (FID or PWS): _____

License/Permit/Monitoring #: _____

Original Well Owner: **Marathon Box Corporation**

Present Well Owner: **Marathon Box Corporation**

Mailing Address of Present Owner: **150611 Windflower Lane**

City of Present Owner: **Wausau** State: **WI** ZIP Code: **54401**

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed? ☐ Yes ☐ No ☒ N/A

Liner(s) removed? ☐ Yes ☐ No ☒ N/A

Liner(s) perforated? ☐ Yes ☐ No ☒ N/A

Screen removed? ☐ Yes ☐ No ☒ N/A

Casing left in place? ☐ Yes ☐ No ☒ N/A

Was casing cut off below surface? ☐ Yes ☐ No ☒ N/A

Did sealing material rise to surface? ☒ Yes ☐ No ☐ N/A

Did material settle after 24 hours? ☐ Yes ☒ No ☐ N/A

If yes, was hole retopped? ☐ Yes ☐ No ☒ N/A

If bentonite chips were used, were they hydrated with water from a known safe source? ☐ Yes ☒ No ☐ N/A

Required Method of Placing Sealing Material

☐ Conductor Pipe-Gravity ☐ Conductor Pipe-Pumped

☒ Screened & Poured (Bentonite Chips) ☐ Other (Explain): _____

Sealing Materials

☐ Neat Cement Grout

☐ Concrete

☐ Sand-Cement (Concrete) Grout

☒ Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:

☐ Bentonite Chips

☐ Bentonite - Cement Grout

☐ Granular Bentonite

☐ Bentonite - Sand Slurry

6. Comments

Geoprobe boring installed and abandoned by Geiss Soil and Samples under REI Engineering oversight.

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing: **Geiss, C/O REI Engineering, Inc.** License #: _____ Date of Filling & Sealing or Verification (mm/dd/yyyy): **03/10/2025**

Street or Route: **4080 N 20th Avenue** Telephone Number: **(715) 675-9784**

City: **Wausau** State: **WI** ZIP Code: **54401** Signature of Person Doing Work: _____ Date Signed: **03/20/2025**

DNR Use Only

Date Received: _____ Noted By: _____

Comments: _____

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

☒ **Verification Only of Fill and Seal**

Route to DNR Bureau:

☐ Drinking Water

☐ Watershed/Wastewater

☒ Remediation/Redevelopment

☐ Waste Management

☐ Other: _____

1. Well Location Information

County **Marathon** WI Unique Well # of Removed Well **GP-5** Hicap # _____

Latitude / Longitude (see instructions) _____ N ☐ DD ☐ GPS008
_____ W ☐ DDM ☐ SCR002
☐ OTH001

1/4 1/4 **NW** 1/4 **SE** Section **26** Township **29 N** Range **07** ☒ E ☐ W
or Gov't Lot # _____

Well Street Address
201 N. 1st Avenue

Well City, Village or Town **Wausau (C)** Well ZIP Code **54401**

Subdivision Name _____ Lot # _____

Reason for Removal from Service **Sampling Complete** WI Unique Well # of Replacement Well _____

3. Filled & Sealed Well / Drillhole / Borehole Information

☐ Monitoring Well

☐ Water Well

☒ Borehole / Drillhole

Original Construction Date (mm/dd/yyyy)
03/10/2025

If a Well Construction Report is available, please attach.

Construction Type:

☐ Drilled

☐ Driven (Sandpoint)

☐ Dug

☒ Other (specify): **Geoprobe - Direct Push**

Formation Type:

☒ Unconsolidated Formation

☐ Bedrock

Total Well Depth From Ground Surface (ft.) **20** Casing Diameter (in.) _____

Lower Drillhole Diameter (in.) **2** Casing Depth (ft.) _____

Was well annular space grouted? ☐ Yes ☒ No ☐ Unknown

If yes, to what depth (feet)? _____ Depth to Water (feet) **18**

5. Material Used to Fill Well / Drillhole

3/8" Holeplug Bentonite

2. Facility / Owner Information

Facility Name
Marathon Box Corp.

Facility ID (FID or PWS) _____

License/Permit/Monitoring # _____

Original Well Owner
Marathon Box Corporation

Present Well Owner
Marathon Box Corporation

Mailing Address of Present Owner
150611 Windflower Lane

City of Present Owner **Wausau** State **WI** ZIP Code **54401**

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed? ☐ Yes ☐ No ☒ N/A

Liner(s) removed? ☐ Yes ☐ No ☒ N/A

Liner(s) perforated? ☐ Yes ☐ No ☒ N/A

Screen removed? ☐ Yes ☐ No ☒ N/A

Casing left in place? ☐ Yes ☐ No ☒ N/A

Was casing cut off below surface? ☐ Yes ☐ No ☒ N/A

Did sealing material rise to surface? ☒ Yes ☐ No ☐ N/A

Did material settle after 24 hours? ☐ Yes ☒ No ☐ N/A

If yes, was hole retopped? ☐ Yes ☐ No ☒ N/A

If bentonite chips were used, were they hydrated with water from a known safe source? ☐ Yes ☒ No ☐ N/A

Required Method of Placing Sealing Material

☐ Conductor Pipe-Gravity ☐ Conductor Pipe-Pumped

☒ Screened & Poured (Bentonite Chips) ☐ Other (Explain): _____

Sealing Materials

☐ Neat Cement Grout

☐ Concrete

☐ Sand-Cement (Concrete) Grout

☒ Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:

☐ Bentonite Chips

☐ Bentonite - Cement Grout

☐ Granular Bentonite

☐ Bentonite - Sand Slurry

6. Comments

Geoprobe boring installed and abandoned by Geiss Soil and Samples under REI Engineering oversight.

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing **Geiss, C/O REI Engineering, Inc.** License # _____ Date of Filling & Sealing or Verification (mm/dd/yyyy) **03/10/2025**

Street or Route **4080 N 20th Avenue** Telephone Number **(715) 675-9784**

City **Wausau** State **WI** ZIP Code **54401** Signature of Person Doing Work *Ch Kel* Date Signed **03/20/2025**

DNR Use Only

Date Received _____ Noted By _____

Comments _____

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

☒ **Verification Only of Fill and Seal**

Route to DNR Bureau:

☐ Drinking Water

☐ Watershed/Wastewater

☒ Remediation/Redevelopment

☐ Waste Management

☐ Other: _____

1. Well Location Information

County **Marathon** WI Unique Well # of Removed Well **GP-6** Hicap # _____

Latitude / Longitude (see instructions) _____ N ☐ DD ☐ GPS008
_____ W ☐ DDM ☐ SCR002
☐ OTH001

1/4 1/4 **NW** 1/4 **SE** Section **26** Township **29 N** Range ☒ **E**
or Gov't Lot # _____ ☐ **W**

Well Street Address
201 N. 1st Avenue

Well City, Village or Town **Wausau (C)** Well ZIP Code **54401**

Subdivision Name _____ Lot # _____

Reason for Removal from Service **Sampling Complete** WI Unique Well # of Replacement Well _____

3. Filled & Sealed Well / Drillhole / Borehole Information

☐ Monitoring Well

☐ Water Well

☒ Borehole / Drillhole

Original Construction Date (mm/dd/yyyy)
03/10/2025

If a Well Construction Report is available, please attach.

Construction Type:

☐ Drilled

☐ Driven (Sandpoint)

☐ Dug

☒ Other (specify): **Geoprobe - Direct Push**

Formation Type:

☒ Unconsolidated Formation

☐ Bedrock

Total Well Depth From Ground Surface (ft.) **20** Casing Diameter (in.) _____

Lower Drillhole Diameter (in.) **2** Casing Depth (ft.) _____

Was well annular space grouted? ☐ Yes ☒ No ☐ Unknown

If yes, to what depth (feet)? _____ Depth to Water (feet) **18**

5. Material Used to Fill Well / Drillhole

3/8" Holeplug Bentonite

2. Facility / Owner Information

Facility Name
Marathon Box Corp.

Facility ID (FID or PWS) _____

License/Permit/Monitoring # _____

Original Well Owner
Marathon Box Corporation

Present Well Owner
Marathon Box Corporation

Mailing Address of Present Owner
150611 Windflower Lane

City of Present Owner **Wausau** State **WI** ZIP Code **54401**

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed? ☐ Yes ☐ No ☒ N/A

Liner(s) removed? ☐ Yes ☐ No ☒ N/A

Liner(s) perforated? ☐ Yes ☐ No ☒ N/A

Screen removed? ☐ Yes ☐ No ☒ N/A

Casing left in place? ☐ Yes ☐ No ☒ N/A

Was casing cut off below surface? ☐ Yes ☐ No ☒ N/A

Did sealing material rise to surface? ☒ Yes ☐ No ☐ N/A

Did material settle after 24 hours? ☐ Yes ☒ No ☐ N/A

If yes, was hole retopped? ☐ Yes ☐ No ☒ N/A

If bentonite chips were used, were they hydrated with water from a known safe source? ☐ Yes ☒ No ☐ N/A

Required Method of Placing Sealing Material

☐ Conductor Pipe-Gravity ☐ Conductor Pipe-Pumped

☒ Screened & Poured (Bentonite Chips) ☐ Other (Explain): _____

Sealing Materials

☐ Neat Cement Grout

☐ Concrete

☐ Sand-Cement (Concrete) Grout

☒ Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:

☐ Bentonite Chips

☐ Bentonite - Cement Grout

☐ Granular Bentonite

☐ Bentonite - Sand Slurry

6. Comments

Geoprobe boring installed and abandoned by Geiss Soil and Samples under REI Engineering oversight.

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing **Geiss, C/O REI Engineering, Inc.** License # _____ Date of Filling & Sealing or Verification (mm/dd/yyyy) **03/10/2025**

Street or Route **4080 N 20th Avenue** Telephone Number **(715) 675-9784**

City **Wausau** State **WI** ZIP Code **54401** Signature of Person Doing Work **Ch Kel** Date Signed **03/20/2025**

DNR Use Only

Date Received _____ Noted By _____

Comments _____

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

☒ **Verification Only of Fill and Seal**

Route to DNR Bureau:

☐ Drinking Water

☐ Watershed/Wastewater

☒ Remediation/Redevelopment

☐ Waste Management

☐ Other: _____

1. Well Location Information

County **Marathon** WI Unique Well # of Removed Well **GP-7** Hicap # _____

Latitude / Longitude (see instructions) _____ N ☐ DD ☐ GPS008
_____ W ☐ DDM ☐ SCR002
☐ OTH001

1/4 1/4 **NW** 1/4 **SE** Section **26** Township **29 N** Range ☒ **E**
or Gov't Lot # _____ ☐ **W**

Well Street Address
201 N. 1st Avenue

Well City, Village or Town **Wausau (C)** Well ZIP Code **54401**

Subdivision Name _____ Lot # _____

Reason for Removal from Service **Sampling Complete** WI Unique Well # of Replacement Well _____

3. Filled & Sealed Well / Drillhole / Borehole Information

☐ Monitoring Well

☐ Water Well

☒ Borehole / Drillhole

Original Construction Date (mm/dd/yyyy)
03/10/2025

If a Well Construction Report is available, please attach.

Construction Type:

☐ Drilled

☐ Driven (Sandpoint)

☐ Dug

☒ Other (specify): **Geoprobe - Direct Push**

Formation Type:

☒ Unconsolidated Formation

☐ Bedrock

Total Well Depth From Ground Surface (ft.) **20** Casing Diameter (in.) _____

Lower Drillhole Diameter (in.) **2** Casing Depth (ft.) _____

Was well annular space grouted? ☐ Yes ☒ No ☐ Unknown

If yes, to what depth (feet)? _____ Depth to Water (feet) **18**

5. Material Used to Fill Well / Drillhole

3/8" Holeplug Bentonite

2. Facility / Owner Information

Facility Name
Marathon Box Corp.

Facility ID (FID or PWS) _____

License/Permit/Monitoring # _____

Original Well Owner
Marathon Box Corporation

Present Well Owner
Marathon Box Corporation

Mailing Address of Present Owner
150611 Windflower Lane

City of Present Owner **Wausau** State **WI** ZIP Code **54401**

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed? ☐ Yes ☐ No ☒ N/A

Liner(s) removed? ☐ Yes ☐ No ☒ N/A

Liner(s) perforated? ☐ Yes ☐ No ☒ N/A

Screen removed? ☐ Yes ☐ No ☒ N/A

Casing left in place? ☐ Yes ☐ No ☒ N/A

Was casing cut off below surface? ☐ Yes ☐ No ☒ N/A

Did sealing material rise to surface? ☒ Yes ☐ No ☐ N/A

Did material settle after 24 hours? ☐ Yes ☒ No ☐ N/A

If yes, was hole retopped? ☐ Yes ☐ No ☒ N/A

If bentonite chips were used, were they hydrated with water from a known safe source? ☐ Yes ☒ No ☐ N/A

Required Method of Placing Sealing Material

☐ Conductor Pipe-Gravity

☐ Conductor Pipe-Pumped

☒ Screened & Poured (Bentonite Chips)

☐ Other (Explain): _____

Sealing Materials

☐ Neat Cement Grout

☐ Concrete

☐ Sand-Cement (Concrete) Grout

☒ Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:

☐ Bentonite Chips

☐ Bentonite - Cement Grout

☐ Granular Bentonite

☐ Bentonite - Sand Slurry


6. Comments

Geoprobe boring installed and abandoned by Geiss Soil and Samples under REI Engineering oversight.

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing **Geiss, C/O REI Engineering, Inc.** License # _____ Date of Filling & Sealing or Verification (mm/dd/yyyy) **03/10/2025**

Street or Route **4080 N 20th Avenue** Telephone Number **(715) 675-9784**

City **Wausau** State **WI** ZIP Code **54401** Signature of Person Doing Work  Date Signed **03/20/2025**

DNR Use Only

Date Received _____ Noted By _____

Comments _____

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

☒ **Verification Only of Fill and Seal**

Route to DNR Bureau:

☐ Drinking Water

☐ Watershed/Wastewater

☒ Remediation/Redevelopment

☐ Waste Management

☐ Other: _____

1. Well Location Information

County **Marathon** WI Unique Well # of Removed Well **GP-8** Hicap # _____

Latitude / Longitude (see instructions) _____ N ☐ DD ☐ GPS008
_____ W ☐ DDM ☐ SCR002
☐ OTH001

1/4 1/4 **NW** 1/4 **SE** Section **26** Township **29 N** Range **07** ☒ E ☐ W
or Gov't Lot # _____

Well Street Address
201 N. 1st Avenue

Well City, Village or Town **Wausau (C)** Well ZIP Code **54401**

Subdivision Name _____ Lot # _____

Reason for Removal from Service **Sampling Complete** WI Unique Well # of Replacement Well _____

3. Filled & Sealed Well / Drillhole / Borehole Information

☐ Monitoring Well

☐ Water Well

☒ Borehole / Drillhole

Original Construction Date (mm/dd/yyyy)
03/10/2025

If a Well Construction Report is available, please attach.

Construction Type:

☐ Drilled

☐ Driven (Sandpoint)

☐ Dug

☒ Other (specify): **Geoprobe - Direct Push**

Formation Type:

☒ Unconsolidated Formation

☐ Bedrock

Total Well Depth From Ground Surface (ft.) **20** Casing Diameter (in.) _____

Lower Drillhole Diameter (in.) **2** Casing Depth (ft.) _____

Was well annular space grouted? ☐ Yes ☒ No ☐ Unknown

If yes, to what depth (feet)? _____ Depth to Water (feet) _____

5. Material Used to Fill Well / Drillhole

3/8" Holeplug Bentonite

2. Facility / Owner Information

Facility Name
Marathon Box Corp.

Facility ID (FID or PWS) _____

License/Permit/Monitoring # _____

Original Well Owner
Marathon Box Corporation

Present Well Owner
Marathon Box Corporation

Mailing Address of Present Owner
150611 Windflower Lane

City of Present Owner
Wausau

State
WI

ZIP Code
54401

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed? ☐ Yes ☐ No ☒ N/A

Liner(s) removed? ☐ Yes ☐ No ☒ N/A

Liner(s) perforated? ☐ Yes ☐ No ☒ N/A

Screen removed? ☐ Yes ☐ No ☒ N/A

Casing left in place? ☐ Yes ☐ No ☒ N/A

Was casing cut off below surface? ☐ Yes ☐ No ☒ N/A

Did sealing material rise to surface? ☒ Yes ☐ No ☐ N/A

Did material settle after 24 hours? ☐ Yes ☒ No ☐ N/A

If yes, was hole retopped? ☐ Yes ☐ No ☒ N/A

If bentonite chips were used, were they hydrated with water from a known safe source? ☐ Yes ☒ No ☐ N/A

Required Method of Placing Sealing Material

☐ Conductor Pipe-Gravity

☐ Conductor Pipe-Pumped

☒ Screened & Poured (Bentonite Chips)

☐ Other (Explain): _____

Sealing Materials

☐ Neat Cement Grout

☐ Concrete

☐ Sand-Cement (Concrete) Grout

☒ Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:

☐ Bentonite Chips

☐ Bentonite - Cement Grout

☐ Granular Bentonite

☐ Bentonite - Sand Slurry

6. Comments

Geoprobe boring installed and abandoned by Geiss Soil and Samples under REI Engineering oversight.

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing
Geiss, C/O REI Engineering, Inc.

License # _____

Date of Filling & Sealing or Verification (mm/dd/yyyy) **03/10/2025**

DNR Use Only

Date Received _____

Noted By _____

Street or Route
4080 N 20th Avenue

Telephone Number
(715) 675-9784


Comments _____

City
Wausau

State
WI

ZIP Code
54401

Signature of Person Doing Work



Date Signed

03/20/2025

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

☒ **Verification Only of Fill and Seal**

Route to DNR Bureau:

☐ Drinking Water

☐ Watershed/Wastewater

☒ Remediation/Redevelopment

☐ Waste Management

☐ Other: _____

1. Well Location Information

County: **Marathon** WI Unique Well # of Removed Well: **GP-9** Hicap #:

Latitude / Longitude (see instructions): _____ N _____ W Format Code: ☐ DD ☐ DDM Method Code: ☐ GPS008 ☐ SCR002 ☐ OTH001

1/4 1/4 NW 1/4 SE Section: **26** Township: **29 N** Range: ☒ E ☐ W or Gov't Lot #

Well Street Address: **201 N. 1st Avenue**

Well City, Village or Town: **Wausau (C)** Well ZIP Code: **54401**

Subdivision Name: Lot #:

Reason for Removal from Service: **Sampling Complete** WI Unique Well # of Replacement Well:

3. Filled & Sealed Well / Drillhole / Borehole Information

☐ Monitoring Well

☐ Water Well

☒ Borehole / Drillhole

Original Construction Date (mm/dd/yyyy): **03/10/2025**

If a Well Construction Report is available, please attach.

Construction Type:

☐ Drilled

☐ Driven (Sandpoint)

☐ Dug

☒ Other (specify): **Geoprobe - Direct Push**

Formation Type:

☒ Unconsolidated Formation

☐ Bedrock

Total Well Depth From Ground Surface (ft.): **20** Casing Diameter (in.):

Lower Drillhole Diameter (in.): **2** Casing Depth (ft.):

Was well annular space grouted? ☐ Yes ☒ No ☐ Unknown

If yes, to what depth (feet)? Depth to Water (feet):

5. Material Used to Fill Well / Drillhole

3/8" Holeplug Bentonite

2. Facility / Owner Information

Facility Name: **Marathon Box Corp.**

Facility ID (FID or PWS):

License/Permit/Monitoring #:

Original Well Owner: **Marathon Box Corporation**

Present Well Owner: **Marathon Box Corporation**

Mailing Address of Present Owner: **150611 Windflower Lane**

City of Present Owner: **Wausau** State: **WI** ZIP Code: **54401**

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed? ☐ Yes ☐ No ☒ N/A

Liner(s) removed? ☐ Yes ☐ No ☒ N/A

Liner(s) perforated? ☐ Yes ☐ No ☒ N/A

Screen removed? ☐ Yes ☐ No ☒ N/A

Casing left in place? ☐ Yes ☐ No ☒ N/A

Was casing cut off below surface? ☐ Yes ☐ No ☒ N/A

Did sealing material rise to surface? ☒ Yes ☐ No ☐ N/A

Did material settle after 24 hours? ☐ Yes ☒ No ☐ N/A

If yes, was hole retopped? ☐ Yes ☐ No ☒ N/A

If bentonite chips were used, were they hydrated with water from a known safe source? ☐ Yes ☒ No ☐ N/A

Required Method of Placing Sealing Material

☐ Conductor Pipe-Gravity ☐ Conductor Pipe-Pumped

☒ Screened & Poured (Bentonite Chips) ☐ Other (Explain): _____

Sealing Materials

☐ Neat Cement Grout

☐ Concrete

☐ Sand-Cement (Concrete) Grout

☒ Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:

☐ Bentonite Chips

☐ Bentonite - Cement Grout

☐ Granular Bentonite

☐ Bentonite - Sand Slurry

6. Comments

Geoprobe boring installed and abandoned by Geiss Soil and Samples under REI Engineering oversight.

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing: **Geiss, C/O REI Engineering, Inc.**

License #:

Date of Filling & Sealing or Verification (mm/dd/yyyy): **03/10/2025**

DNR Use Only

Date Received:

Noted By:

Street or Route: **4080 N 20th Avenue**

Telephone Number: **(715) 675-9784**

Comments:

City: **Wausau**

State: **WI**

ZIP Code: **54401**

Signature of Person Doing Work:

Date Signed: **03/20/2025**

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

☒ **Verification Only of Fill and Seal**

Route to DNR Bureau:

☐ Drinking Water

☐ Watershed/Wastewater

☒ Remediation/Redevelopment

☐ Waste Management

☐ Other: _____

1. Well Location Information

County **Marathon** WI Unique Well # of Removed Well **GP-10** Hicap # _____

Latitude / Longitude (see instructions) _____ N ☐ DD ☐ GPS008
_____ W ☐ DDM ☐ SCR002
☐ OTH001

1/4 1/4 **NW** 1/4 **SE** Section **26** Township **29 N** Range ☒ **E** ☐ **W**
or Gov't Lot # _____

Well Street Address
201 N. 1st Avenue

Well City, Village or Town **Wausau (C)** Well ZIP Code **54401**

Subdivision Name _____ Lot # _____

Reason for Removal from Service **Sampling Complete** WI Unique Well # of Replacement Well _____

3. Filled & Sealed Well / Drillhole / Borehole Information

☐ Monitoring Well

☐ Water Well

☒ Borehole / Drillhole

Original Construction Date (mm/dd/yyyy)
03/10/2025

If a Well Construction Report is available, please attach.

Construction Type:

☐ Drilled

☐ Driven (Sandpoint)

☐ Dug

☒ Other (specify): **Geoprobe - Direct Push**

Formation Type:

☒ Unconsolidated Formation

☐ Bedrock

Total Well Depth From Ground Surface (ft.) **20** Casing Diameter (in.) _____

Lower Drillhole Diameter (in.) **2** Casing Depth (ft.) _____

Was well annular space grouted? ☐ Yes ☒ No ☐ Unknown

If yes, to what depth (feet)? _____ Depth to Water (feet) _____

5. Material Used to Fill Well / Drillhole

3/8" Holeplug Bentonite

2. Facility / Owner Information

Facility Name
Marathon Box Corp.

Facility ID (FID or PWS) _____

License/Permit/Monitoring # _____

Original Well Owner
Marathon Box Corporation

Present Well Owner
Marathon Box Corporation

Mailing Address of Present Owner
150611 Windflower Lane

City of Present Owner **Wausau** State **WI** ZIP Code **54401**

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed? ☐ Yes ☐ No ☒ N/A

Liner(s) removed? ☐ Yes ☐ No ☒ N/A

Liner(s) perforated? ☐ Yes ☐ No ☒ N/A

Screen removed? ☐ Yes ☐ No ☒ N/A

Casing left in place? ☐ Yes ☐ No ☒ N/A

Was casing cut off below surface? ☐ Yes ☐ No ☒ N/A

Did sealing material rise to surface? ☒ Yes ☐ No ☐ N/A

Did material settle after 24 hours? ☐ Yes ☒ No ☐ N/A

If yes, was hole retopped? ☐ Yes ☐ No ☒ N/A

If bentonite chips were used, were they hydrated with water from a known safe source? ☐ Yes ☒ No ☐ N/A

Required Method of Placing Sealing Material

☐ Conductor Pipe-Gravity ☐ Conductor Pipe-Pumped

☒ Screened & Poured (Bentonite Chips) ☐ Other (Explain): _____

Sealing Materials

☐ Neat Cement Grout

☐ Concrete

☐ Sand-Cement (Concrete) Grout

☒ Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:

☐ Bentonite Chips

☐ Bentonite - Cement Grout

☐ Granular Bentonite

☐ Bentonite - Sand Slurry


6. Comments

Geoprobe boring installed and abandoned by Geiss Soil and Samples under REI Engineering oversight.

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing **Geiss, C/O REI Engineering, Inc.** License # _____ Date of Filling & Sealing or Verification (mm/dd/yyyy) **03/10/2025**

Street or Route **4080 N 20th Avenue** Telephone Number **(715) 675-9784**

City **Wausau** State **WI** ZIP Code **54401** Signature of Person Doing Work  Date Signed **03/20/2025**

DNR Use Only

Date Received _____ Noted By _____

Comments _____

ATTACHMENT B

METHODS AND PROCEDURES

GEOPROBE SOIL SAMPLING (SINGLE ROD)

The Geoprobe® unit hydraulically advances a four (4) to five (5) foot sampler, consisting of a 2.25-inch diameter cutting shoe, steel sample tube with acetate liner, and drive head. The sampler is driven down the initial interval starting at land surface and driving into the subsurface the length of the sampler. The sampler is retracted from the hole and the acetate liner is removed with collected soils. The acetate liner is split open, and the collected soil is visually and manually classified by the field scientist in accordance with ASTM D2488-17. Immediately after identification, the recovered soil from the desired sample interval is divided into two (2) portions. One (1) portion is prepared for potential laboratory analysis. The second portion is placed in a clean resealable plastic bag for field screening. Soil borings logs are recorded identifying field classifications of recovered soils, depth and identification of various strata, soil moisture content, depth to groundwater, observations, and pertinent information.

The Geoprobe® sampler is cleaned with a new acetate liner installed. The sampler is advanced back down the previously created hole to the top of the next sampling interval. An additional Geoprobe® rod is added to the tool string and the tool string is then driven to the bottom of the next sample interval. The tool string is removed to allow recovery of the filled acetate liner. The above process is repeated to allow for continuous soil sample collection until either the entire sampling interval is completed, or probe refusal is encountered.

HEADSPACE ANALYSIS

Soils reserved for field analysis are screened with a RAE Systems MiniRAE or RKI GX-6000 photoionization detector (PID) equipped with a 10.6eV or 11.7eV lamp depending on the contaminants of concern at the site. The PID is calibrated in parts per million (ppm) for Volatile Organic Vapors with an ionization energy lower than that of the lamp. The previously portioned soil sample, placed in a resealable plastic bag, is shaken to promote volatilization of contaminants into the headspace of the bag. The sample is allowed to rest and is shaken again before screening. When ambient temperatures are below 60 degrees Fahrenheit, soil samples are allowed to warm for a minimum of ten (10) minutes in a heated environment prior to field screening. The plastic bag is punctured with the PID probe and once the meter reading stabilized are recorded.

SAMPLE COLLECTION

Soil samples for laboratory analysis are placed into laboratory provided containers. The type of container, quantity of soil, and preservative is based on analysis requested and laboratory requirements. Each container is labeled with the site name, sample identification, date and time of collection, requested analysis, preservative, and identification of who collected the sample. After collection and labeling, the soil samples are placed in a cooler with ice to maintain a temperature of less than four (4) degrees Celsius and greater than zero (0) degrees Celsius. Clean, single use, disposable nitrile gloves are worn during all sample collection procedures and are changed between each sample interval, location, or after becoming soiled.

CHAIN OF CUSTODY

Following collection of each sample, it is added to the chain of custody. The chain of custody includes the following information: project name, project number, location, sample identification, date and time of collection, number of containers, analysis required, preservative(s), sampler(s), signature(s), shipped by, shipped to, etc. Samples are handled by as few people as possible.

DECONTAMINATION

Prior to decontamination, excess soils are removed from equipment. All equipment that contacts soils being screened or submitted for laboratory analysis are decontaminated between each sample interval. Single-use disposable items, including nitrile gloves, plastic bags, and liners, are replaced after each sample interval. Non-single use equipment is placed in a clean 5-gallon plastic bucket containing a mixture of deionized water and DeconIT[®] of Liquinox[®] prepared according to the manufacturer's instructions. The equipment is scrubbed with a clean nylon brush with special care taken to clean all areas which contact groundwater. Equipment is then rinsed in a separate clean 5-gallon buck containing deionized water to remove any remaining cleaning solution. The equipment is rinsed with deionized water and the rinse water is captured.

ABANDONMENT

After completion of subsurface sampling, the soil boring is properly abandoned in accordance with local and state regulations.

GEOPROBE GROUNDWATER SAMPLING

GROUNDWATER PROFILER

If soil samples are not collected or the soil borehole collapses during single rod soil sampling methods a groundwater profiler, consisting of a covered stainless-steel, two (2) foot screen, maybe utilized to collect groundwater samples. 1.25-inch diameter Geoprobe® rods are connected to a groundwater profiler which is advanced to intersect the water table. Internal rods are extended through the core of the Geoprobe® rods to the bottom of the groundwater profiler. The tool string is then retracted the length of the groundwater profiler exposing the stainless-steel screen. The inner rods are removed allowing for sample collection as described in the Purging and Sampling sections. Following sample collection, the groundwater profiler and Geoprobe® rods are removed from the subsurface.

TEMPORARY WELL CASING AND SCREEN

If soil samples are collected via either single rod or dual tube methods, a temporary well may be utilized to collect groundwater samples. A one (1) inch PVC screen and casing is placed in the open soil borehole with the screen intersecting the water table. The annular space between the screen and borehole is filled with Red Flint filter pack sand. Groundwater sample collection methods are described in the Purging and Sampling sections. Following sample collection, the PVC screen and casing are removed from the subsurface.

WATER LEVEL

Groundwater level measurements are obtained by using an electronic measuring device which identifies when the probe's measuring point makes contact with a conductive liquid. Depth to groundwater is determined by slowly lowering the probe into the well until the instrument indicated that the water surface has been encountered. The distance from the top of the well casing or ground surface to the probe's measuring point is recorded. All depth to groundwater measurements are reported to the nearest 0.01 foot if a temporary well casing and screen are installed and surveyed. Measurements collected from open boreholes or temporary wells are reported to the nearest 0.1 foot and are intended as an estimate only.

PURGING

Disposable polyethylene tubing is inserted into the screened interval of either the groundwater profiler or temporary well casing and screen. The tubing is connected to a peristaltic pump and groundwater is slowly pumped until sediment free or the soil boring is purged dry. If the soil boring is purged dry, if possible, the soil boring is allowed to recharge prior to sample collection. Depending on the depth to groundwater, a check valve maybe utilized to recover groundwater, or a small diameter bailer maybe used in conjunction with a temporary well casing and screen

SAMPLE COLLECTION

Water samples collected for laboratory analysis are collected using a disposable bottom decanting bailer, taken from the middle section of the bailer, with laboratory provided containers. The type of container, volume of water, and any preservative is based on analysis requested and laboratory requirements. Each container is labeled with the site name, sample identification, date and time of collection, requested analysis, preservative, and identification of who collected the sample. After collection and labeling, the groundwater samples are placed in a cooler with ice to maintain a temperature of less than four (4) degrees Celsius and greater than zero (0) degrees Celsius. Clean, single use, disposable nitrile gloves are worn during all sample collection procedures and are changed between each monitoring location or after becoming soiled.

CHAIN OF CUSTODY

Following collection of each sample, it is added to the chain of custody. The chain of custody includes the following information: project name, project number, location, sample identification, date and time of collection, number of containers, analysis required, preservative(s), sampler(s), signature(s), shipped by, shipped to, etc. Samples are handled by as few people as possible.

DECONTAMINATION

Sampling and water level measuring equipment is decontaminated prior to sample collection. Single-use disposable items, including bottom decanting bailers, rope/twine, and tubing, are replaced after each sample location. Non-single use equipment is placed in a clean 5-gallon plastic bucket containing a mixture of deionized water and DeconIT[®] of Liquinox[®] prepared according to the manufacturer's instructions. The equipment is scrubbed with a clean nylon brush with special care taken to clean all areas which contact groundwater. Equipment is then rinsed in a separate clean

5-gallon buck containing deionized water to remove any remaining cleaning solution. The equipment is rinsed with deionized water and the rinse water is captured.

ABANDONMENT

After completion of subsurface sampling, the soil boring is properly abandoned in accordance with local and state regulations.

ATTACHMENT C

PHOTOGRAPHIC DOCUMENTATION



Soil boring GP-1 (03/10/2025)



Soil boring GP-2 (03/10/2025)



Soil boring GP-3 (03/10/2025)



Soil boring GP-4 (03/10/2025)

Phase II Environmental Site Assessment	Photographs
201 N. 1st Avenue, City of Wausau, WI 54401	REI No. 11874



Soil boring GP-5 (03/10/2025)



Soil boring GP-6 (03/10/2025)



Soil boring GP-7 (03/10/2025)



Soil boring GP-8 (03/10/2025)

Phase II Environmental Site Assessment	Photographs
201 N. 1st Avenue, City of Wausau, WI 54401	REI No. 11874



Soil boring GP-9 (03/10/2025)



Soil boring GP-10 (03/10/2025)



Southern portion of Subject Property (03/10/2025)



Western portion of Subject Property (03/10/2025)

Phase II Environmental Site Assessment	Photographs
201 N. 1st Avenue, City of Wausau, WI 54401	REI No. 11874



Northern portion of Subject Property (03/10/2025)



Eastern portion of Subject Property (03/10/2025)

Phase II Environmental Site Assessment	Photographs
201 N. 1st Avenue, City of Wausau, WI 54401	REI No. 11874

ATTACHMENT D

LABORATORY ANALYTICAL REPORT



March 24, 2025

Chase Kresl
REI

,

RE: Project: 11874/MARATHON BOX CORP-1ST AV
Pace Project No.: 40291958

Dear Chase Kresl:

Enclosed are the analytical results for sample(s) received by the laboratory on March 11, 2025. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink, appearing to read "Brian Basten".

Brian Basten
brian.basten@pacelabs.com
(920)469-2436
Project Manager

Enclosures

cc: Brian Bailey, REI Engineering



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CERTIFICATIONS

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

South Carolina Certification #: 83006001

Texas Certification #: T104704529-21-8

Virginia VELAP Certification ID: 11873

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-21-00008

Federal Fish & Wildlife Permit #: 51774A

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE SUMMARY

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40291958001	GP-1(2-4')	Solid	03/10/25 08:20	03/11/25 09:55
40291958002	GP-2(2-4')	Solid	03/10/25 08:40	03/11/25 09:55
40291958003	GP-3(2-4')	Solid	03/10/25 08:55	03/11/25 09:55
40291958004	GP-3(16-18')	Solid	03/10/25 09:05	03/11/25 09:55
40291958005	GP-4(2-4')	Solid	03/10/25 09:25	03/11/25 09:55
40291958006	GP-4(15-16')	Solid	03/10/25 09:35	03/11/25 09:55
40291958007	GP-5(2-4')	Solid	03/10/25 09:50	03/11/25 09:55
40291958008	GP-5(15-17')	Solid	03/10/25 10:00	03/11/25 09:55
40291958009	GP-6(2-4')	Solid	03/10/25 10:20	03/11/25 09:55
40291958010	GP-6(15-16')	Solid	03/10/25 10:30	03/11/25 09:55
40291958011	GP-7(2-4')	Solid	03/10/25 10:55	03/11/25 09:55
40291958012	GP-7(15-17')	Solid	03/10/25 11:05	03/11/25 09:55
40291958013	GP-8(2-4')	Solid	03/10/25 11:25	03/11/25 09:55
40291958014	GP-9(2-4')	Solid	03/10/25 11:40	03/11/25 09:55
40291958015	GP-10(2-4')	Solid	03/10/25 12:00	03/11/25 09:55
40291958016	GP-3 H2O	Water	03/10/25 09:15	03/11/25 09:55
40291958017	GP-4 H2O	Water	03/10/25 09:45	03/11/25 09:55
40291958018	GP-5 H2O	Water	03/10/25 10:10	03/11/25 09:55
40291958019	GP-6 H2O	Water	03/10/25 10:40	03/11/25 09:55
40291958020	GP-7 H2O	Water	03/10/25 11:15	03/11/25 09:55

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40291958001	GP-1(2-4')	EPA 6010D	SIS	7	PASI-G
		EPA 7471	AF	1	PASI-G
		EPA 8270E by SIM	RJN	20	PASI-G
		EPA 8260	ALD	64	PASI-G
		ASTM D2974-87	MJV	1	PASI-G
40291958002	GP-2(2-4')	EPA 6010D	SIS	7	PASI-G
		EPA 7471	AF	1	PASI-G
		EPA 8270E by SIM	RJN	20	PASI-G
		EPA 8260	ALD	64	PASI-G
		ASTM D2974-87	MJV	1	PASI-G
40291958003	GP-3(2-4')	EPA 6010D	SIS	7	PASI-G
		EPA 7471	AF	1	PASI-G
		EPA 8270E by SIM	RJN	20	PASI-G
		EPA 8260	ALD	64	PASI-G
		ASTM D2974-87	MJV	1	PASI-G
40291958004	GP-3(16-18')	EPA 8260	ALD	64	PASI-G
		ASTM D2974-87	MJV	1	PASI-G
40291958005	GP-4(2-4')	EPA 6010D	SIS	7	PASI-G
		EPA 7471	AF	1	PASI-G
		EPA 8270E by SIM	RJN	20	PASI-G
		EPA 8260	ALD	64	PASI-G
		ASTM D2974-87	MJV	1	PASI-G
40291958006	GP-4(15-16')	EPA 8260	ALD	64	PASI-G
		ASTM D2974-87	MJV	1	PASI-G
		EPA 6010D	SIS	7	PASI-G
40291958007	GP-5(2-4')	EPA 7471	AF	1	PASI-G
		EPA 8270E by SIM	RJN	20	PASI-G
		EPA 8260	ALD	64	PASI-G
		ASTM D2974-87	MJV	1	PASI-G
		EPA 8260	ALD	64	PASI-G
40291958008	GP-5(15-17')	ASTM D2974-87	MJV	1	PASI-G
		EPA 6010D	SIS	7	PASI-G
		EPA 7471	AF	1	PASI-G
40291958009	GP-6(2-4')	EPA 8270E by SIM	RJN	20	PASI-G
		EPA 8260	ALD	64	PASI-G
		ASTM D2974-87	MJV	1	PASI-G
		EPA 8260	ALD	64	PASI-G
		EPA 8260	ALD	64	PASI-G
40291958010	GP-6(15-16')	EPA 8260	ALD	64	PASI-G

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40291958011	GP-7(2-4')	ASTM D2974-87	MJV	1	PASI-G
		EPA 6010D	SIS	7	PASI-G
		EPA 7471	AF	1	PASI-G
		EPA 8270E by SIM	RJN	20	PASI-G
		EPA 8260	ALD	64	PASI-G
40291958012	GP-7(15-17')	ASTM D2974-87	MJV	1	PASI-G
		EPA 8260	ALD	64	PASI-G
40291958013	GP-8(2-4')	ASTM D2974-87	MJV	1	PASI-G
		EPA 6010D	SIS	7	PASI-G
		EPA 7471	AF	1	PASI-G
		EPA 8270E by SIM	RJN	20	PASI-G
		EPA 8260	ALD	64	PASI-G
40291958014	GP-9(2-4')	ASTM D2974-87	MJV	1	PASI-G
		EPA 6010D	SIS	7	PASI-G
		EPA 7471	AF	1	PASI-G
		EPA 8270E by SIM	RJN	20	PASI-G
		EPA 8260	ALD	64	PASI-G
40291958015	GP-10(2-4')	ASTM D2974-87	MJV	1	PASI-G
		EPA 6010D	SIS	7	PASI-G
		EPA 7471	AF	1	PASI-G
		EPA 8270E by SIM	RJN	20	PASI-G
		EPA 8260	ALD	64	PASI-G
40291958016	GP-3 H2O	ASTM D2974-87	MJV	1	PASI-G
40291958016	GP-3 H2O	EPA 8260	EIB	64	PASI-G
40291958017	GP-4 H2O	EPA 8260	EIB	64	PASI-G
40291958018	GP-5 H2O	EPA 8260	EIB	64	PASI-G
40291958019	GP-6 H2O	EPA 8260	EIB	64	PASI-G
40291958020	GP-7 H2O	EPA 8260	EIB	64	PASI-G

PASI-G = Pace Analytical Services - Green Bay

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

Sample: GP-1(2-4') Lab ID: 40291958001 Collected: 03/10/25 08:20 Received: 03/11/25 09:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Arsenic	<3.1	mg/kg	5.3	3.1	2	03/14/25 09:10	03/17/25 15:38	7440-38-2	D3
Barium	104	mg/kg	1.1	0.32	2	03/14/25 09:10	03/17/25 15:38	7440-39-3	M0
Cadmium	0.30J	mg/kg	1.1	0.28	2	03/14/25 09:10	03/17/25 15:38	7440-43-9	D3
Chromium	13.0	mg/kg	2.1	0.59	2	03/14/25 09:10	03/17/25 15:38	7440-47-3	
Lead	19.4	mg/kg	4.2	1.3	2	03/14/25 09:10	03/17/25 15:38	7439-92-1	
Selenium	<2.8	mg/kg	8.5	2.8	2	03/14/25 09:10	03/17/25 15:38	7782-49-2	D3
Silver	<0.65	mg/kg	2.1	0.65	2	03/14/25 09:10	03/17/25 15:38	7440-22-4	D3
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.020J	mg/kg	0.037	0.011	1	03/21/25 10:39	03/24/25 11:49	7439-97-6	
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Acenaphthene	<2.3	ug/kg	17.9	2.3	1	03/18/25 07:44	03/18/25 15:46	83-32-9	
Acenaphthylene	14.4J	ug/kg	17.9	2.3	1	03/18/25 07:44	03/18/25 15:46	208-96-8	
Anthracene	8.2J	ug/kg	17.9	2.2	1	03/18/25 07:44	03/18/25 15:46	120-12-7	
Benzo(a)anthracene	43.6	ug/kg	17.9	2.3	1	03/18/25 07:44	03/18/25 15:46	56-55-3	
Benzo(a)pyrene	63.1	ug/kg	17.9	2.0	1	03/18/25 07:44	03/18/25 15:46	50-32-8	
Benzo(b)fluoranthene	85.8	ug/kg	17.9	2.5	1	03/18/25 07:44	03/18/25 15:46	205-99-2	
Benzo(g,h,i)perylene	56.4	ug/kg	17.9	3.1	1	03/18/25 07:44	03/18/25 15:46	191-24-2	
Benzo(k)fluoranthene	38.2	ug/kg	17.9	2.3	1	03/18/25 07:44	03/18/25 15:46	207-08-9	
Chrysene	64.9	ug/kg	17.9	3.4	1	03/18/25 07:44	03/18/25 15:46	218-01-9	
Dibenz(a,h)anthracene	10.3J	ug/kg	17.9	2.5	1	03/18/25 07:44	03/18/25 15:46	53-70-3	
Fluoranthene	91.4	ug/kg	17.9	2.1	1	03/18/25 07:44	03/18/25 15:46	206-44-0	
Fluorene	<2.1	ug/kg	17.9	2.1	1	03/18/25 07:44	03/18/25 15:46	86-73-7	
Indeno(1,2,3-cd)pyrene	42.8	ug/kg	17.9	3.7	1	03/18/25 07:44	03/18/25 15:46	193-39-5	
1-Methylnaphthalene	3.3J	ug/kg	17.9	2.6	1	03/18/25 07:44	03/18/25 15:46	90-12-0	
2-Methylnaphthalene	6.4J	ug/kg	17.9	2.6	1	03/18/25 07:44	03/18/25 15:46	91-57-6	
Naphthalene	3.6J	ug/kg	17.9	1.7	1	03/18/25 07:44	03/18/25 15:46	91-20-3	
Phenanthrene	54.8	ug/kg	17.9	2.0	1	03/18/25 07:44	03/18/25 15:46	85-01-8	
Pyrene	75.8	ug/kg	17.9	2.6	1	03/18/25 07:44	03/18/25 15:46	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	64	%	36-120		1	03/18/25 07:44	03/18/25 15:46	321-60-8	
Terphenyl-d14 (S)	63	%	36-120		1	03/18/25 07:44	03/18/25 15:46	1718-51-0	
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<13.5	ug/kg	22.8	13.5	1	03/12/25 08:30	03/12/25 15:01	71-43-2	
Bromobenzene	<22.2	ug/kg	56.9	22.2	1	03/12/25 08:30	03/12/25 15:01	108-86-1	
Bromochloromethane	<15.6	ug/kg	56.9	15.6	1	03/12/25 08:30	03/12/25 15:01	74-97-5	
Bromodichloromethane	<13.5	ug/kg	56.9	13.5	1	03/12/25 08:30	03/12/25 15:01	75-27-4	
Bromoform	<250	ug/kg	285	250	1	03/12/25 08:30	03/12/25 15:01	75-25-2	
Bromomethane	<79.8	ug/kg	285	79.8	1	03/12/25 08:30	03/12/25 15:01	74-83-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

Sample: GP-1(2-4') Lab ID: 40291958001 Collected: 03/10/25 08:20 Received: 03/11/25 09:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
n-Butylbenzene	<26.1	ug/kg	56.9	26.1	1	03/12/25 08:30	03/12/25 15:01	104-51-8	
sec-Butylbenzene	<19.5	ug/kg	56.9	19.5	1	03/12/25 08:30	03/12/25 15:01	135-98-8	
tert-Butylbenzene	<17.9	ug/kg	56.9	17.9	1	03/12/25 08:30	03/12/25 15:01	98-06-6	
Carbon tetrachloride	<12.5	ug/kg	56.9	12.5	1	03/12/25 08:30	03/12/25 15:01	56-23-5	
Chlorobenzene	<6.8	ug/kg	56.9	6.8	1	03/12/25 08:30	03/12/25 15:01	108-90-7	
Chloroethane	<24.0	ug/kg	285	24.0	1	03/12/25 08:30	03/12/25 15:01	75-00-3	
Chloroform	<40.7	ug/kg	285	40.7	1	03/12/25 08:30	03/12/25 15:01	67-66-3	
Chloromethane	<21.6	ug/kg	56.9	21.6	1	03/12/25 08:30	03/12/25 15:01	74-87-3	
2-Chlorotoluene	<18.4	ug/kg	56.9	18.4	1	03/12/25 08:30	03/12/25 15:01	95-49-8	
4-Chlorotoluene	<21.6	ug/kg	56.9	21.6	1	03/12/25 08:30	03/12/25 15:01	106-43-4	
1,2-Dibromo-3-chloropropane	<44.2	ug/kg	285	44.2	1	03/12/25 08:30	03/12/25 15:01	96-12-8	
Dibromochloromethane	<195	ug/kg	285	195	1	03/12/25 08:30	03/12/25 15:01	124-48-1	
1,2-Dibromoethane (EDB)	<15.6	ug/kg	56.9	15.6	1	03/12/25 08:30	03/12/25 15:01	106-93-4	
Dibromomethane	<16.8	ug/kg	56.9	16.8	1	03/12/25 08:30	03/12/25 15:01	74-95-3	
1,2-Dichlorobenzene	<17.6	ug/kg	56.9	17.6	1	03/12/25 08:30	03/12/25 15:01	95-50-1	
1,3-Dichlorobenzene	<15.6	ug/kg	56.9	15.6	1	03/12/25 08:30	03/12/25 15:01	541-73-1	
1,4-Dichlorobenzene	<15.6	ug/kg	56.9	15.6	1	03/12/25 08:30	03/12/25 15:01	106-46-7	
Dichlorodifluoromethane	<24.5	ug/kg	56.9	24.5	1	03/12/25 08:30	03/12/25 15:01	75-71-8	
1,1-Dichloroethane	<14.6	ug/kg	56.9	14.6	1	03/12/25 08:30	03/12/25 15:01	75-34-3	
1,2-Dichloroethane	<13.1	ug/kg	56.9	13.1	1	03/12/25 08:30	03/12/25 15:01	107-06-2	
1,1-Dichloroethene	<18.9	ug/kg	56.9	18.9	1	03/12/25 08:30	03/12/25 15:01	75-35-4	
cis-1,2-Dichloroethene	<12.2	ug/kg	56.9	12.2	1	03/12/25 08:30	03/12/25 15:01	156-59-2	
trans-1,2-Dichloroethene	<12.4	ug/kg	56.9	12.4	1	03/12/25 08:30	03/12/25 15:01	156-60-5	
1,2-Dichloropropane	<13.5	ug/kg	56.9	13.5	1	03/12/25 08:30	03/12/25 15:01	78-87-5	
1,3-Dichloropropane	<12.4	ug/kg	56.9	12.4	1	03/12/25 08:30	03/12/25 15:01	142-28-9	
2,2-Dichloropropane	<15.4	ug/kg	56.9	15.4	1	03/12/25 08:30	03/12/25 15:01	594-20-7	
1,1-Dichloropropene	<18.4	ug/kg	56.9	18.4	1	03/12/25 08:30	03/12/25 15:01	563-58-6	
cis-1,3-Dichloropropene	<37.6	ug/kg	285	37.6	1	03/12/25 08:30	03/12/25 15:01	10061-01-5	
trans-1,3-Dichloropropene	<163	ug/kg	285	163	1	03/12/25 08:30	03/12/25 15:01	10061-02-6	
Diisopropyl ether	<14.1	ug/kg	56.9	14.1	1	03/12/25 08:30	03/12/25 15:01	108-20-3	
Ethylbenzene	<13.5	ug/kg	56.9	13.5	1	03/12/25 08:30	03/12/25 15:01	100-41-4	
Hexachloro-1,3-butadiene	<113	ug/kg	285	113	1	03/12/25 08:30	03/12/25 15:01	87-68-3	
Isopropylbenzene (Cumene)	<15.4	ug/kg	56.9	15.4	1	03/12/25 08:30	03/12/25 15:01	98-82-8	
p-Isopropyltoluene	<19.3	ug/kg	56.9	19.3	1	03/12/25 08:30	03/12/25 15:01	99-87-6	
Methylene Chloride	59.0	ug/kg	56.9	15.8	1	03/12/25 08:30	03/12/25 15:01	75-09-2	B
Methyl-tert-butyl ether	<16.7	ug/kg	56.9	16.7	1	03/12/25 08:30	03/12/25 15:01	1634-04-4	
Naphthalene	<23.9	ug/kg	285	23.9	1	03/12/25 08:30	03/12/25 15:01	91-20-3	
n-Propylbenzene	<13.7	ug/kg	56.9	13.7	1	03/12/25 08:30	03/12/25 15:01	103-65-1	
Styrene	<14.6	ug/kg	56.9	14.6	1	03/12/25 08:30	03/12/25 15:01	100-42-5	
1,1,1,2-Tetrachloroethane	<13.6	ug/kg	56.9	13.6	1	03/12/25 08:30	03/12/25 15:01	630-20-6	
1,1,1,2,2-Tetrachloroethane	<20.6	ug/kg	56.9	20.6	1	03/12/25 08:30	03/12/25 15:01	79-34-5	
Tetrachloroethene	<22.1	ug/kg	56.9	22.1	1	03/12/25 08:30	03/12/25 15:01	127-18-4	
Toluene	<14.3	ug/kg	56.9	14.3	1	03/12/25 08:30	03/12/25 15:01	108-88-3	
1,2,3-Trichlorobenzene	<63.4	ug/kg	285	63.4	1	03/12/25 08:30	03/12/25 15:01	87-61-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

Sample: GP-1(2-4') Lab ID: 40291958001 Collected: 03/10/25 08:20 Received: 03/11/25 09:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<46.9	ug/kg	285	46.9	1	03/12/25 08:30	03/12/25 15:01	120-82-1	
1,1,1-Trichloroethane	<14.6	ug/kg	56.9	14.6	1	03/12/25 08:30	03/12/25 15:01	71-55-6	
1,1,2-Trichloroethane	<20.7	ug/kg	56.9	20.7	1	03/12/25 08:30	03/12/25 15:01	79-00-5	
Trichloroethene	<21.3	ug/kg	56.9	21.3	1	03/12/25 08:30	03/12/25 15:01	79-01-6	
Trichlorofluoromethane	<16.5	ug/kg	56.9	16.5	1	03/12/25 08:30	03/12/25 15:01	75-69-4	
1,2,3-Trichloropropane	<27.7	ug/kg	56.9	27.7	1	03/12/25 08:30	03/12/25 15:01	96-18-4	
1,2,4-Trimethylbenzene	<17.0	ug/kg	56.9	17.0	1	03/12/25 08:30	03/12/25 15:01	95-63-6	
1,3,5-Trimethylbenzene	<18.3	ug/kg	56.9	18.3	1	03/12/25 08:30	03/12/25 15:01	108-67-8	
Vinyl chloride	<11.5	ug/kg	56.9	11.5	1	03/12/25 08:30	03/12/25 15:01	75-01-4	
m&p-Xylene	<24.0	ug/kg	114	24.0	1	03/12/25 08:30	03/12/25 15:01	179601-23-1	
o-Xylene	<17.1	ug/kg	56.9	17.1	1	03/12/25 08:30	03/12/25 15:01	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	120	%	56-189		1	03/12/25 08:30	03/12/25 15:01	2199-69-1	
4-Bromofluorobenzene (S)	113	%	58-188		1	03/12/25 08:30	03/12/25 15:01	460-00-4	
Toluene-d8 (S)	119	%	70-172		1	03/12/25 08:30	03/12/25 15:01	2037-26-5	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	6.5	%	0.10	0.10	1		03/11/25 17:00		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

Sample: GP-2(2-4') Lab ID: 40291958002 Collected: 03/10/25 08:40 Received: 03/11/25 09:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Arsenic	<1.5	mg/kg	2.6	1.5	1	03/14/25 09:10	03/14/25 21:29	7440-38-2	
Barium	116	mg/kg	0.53	0.16	1	03/14/25 09:10	03/14/25 21:29	7440-39-3	
Cadmium	<0.14	mg/kg	0.53	0.14	1	03/14/25 09:10	03/14/25 21:29	7440-43-9	
Chromium	1.3	mg/kg	1.1	0.29	1	03/14/25 09:10	03/14/25 21:29	7440-47-3	
Lead	9.5	mg/kg	2.1	0.63	1	03/14/25 09:10	03/14/25 21:29	7439-92-1	
Selenium	<1.4	mg/kg	4.2	1.4	1	03/14/25 09:10	03/14/25 21:29	7782-49-2	
Silver	<0.32	mg/kg	1.1	0.32	1	03/14/25 09:10	03/14/25 21:29	7440-22-4	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	<0.0098	mg/kg	0.034	0.0098	1	03/21/25 10:39	03/24/25 11:56	7439-97-6	
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Acenaphthene	<2.3	ug/kg	17.7	2.3	1	03/18/25 07:44	03/18/25 10:40	83-32-9	
Acenaphthylene	6.2J	ug/kg	17.7	2.2	1	03/18/25 07:44	03/18/25 10:40	208-96-8	
Anthracene	6.3J	ug/kg	17.7	2.2	1	03/18/25 07:44	03/18/25 10:40	120-12-7	
Benzo(a)anthracene	25.2	ug/kg	17.7	2.3	1	03/18/25 07:44	03/18/25 10:40	56-55-3	
Benzo(a)pyrene	32.8	ug/kg	17.7	2.0	1	03/18/25 07:44	03/18/25 10:40	50-32-8	
Benzo(b)fluoranthene	52.5	ug/kg	17.7	2.5	1	03/18/25 07:44	03/18/25 10:40	205-99-2	
Benzo(g,h,i)perylene	31.6	ug/kg	17.7	3.1	1	03/18/25 07:44	03/18/25 10:40	191-24-2	
Benzo(k)fluoranthene	24.0	ug/kg	17.7	2.3	1	03/18/25 07:44	03/18/25 10:40	207-08-9	
Chrysene	47.5	ug/kg	17.7	3.3	1	03/18/25 07:44	03/18/25 10:40	218-01-9	
Dibenz(a,h)anthracene	6.7J	ug/kg	17.7	2.5	1	03/18/25 07:44	03/18/25 10:40	53-70-3	
Fluoranthene	60.1	ug/kg	17.7	2.1	1	03/18/25 07:44	03/18/25 10:40	206-44-0	
Fluorene	2.8J	ug/kg	17.7	2.1	1	03/18/25 07:44	03/18/25 10:40	86-73-7	
Indeno(1,2,3-cd)pyrene	22.9	ug/kg	17.7	3.7	1	03/18/25 07:44	03/18/25 10:40	193-39-5	
1-Methylnaphthalene	29.4	ug/kg	17.7	2.6	1	03/18/25 07:44	03/18/25 10:40	90-12-0	
2-Methylnaphthalene	36.6	ug/kg	17.7	2.6	1	03/18/25 07:44	03/18/25 10:40	91-57-6	
Naphthalene	19.8	ug/kg	17.7	1.7	1	03/18/25 07:44	03/18/25 10:40	91-20-3	
Phenanthrene	49.0	ug/kg	17.7	2.0	1	03/18/25 07:44	03/18/25 10:40	85-01-8	
Pyrene	48.5	ug/kg	17.7	2.6	1	03/18/25 07:44	03/18/25 10:40	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	40	%	36-120		1	03/18/25 07:44	03/18/25 10:40	321-60-8	
Terphenyl-d14 (S)	41	%	36-120		1	03/18/25 07:44	03/18/25 10:40	1718-51-0	
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<13.3	ug/kg	22.4	13.3	1	03/12/25 08:30	03/12/25 15:20	71-43-2	
Bromobenzene	<21.8	ug/kg	56.0	21.8	1	03/12/25 08:30	03/12/25 15:20	108-86-1	
Bromochloromethane	<15.3	ug/kg	56.0	15.3	1	03/12/25 08:30	03/12/25 15:20	74-97-5	
Bromodichloromethane	<13.3	ug/kg	56.0	13.3	1	03/12/25 08:30	03/12/25 15:20	75-27-4	
Bromoform	<246	ug/kg	280	246	1	03/12/25 08:30	03/12/25 15:20	75-25-2	
Bromomethane	<78.5	ug/kg	280	78.5	1	03/12/25 08:30	03/12/25 15:20	74-83-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

Sample: GP-2(2-4') Lab ID: 40291958002 Collected: 03/10/25 08:40 Received: 03/11/25 09:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
n-Butylbenzene	<25.7	ug/kg	56.0	25.7	1	03/12/25 08:30	03/12/25 15:20	104-51-8	
sec-Butylbenzene	<19.2	ug/kg	56.0	19.2	1	03/12/25 08:30	03/12/25 15:20	135-98-8	
tert-Butylbenzene	<17.6	ug/kg	56.0	17.6	1	03/12/25 08:30	03/12/25 15:20	98-06-6	
Carbon tetrachloride	<12.3	ug/kg	56.0	12.3	1	03/12/25 08:30	03/12/25 15:20	56-23-5	
Chlorobenzene	<6.7	ug/kg	56.0	6.7	1	03/12/25 08:30	03/12/25 15:20	108-90-7	
Chloroethane	<23.6	ug/kg	280	23.6	1	03/12/25 08:30	03/12/25 15:20	75-00-3	
Chloroform	<40.1	ug/kg	280	40.1	1	03/12/25 08:30	03/12/25 15:20	67-66-3	
Chloromethane	<21.3	ug/kg	56.0	21.3	1	03/12/25 08:30	03/12/25 15:20	74-87-3	
2-Chlorotoluene	<18.1	ug/kg	56.0	18.1	1	03/12/25 08:30	03/12/25 15:20	95-49-8	
4-Chlorotoluene	<21.3	ug/kg	56.0	21.3	1	03/12/25 08:30	03/12/25 15:20	106-43-4	
1,2-Dibromo-3-chloropropane	<43.5	ug/kg	280	43.5	1	03/12/25 08:30	03/12/25 15:20	96-12-8	
Dibromochloromethane	<191	ug/kg	280	191	1	03/12/25 08:30	03/12/25 15:20	124-48-1	
1,2-Dibromoethane (EDB)	<15.3	ug/kg	56.0	15.3	1	03/12/25 08:30	03/12/25 15:20	106-93-4	
Dibromomethane	<16.6	ug/kg	56.0	16.6	1	03/12/25 08:30	03/12/25 15:20	74-95-3	
1,2-Dichlorobenzene	<17.4	ug/kg	56.0	17.4	1	03/12/25 08:30	03/12/25 15:20	95-50-1	
1,3-Dichlorobenzene	<15.3	ug/kg	56.0	15.3	1	03/12/25 08:30	03/12/25 15:20	541-73-1	
1,4-Dichlorobenzene	<15.3	ug/kg	56.0	15.3	1	03/12/25 08:30	03/12/25 15:20	106-46-7	
Dichlorodifluoromethane	<24.1	ug/kg	56.0	24.1	1	03/12/25 08:30	03/12/25 15:20	75-71-8	
1,1-Dichloroethane	<14.3	ug/kg	56.0	14.3	1	03/12/25 08:30	03/12/25 15:20	75-34-3	
1,2-Dichloroethane	<12.9	ug/kg	56.0	12.9	1	03/12/25 08:30	03/12/25 15:20	107-06-2	
1,1-Dichloroethene	<18.6	ug/kg	56.0	18.6	1	03/12/25 08:30	03/12/25 15:20	75-35-4	
cis-1,2-Dichloroethene	<12.0	ug/kg	56.0	12.0	1	03/12/25 08:30	03/12/25 15:20	156-59-2	
trans-1,2-Dichloroethene	<12.2	ug/kg	56.0	12.2	1	03/12/25 08:30	03/12/25 15:20	156-60-5	
1,2-Dichloropropane	<13.3	ug/kg	56.0	13.3	1	03/12/25 08:30	03/12/25 15:20	78-87-5	
1,3-Dichloropropane	<12.2	ug/kg	56.0	12.2	1	03/12/25 08:30	03/12/25 15:20	142-28-9	
2,2-Dichloropropane	<15.1	ug/kg	56.0	15.1	1	03/12/25 08:30	03/12/25 15:20	594-20-7	
1,1-Dichloropropene	<18.1	ug/kg	56.0	18.1	1	03/12/25 08:30	03/12/25 15:20	563-58-6	
cis-1,3-Dichloropropene	<37.0	ug/kg	280	37.0	1	03/12/25 08:30	03/12/25 15:20	10061-01-5	
trans-1,3-Dichloropropene	<160	ug/kg	280	160	1	03/12/25 08:30	03/12/25 15:20	10061-02-6	
Diisopropyl ether	<13.9	ug/kg	56.0	13.9	1	03/12/25 08:30	03/12/25 15:20	108-20-3	
Ethylbenzene	<13.3	ug/kg	56.0	13.3	1	03/12/25 08:30	03/12/25 15:20	100-41-4	
Hexachloro-1,3-butadiene	<111	ug/kg	280	111	1	03/12/25 08:30	03/12/25 15:20	87-68-3	
Isopropylbenzene (Cumene)	<15.1	ug/kg	56.0	15.1	1	03/12/25 08:30	03/12/25 15:20	98-82-8	
p-Isopropyltoluene	<19.0	ug/kg	56.0	19.0	1	03/12/25 08:30	03/12/25 15:20	99-87-6	
Methylene Chloride	75.8	ug/kg	56.0	15.6	1	03/12/25 08:30	03/12/25 15:20	75-09-2	B
Methyl-tert-butyl ether	<16.5	ug/kg	56.0	16.5	1	03/12/25 08:30	03/12/25 15:20	1634-04-4	
Naphthalene	67.4J	ug/kg	280	23.6	1	03/12/25 08:30	03/12/25 15:20	91-20-3	
n-Propylbenzene	<13.4	ug/kg	56.0	13.4	1	03/12/25 08:30	03/12/25 15:20	103-65-1	
Styrene	<14.3	ug/kg	56.0	14.3	1	03/12/25 08:30	03/12/25 15:20	100-42-5	
1,1,1,2-Tetrachloroethane	<13.4	ug/kg	56.0	13.4	1	03/12/25 08:30	03/12/25 15:20	630-20-6	
1,1,1,2,2-Tetrachloroethane	<20.3	ug/kg	56.0	20.3	1	03/12/25 08:30	03/12/25 15:20	79-34-5	
Tetrachloroethene	<21.7	ug/kg	56.0	21.7	1	03/12/25 08:30	03/12/25 15:20	127-18-4	
Toluene	38.9J	ug/kg	56.0	14.1	1	03/12/25 08:30	03/12/25 15:20	108-88-3	
1,2,3-Trichlorobenzene	<62.4	ug/kg	280	62.4	1	03/12/25 08:30	03/12/25 15:20	87-61-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

Sample: GP-2(2-4') Lab ID: 40291958002 Collected: 03/10/25 08:40 Received: 03/11/25 09:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<46.2	ug/kg	280	46.2	1	03/12/25 08:30	03/12/25 15:20	120-82-1	
1,1,1-Trichloroethane	<14.3	ug/kg	56.0	14.3	1	03/12/25 08:30	03/12/25 15:20	71-55-6	
1,1,2-Trichloroethane	<20.4	ug/kg	56.0	20.4	1	03/12/25 08:30	03/12/25 15:20	79-00-5	
Trichloroethene	<20.9	ug/kg	56.0	20.9	1	03/12/25 08:30	03/12/25 15:20	79-01-6	
Trichlorofluoromethane	<16.2	ug/kg	56.0	16.2	1	03/12/25 08:30	03/12/25 15:20	75-69-4	
1,2,3-Trichloropropane	<27.2	ug/kg	56.0	27.2	1	03/12/25 08:30	03/12/25 15:20	96-18-4	
1,2,4-Trimethylbenzene	31.9J	ug/kg	56.0	16.7	1	03/12/25 08:30	03/12/25 15:20	95-63-6	
1,3,5-Trimethylbenzene	<18.0	ug/kg	56.0	18.0	1	03/12/25 08:30	03/12/25 15:20	108-67-8	
Vinyl chloride	<11.3	ug/kg	56.0	11.3	1	03/12/25 08:30	03/12/25 15:20	75-01-4	
m&p-Xylene	53.2J	ug/kg	112	23.6	1	03/12/25 08:30	03/12/25 15:20	179601-23-1	
o-Xylene	33.6J	ug/kg	56.0	16.8	1	03/12/25 08:30	03/12/25 15:20	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	137	%	56-189		1	03/12/25 08:30	03/12/25 15:20	2199-69-1	
4-Bromofluorobenzene (S)	127	%	58-188		1	03/12/25 08:30	03/12/25 15:20	460-00-4	
Toluene-d8 (S)	132	%	70-172		1	03/12/25 08:30	03/12/25 15:20	2037-26-5	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	5.7	%	0.10	0.10	1		03/11/25 17:00		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

Sample: GP-3(2-4') Lab ID: 40291958003 Collected: 03/10/25 08:55 Received: 03/11/25 09:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Arsenic	<2.9	mg/kg	4.9	2.9	2	03/14/25 09:10	03/17/25 15:45	7440-38-2	D3
Barium	107	mg/kg	0.97	0.29	2	03/14/25 09:10	03/17/25 15:45	7440-39-3	
Cadmium	<0.26	mg/kg	0.97	0.26	2	03/14/25 09:10	03/17/25 15:45	7440-43-9	D3
Chromium	8.2	mg/kg	1.9	0.54	2	03/14/25 09:10	03/17/25 15:45	7440-47-3	
Lead	13.0	mg/kg	3.9	1.2	2	03/14/25 09:10	03/17/25 15:45	7439-92-1	
Selenium	<2.6	mg/kg	7.8	2.6	2	03/14/25 09:10	03/17/25 15:45	7782-49-2	D3
Silver	<0.60	mg/kg	1.9	0.60	2	03/14/25 09:10	03/17/25 15:45	7440-22-4	D3
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.14	mg/kg	0.034	0.0097	1	03/21/25 10:39	03/24/25 12:01	7439-97-6	
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Acenaphthene	4.2J	ug/kg	17.5	2.3	1	03/18/25 07:44	03/18/25 10:56	83-32-9	
Acenaphthylene	13.9J	ug/kg	17.5	2.2	1	03/18/25 07:44	03/18/25 10:56	208-96-8	
Anthracene	19.3	ug/kg	17.5	2.2	1	03/18/25 07:44	03/18/25 10:56	120-12-7	
Benzo(a)anthracene	108	ug/kg	17.5	2.3	1	03/18/25 07:44	03/18/25 10:56	56-55-3	
Benzo(a)pyrene	152	ug/kg	17.5	2.0	1	03/18/25 07:44	03/18/25 10:56	50-32-8	
Benzo(b)fluoranthene	240	ug/kg	17.5	2.4	1	03/18/25 07:44	03/18/25 10:56	205-99-2	
Benzo(g,h,i)perylene	154	ug/kg	17.5	3.1	1	03/18/25 07:44	03/18/25 10:56	191-24-2	
Benzo(k)fluoranthene	96.4	ug/kg	17.5	2.2	1	03/18/25 07:44	03/18/25 10:56	207-08-9	
Chrysene	184	ug/kg	17.5	3.3	1	03/18/25 07:44	03/18/25 10:56	218-01-9	
Dibenz(a,h)anthracene	33.1	ug/kg	17.5	2.4	1	03/18/25 07:44	03/18/25 10:56	53-70-3	
Fluoranthene	292	ug/kg	17.5	2.1	1	03/18/25 07:44	03/18/25 10:56	206-44-0	
Fluorene	6.1J	ug/kg	17.5	2.1	1	03/18/25 07:44	03/18/25 10:56	86-73-7	
Indeno(1,2,3-cd)pyrene	116	ug/kg	17.5	3.7	1	03/18/25 07:44	03/18/25 10:56	193-39-5	
1-Methylnaphthalene	86.1	ug/kg	17.5	2.6	1	03/18/25 07:44	03/18/25 10:56	90-12-0	
2-Methylnaphthalene	110	ug/kg	17.5	2.6	1	03/18/25 07:44	03/18/25 10:56	91-57-6	
Naphthalene	67.0	ug/kg	17.5	1.7	1	03/18/25 07:44	03/18/25 10:56	91-20-3	
Phenanthrene	157	ug/kg	17.5	2.0	1	03/18/25 07:44	03/18/25 10:56	85-01-8	
Pyrene	239	ug/kg	17.5	2.6	1	03/18/25 07:44	03/18/25 10:56	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	73	%	36-120		1	03/18/25 07:44	03/18/25 10:56	321-60-8	
Terphenyl-d14 (S)	73	%	36-120		1	03/18/25 07:44	03/18/25 10:56	1718-51-0	
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<13.1	ug/kg	22.0	13.1	1	03/13/25 09:30	03/13/25 19:32	71-43-2	
Bromobenzene	<21.4	ug/kg	55.0	21.4	1	03/13/25 09:30	03/13/25 19:32	108-86-1	
Bromochloromethane	<15.1	ug/kg	55.0	15.1	1	03/13/25 09:30	03/13/25 19:32	74-97-5	
Bromodichloromethane	<13.1	ug/kg	55.0	13.1	1	03/13/25 09:30	03/13/25 19:32	75-27-4	
Bromoform	<242	ug/kg	275	242	1	03/13/25 09:30	03/13/25 19:32	75-25-2	
Bromomethane	<77.1	ug/kg	275	77.1	1	03/13/25 09:30	03/13/25 19:32	74-83-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

Sample: GP-3(2-4') Lab ID: 40291958003 Collected: 03/10/25 08:55 Received: 03/11/25 09:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
n-Butylbenzene	<25.2	ug/kg	55.0	25.2	1	03/13/25 09:30	03/13/25 19:32	104-51-8	
sec-Butylbenzene	<18.9	ug/kg	55.0	18.9	1	03/13/25 09:30	03/13/25 19:32	135-98-8	
tert-Butylbenzene	<17.3	ug/kg	55.0	17.3	1	03/13/25 09:30	03/13/25 19:32	98-06-6	
Carbon tetrachloride	<12.1	ug/kg	55.0	12.1	1	03/13/25 09:30	03/13/25 19:32	56-23-5	
Chlorobenzene	<6.6	ug/kg	55.0	6.6	1	03/13/25 09:30	03/13/25 19:32	108-90-7	
Chloroethane	<23.2	ug/kg	275	23.2	1	03/13/25 09:30	03/13/25 19:32	75-00-3	
Chloroform	<39.4	ug/kg	275	39.4	1	03/13/25 09:30	03/13/25 19:32	67-66-3	
Chloromethane	<20.9	ug/kg	55.0	20.9	1	03/13/25 09:30	03/13/25 19:32	74-87-3	
2-Chlorotoluene	<17.8	ug/kg	55.0	17.8	1	03/13/25 09:30	03/13/25 19:32	95-49-8	
4-Chlorotoluene	<20.9	ug/kg	55.0	20.9	1	03/13/25 09:30	03/13/25 19:32	106-43-4	
1,2-Dibromo-3-chloropropane	<42.7	ug/kg	275	42.7	1	03/13/25 09:30	03/13/25 19:32	96-12-8	
Dibromochloromethane	<188	ug/kg	275	188	1	03/13/25 09:30	03/13/25 19:32	124-48-1	
1,2-Dibromoethane (EDB)	<15.1	ug/kg	55.0	15.1	1	03/13/25 09:30	03/13/25 19:32	106-93-4	
Dibromomethane	<16.3	ug/kg	55.0	16.3	1	03/13/25 09:30	03/13/25 19:32	74-95-3	
1,2-Dichlorobenzene	<17.0	ug/kg	55.0	17.0	1	03/13/25 09:30	03/13/25 19:32	95-50-1	
1,3-Dichlorobenzene	<15.1	ug/kg	55.0	15.1	1	03/13/25 09:30	03/13/25 19:32	541-73-1	
1,4-Dichlorobenzene	<15.1	ug/kg	55.0	15.1	1	03/13/25 09:30	03/13/25 19:32	106-46-7	
Dichlorodifluoromethane	<23.6	ug/kg	55.0	23.6	1	03/13/25 09:30	03/13/25 19:32	75-71-8	
1,1-Dichloroethane	<14.1	ug/kg	55.0	14.1	1	03/13/25 09:30	03/13/25 19:32	75-34-3	
1,2-Dichloroethane	<12.6	ug/kg	55.0	12.6	1	03/13/25 09:30	03/13/25 19:32	107-06-2	
1,1-Dichloroethene	<18.3	ug/kg	55.0	18.3	1	03/13/25 09:30	03/13/25 19:32	75-35-4	
cis-1,2-Dichloroethene	<11.8	ug/kg	55.0	11.8	1	03/13/25 09:30	03/13/25 19:32	156-59-2	
trans-1,2-Dichloroethene	<12.0	ug/kg	55.0	12.0	1	03/13/25 09:30	03/13/25 19:32	156-60-5	
1,2-Dichloropropane	<13.1	ug/kg	55.0	13.1	1	03/13/25 09:30	03/13/25 19:32	78-87-5	
1,3-Dichloropropane	<12.0	ug/kg	55.0	12.0	1	03/13/25 09:30	03/13/25 19:32	142-28-9	
2,2-Dichloropropane	<14.8	ug/kg	55.0	14.8	1	03/13/25 09:30	03/13/25 19:32	594-20-7	
1,1-Dichloropropene	<17.8	ug/kg	55.0	17.8	1	03/13/25 09:30	03/13/25 19:32	563-58-6	
cis-1,3-Dichloropropene	<36.3	ug/kg	275	36.3	1	03/13/25 09:30	03/13/25 19:32	10061-01-5	
trans-1,3-Dichloropropene	<157	ug/kg	275	157	1	03/13/25 09:30	03/13/25 19:32	10061-02-6	
Diisopropyl ether	<13.6	ug/kg	55.0	13.6	1	03/13/25 09:30	03/13/25 19:32	108-20-3	
Ethylbenzene	<13.1	ug/kg	55.0	13.1	1	03/13/25 09:30	03/13/25 19:32	100-41-4	
Hexachloro-1,3-butadiene	<109	ug/kg	275	109	1	03/13/25 09:30	03/13/25 19:32	87-68-3	
Isopropylbenzene (Cumene)	<14.8	ug/kg	55.0	14.8	1	03/13/25 09:30	03/13/25 19:32	98-82-8	
p-Isopropyltoluene	<18.7	ug/kg	55.0	18.7	1	03/13/25 09:30	03/13/25 19:32	99-87-6	
Methylene Chloride	15.4J	ug/kg	55.0	15.3	1	03/13/25 09:30	03/13/25 19:32	75-09-2	
Methyl-tert-butyl ether	<16.2	ug/kg	55.0	16.2	1	03/13/25 09:30	03/13/25 19:32	1634-04-4	
Naphthalene	<23.1	ug/kg	275	23.1	1	03/13/25 09:30	03/13/25 19:32	91-20-3	
n-Propylbenzene	<13.2	ug/kg	55.0	13.2	1	03/13/25 09:30	03/13/25 19:32	103-65-1	
Styrene	<14.1	ug/kg	55.0	14.1	1	03/13/25 09:30	03/13/25 19:32	100-42-5	
1,1,1,2-Tetrachloroethane	<13.2	ug/kg	55.0	13.2	1	03/13/25 09:30	03/13/25 19:32	630-20-6	
1,1,1,2,2-Tetrachloroethane	<19.9	ug/kg	55.0	19.9	1	03/13/25 09:30	03/13/25 19:32	79-34-5	
Tetrachloroethene	<21.3	ug/kg	55.0	21.3	1	03/13/25 09:30	03/13/25 19:32	127-18-4	
Toluene	14.6J	ug/kg	55.0	13.9	1	03/13/25 09:30	03/13/25 19:32	108-88-3	
1,2,3-Trichlorobenzene	<61.3	ug/kg	275	61.3	1	03/13/25 09:30	03/13/25 19:32	87-61-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

Sample: GP-3(2-4') Lab ID: 40291958003 Collected: 03/10/25 08:55 Received: 03/11/25 09:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<45.3	ug/kg	275	45.3	1	03/13/25 09:30	03/13/25 19:32	120-82-1	
1,1,1-Trichloroethane	<14.1	ug/kg	55.0	14.1	1	03/13/25 09:30	03/13/25 19:32	71-55-6	
1,1,2-Trichloroethane	<20.0	ug/kg	55.0	20.0	1	03/13/25 09:30	03/13/25 19:32	79-00-5	
Trichloroethene	<20.6	ug/kg	55.0	20.6	1	03/13/25 09:30	03/13/25 19:32	79-01-6	
Trichlorofluoromethane	<15.9	ug/kg	55.0	15.9	1	03/13/25 09:30	03/13/25 19:32	75-69-4	
1,2,3-Trichloropropane	<26.7	ug/kg	55.0	26.7	1	03/13/25 09:30	03/13/25 19:32	96-18-4	
1,2,4-Trimethylbenzene	<16.4	ug/kg	55.0	16.4	1	03/13/25 09:30	03/13/25 19:32	95-63-6	
1,3,5-Trimethylbenzene	<17.7	ug/kg	55.0	17.7	1	03/13/25 09:30	03/13/25 19:32	108-67-8	
Vinyl chloride	<11.1	ug/kg	55.0	11.1	1	03/13/25 09:30	03/13/25 19:32	75-01-4	
m&p-Xylene	<23.2	ug/kg	110	23.2	1	03/13/25 09:30	03/13/25 19:32	179601-23-1	
o-Xylene	<16.5	ug/kg	55.0	16.5	1	03/13/25 09:30	03/13/25 19:32	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	116	%	56-189		1	03/13/25 09:30	03/13/25 19:32	2199-69-1	
4-Bromofluorobenzene (S)	102	%	58-188		1	03/13/25 09:30	03/13/25 19:32	460-00-4	
Toluene-d8 (S)	116	%	70-172		1	03/13/25 09:30	03/13/25 19:32	2037-26-5	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	4.8	%	0.10	0.10	1		03/11/25 17:00		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

Sample: GP-3(16-18') Lab ID: 40291958004 Collected: 03/10/25 09:05 Received: 03/11/25 09:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<13.8	ug/kg	23.1	13.8	1	03/13/25 09:30	03/13/25 19:51	71-43-2	
Bromobenzene	<22.6	ug/kg	57.8	22.6	1	03/13/25 09:30	03/13/25 19:51	108-86-1	
Bromochloromethane	<15.8	ug/kg	57.8	15.8	1	03/13/25 09:30	03/13/25 19:51	74-97-5	
Bromodichloromethane	<13.8	ug/kg	57.8	13.8	1	03/13/25 09:30	03/13/25 19:51	75-27-4	
Bromoform	<254	ug/kg	289	254	1	03/13/25 09:30	03/13/25 19:51	75-25-2	
Bromomethane	<81.1	ug/kg	289	81.1	1	03/13/25 09:30	03/13/25 19:51	74-83-9	
n-Butylbenzene	<26.5	ug/kg	57.8	26.5	1	03/13/25 09:30	03/13/25 19:51	104-51-8	
sec-Butylbenzene	<19.8	ug/kg	57.8	19.8	1	03/13/25 09:30	03/13/25 19:51	135-98-8	
tert-Butylbenzene	<18.2	ug/kg	57.8	18.2	1	03/13/25 09:30	03/13/25 19:51	98-06-6	
Carbon tetrachloride	<12.7	ug/kg	57.8	12.7	1	03/13/25 09:30	03/13/25 19:51	56-23-5	
Chlorobenzene	<6.9	ug/kg	57.8	6.9	1	03/13/25 09:30	03/13/25 19:51	108-90-7	
Chloroethane	<24.4	ug/kg	289	24.4	1	03/13/25 09:30	03/13/25 19:51	75-00-3	
Chloroform	<41.4	ug/kg	289	41.4	1	03/13/25 09:30	03/13/25 19:51	67-66-3	
Chloromethane	<22.0	ug/kg	57.8	22.0	1	03/13/25 09:30	03/13/25 19:51	74-87-3	
2-Chlorotoluene	<18.7	ug/kg	57.8	18.7	1	03/13/25 09:30	03/13/25 19:51	95-49-8	
4-Chlorotoluene	<22.0	ug/kg	57.8	22.0	1	03/13/25 09:30	03/13/25 19:51	106-43-4	
1,2-Dibromo-3-chloropropane	<44.9	ug/kg	289	44.9	1	03/13/25 09:30	03/13/25 19:51	96-12-8	
Dibromochloromethane	<198	ug/kg	289	198	1	03/13/25 09:30	03/13/25 19:51	124-48-1	
1,2-Dibromoethane (EDB)	<15.8	ug/kg	57.8	15.8	1	03/13/25 09:30	03/13/25 19:51	106-93-4	
Dibromomethane	<17.1	ug/kg	57.8	17.1	1	03/13/25 09:30	03/13/25 19:51	74-95-3	
1,2-Dichlorobenzene	<17.9	ug/kg	57.8	17.9	1	03/13/25 09:30	03/13/25 19:51	95-50-1	
1,3-Dichlorobenzene	<15.8	ug/kg	57.8	15.8	1	03/13/25 09:30	03/13/25 19:51	541-73-1	
1,4-Dichlorobenzene	<15.8	ug/kg	57.8	15.8	1	03/13/25 09:30	03/13/25 19:51	106-46-7	
Dichlorodifluoromethane	<24.9	ug/kg	57.8	24.9	1	03/13/25 09:30	03/13/25 19:51	75-71-8	
1,1-Dichloroethane	<14.8	ug/kg	57.8	14.8	1	03/13/25 09:30	03/13/25 19:51	75-34-3	
1,2-Dichloroethane	<13.3	ug/kg	57.8	13.3	1	03/13/25 09:30	03/13/25 19:51	107-06-2	
1,1-Dichloroethene	<19.2	ug/kg	57.8	19.2	1	03/13/25 09:30	03/13/25 19:51	75-35-4	
cis-1,2-Dichloroethene	<12.4	ug/kg	57.8	12.4	1	03/13/25 09:30	03/13/25 19:51	156-59-2	
trans-1,2-Dichloroethene	<12.6	ug/kg	57.8	12.6	1	03/13/25 09:30	03/13/25 19:51	156-60-5	
1,2-Dichloropropane	<13.8	ug/kg	57.8	13.8	1	03/13/25 09:30	03/13/25 19:51	78-87-5	
1,3-Dichloropropane	<12.6	ug/kg	57.8	12.6	1	03/13/25 09:30	03/13/25 19:51	142-28-9	
2,2-Dichloropropane	<15.6	ug/kg	57.8	15.6	1	03/13/25 09:30	03/13/25 19:51	594-20-7	
1,1-Dichloropropene	<18.7	ug/kg	57.8	18.7	1	03/13/25 09:30	03/13/25 19:51	563-58-6	
cis-1,3-Dichloropropene	<38.2	ug/kg	289	38.2	1	03/13/25 09:30	03/13/25 19:51	10061-01-5	
trans-1,3-Dichloropropene	<165	ug/kg	289	165	1	03/13/25 09:30	03/13/25 19:51	10061-02-6	
Diisopropyl ether	<14.3	ug/kg	57.8	14.3	1	03/13/25 09:30	03/13/25 19:51	108-20-3	
Ethylbenzene	<13.8	ug/kg	57.8	13.8	1	03/13/25 09:30	03/13/25 19:51	100-41-4	
Hexachloro-1,3-butadiene	<115	ug/kg	289	115	1	03/13/25 09:30	03/13/25 19:51	87-68-3	
Isopropylbenzene (Cumene)	<15.6	ug/kg	57.8	15.6	1	03/13/25 09:30	03/13/25 19:51	98-82-8	
p-Isopropyltoluene	<19.7	ug/kg	57.8	19.7	1	03/13/25 09:30	03/13/25 19:51	99-87-6	
Methylene Chloride	18.4J	ug/kg	57.8	16.1	1	03/13/25 09:30	03/13/25 19:51	75-09-2	
Methyl-tert-butyl ether	<17.0	ug/kg	57.8	17.0	1	03/13/25 09:30	03/13/25 19:51	1634-04-4	
Naphthalene	<24.3	ug/kg	289	24.3	1	03/13/25 09:30	03/13/25 19:51	91-20-3	
n-Propylbenzene	<13.9	ug/kg	57.8	13.9	1	03/13/25 09:30	03/13/25 19:51	103-65-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

Sample: GP-3(16-18') Lab ID: 40291958004 Collected: 03/10/25 09:05 Received: 03/11/25 09:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<14.8	ug/kg	57.8	14.8	1	03/13/25 09:30	03/13/25 19:51	100-42-5	
1,1,1,2-Tetrachloroethane	<13.9	ug/kg	57.8	13.9	1	03/13/25 09:30	03/13/25 19:51	630-20-6	
1,1,2,2-Tetrachloroethane	<20.9	ug/kg	57.8	20.9	1	03/13/25 09:30	03/13/25 19:51	79-34-5	
Tetrachloroethene	<22.4	ug/kg	57.8	22.4	1	03/13/25 09:30	03/13/25 19:51	127-18-4	
Toluene	<14.6	ug/kg	57.8	14.6	1	03/13/25 09:30	03/13/25 19:51	108-88-3	
1,2,3-Trichlorobenzene	<64.4	ug/kg	289	64.4	1	03/13/25 09:30	03/13/25 19:51	87-61-6	
1,2,4-Trichlorobenzene	<47.7	ug/kg	289	47.7	1	03/13/25 09:30	03/13/25 19:51	120-82-1	
1,1,1-Trichloroethane	<14.8	ug/kg	57.8	14.8	1	03/13/25 09:30	03/13/25 19:51	71-55-6	
1,1,2-Trichloroethane	<21.1	ug/kg	57.8	21.1	1	03/13/25 09:30	03/13/25 19:51	79-00-5	
Trichloroethene	<21.6	ug/kg	57.8	21.6	1	03/13/25 09:30	03/13/25 19:51	79-01-6	
Trichlorofluoromethane	<16.8	ug/kg	57.8	16.8	1	03/13/25 09:30	03/13/25 19:51	75-69-4	
1,2,3-Trichloropropane	<28.1	ug/kg	57.8	28.1	1	03/13/25 09:30	03/13/25 19:51	96-18-4	
1,2,4-Trimethylbenzene	<17.2	ug/kg	57.8	17.2	1	03/13/25 09:30	03/13/25 19:51	95-63-6	
1,3,5-Trimethylbenzene	<18.6	ug/kg	57.8	18.6	1	03/13/25 09:30	03/13/25 19:51	108-67-8	
Vinyl chloride	<11.7	ug/kg	57.8	11.7	1	03/13/25 09:30	03/13/25 19:51	75-01-4	
m&p-Xylene	<24.4	ug/kg	116	24.4	1	03/13/25 09:30	03/13/25 19:51	179601-23-1	
o-Xylene	<17.4	ug/kg	57.8	17.4	1	03/13/25 09:30	03/13/25 19:51	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	123	%	56-189		1	03/13/25 09:30	03/13/25 19:51	2199-69-1	
4-Bromofluorobenzene (S)	115	%	58-188		1	03/13/25 09:30	03/13/25 19:51	460-00-4	
Toluene-d8 (S)	122	%	70-172		1	03/13/25 09:30	03/13/25 19:51	2037-26-5	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	7.3	%	0.10	0.10	1		03/11/25 17:00		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

Sample: GP-4(2-4') Lab ID: 40291958005 Collected: 03/10/25 09:25 Received: 03/11/25 09:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Arsenic	2.7	mg/kg	2.5	1.4	1	03/14/25 09:10	03/14/25 21:35	7440-38-2	
Barium	57.6	mg/kg	0.49	0.15	1	03/14/25 09:10	03/14/25 21:35	7440-39-3	
Cadmium	<0.13	mg/kg	0.49	0.13	1	03/14/25 09:10	03/14/25 21:35	7440-43-9	
Chromium	11.7	mg/kg	0.99	0.27	1	03/14/25 09:10	03/14/25 21:35	7440-47-3	
Lead	35.7	mg/kg	2.0	0.59	1	03/14/25 09:10	03/14/25 21:35	7439-92-1	
Selenium	<1.3	mg/kg	3.9	1.3	1	03/14/25 09:10	03/14/25 21:35	7782-49-2	
Silver	<0.30	mg/kg	0.99	0.30	1	03/14/25 09:10	03/14/25 21:35	7440-22-4	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.027J	mg/kg	0.035	0.0099	1	03/21/25 10:39	03/24/25 12:04	7439-97-6	
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Acenaphthene	51.3J	ug/kg	359	46.6	20	03/18/25 07:44	03/18/25 16:01	83-32-9	
Acenaphthylene	107J	ug/kg	359	45.3	20	03/18/25 07:44	03/18/25 16:01	208-96-8	
Anthracene	155J	ug/kg	359	44.6	20	03/18/25 07:44	03/18/25 16:01	120-12-7	
Benzo(a)anthracene	399	ug/kg	359	46.4	20	03/18/25 07:44	03/18/25 16:01	56-55-3	
Benzo(a)pyrene	382	ug/kg	359	40.8	20	03/18/25 07:44	03/18/25 16:01	50-32-8	
Benzo(b)fluoranthene	662	ug/kg	359	49.9	20	03/18/25 07:44	03/18/25 16:01	205-99-2	
Benzo(g,h,i)perylene	341J	ug/kg	359	63.1	20	03/18/25 07:44	03/18/25 16:01	191-24-2	
Benzo(k)fluoranthene	232J	ug/kg	359	45.9	20	03/18/25 07:44	03/18/25 16:01	207-08-9	
Chrysene	578	ug/kg	359	67.8	20	03/18/25 07:44	03/18/25 16:01	218-01-9	
Dibenz(a,h)anthracene	84.2J	ug/kg	359	49.7	20	03/18/25 07:44	03/18/25 16:01	53-70-3	
Fluoranthene	856	ug/kg	359	42.5	20	03/18/25 07:44	03/18/25 16:01	206-44-0	
Fluorene	103J	ug/kg	359	43.1	20	03/18/25 07:44	03/18/25 16:01	86-73-7	
Indeno(1,2,3-cd)pyrene	230J	ug/kg	359	74.9	20	03/18/25 07:44	03/18/25 16:01	193-39-5	
1-Methylnaphthalene	2280	ug/kg	359	52.5	20	03/18/25 07:44	03/18/25 16:01	90-12-0	
2-Methylnaphthalene	3220	ug/kg	359	52.6	20	03/18/25 07:44	03/18/25 16:01	91-57-6	
Naphthalene	2110	ug/kg	359	35.0	20	03/18/25 07:44	03/18/25 16:01	91-20-3	
Phenanthrene	1760	ug/kg	359	41.2	20	03/18/25 07:44	03/18/25 16:01	85-01-8	
Pyrene	700	ug/kg	359	52.8	20	03/18/25 07:44	03/18/25 16:01	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	69	%	36-120		20	03/18/25 07:44	03/18/25 16:01	321-60-8	
Terphenyl-d14 (S)	68	%	36-120		20	03/18/25 07:44	03/18/25 16:01	1718-51-0	
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	104	ug/kg	23.0	13.7	1	03/13/25 09:30	03/13/25 20:11	71-43-2	
Bromobenzene	<22.4	ug/kg	57.5	22.4	1	03/13/25 09:30	03/13/25 20:11	108-86-1	
Bromochloromethane	<15.8	ug/kg	57.5	15.8	1	03/13/25 09:30	03/13/25 20:11	74-97-5	
Bromodichloromethane	<13.7	ug/kg	57.5	13.7	1	03/13/25 09:30	03/13/25 20:11	75-27-4	
Bromoform	<253	ug/kg	288	253	1	03/13/25 09:30	03/13/25 20:11	75-25-2	
Bromomethane	<80.6	ug/kg	288	80.6	1	03/13/25 09:30	03/13/25 20:11	74-83-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

Sample: GP-4(2-4') Lab ID: 40291958005 Collected: 03/10/25 09:25 Received: 03/11/25 09:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
n-Butylbenzene	<26.3	ug/kg	57.5	26.3	1	03/13/25 09:30	03/13/25 20:11	104-51-8	
sec-Butylbenzene	24.8J	ug/kg	57.5	19.7	1	03/13/25 09:30	03/13/25 20:11	135-98-8	
tert-Butylbenzene	<18.1	ug/kg	57.5	18.1	1	03/13/25 09:30	03/13/25 20:11	98-06-6	
Carbon tetrachloride	<12.7	ug/kg	57.5	12.7	1	03/13/25 09:30	03/13/25 20:11	56-23-5	
Chlorobenzene	<6.9	ug/kg	57.5	6.9	1	03/13/25 09:30	03/13/25 20:11	108-90-7	
Chloroethane	<24.3	ug/kg	288	24.3	1	03/13/25 09:30	03/13/25 20:11	75-00-3	
Chloroform	<41.2	ug/kg	288	41.2	1	03/13/25 09:30	03/13/25 20:11	67-66-3	
Chloromethane	<21.9	ug/kg	57.5	21.9	1	03/13/25 09:30	03/13/25 20:11	74-87-3	
2-Chlorotoluene	<18.6	ug/kg	57.5	18.6	1	03/13/25 09:30	03/13/25 20:11	95-49-8	
4-Chlorotoluene	<21.9	ug/kg	57.5	21.9	1	03/13/25 09:30	03/13/25 20:11	106-43-4	
1,2-Dibromo-3-chloropropane	<44.6	ug/kg	288	44.6	1	03/13/25 09:30	03/13/25 20:11	96-12-8	
Dibromochloromethane	<197	ug/kg	288	197	1	03/13/25 09:30	03/13/25 20:11	124-48-1	
1,2-Dibromoethane (EDB)	<15.8	ug/kg	57.5	15.8	1	03/13/25 09:30	03/13/25 20:11	106-93-4	
Dibromomethane	<17.0	ug/kg	57.5	17.0	1	03/13/25 09:30	03/13/25 20:11	74-95-3	
1,2-Dichlorobenzene	<17.8	ug/kg	57.5	17.8	1	03/13/25 09:30	03/13/25 20:11	95-50-1	
1,3-Dichlorobenzene	<15.8	ug/kg	57.5	15.8	1	03/13/25 09:30	03/13/25 20:11	541-73-1	
1,4-Dichlorobenzene	<15.8	ug/kg	57.5	15.8	1	03/13/25 09:30	03/13/25 20:11	106-46-7	
Dichlorodifluoromethane	<24.7	ug/kg	57.5	24.7	1	03/13/25 09:30	03/13/25 20:11	75-71-8	
1,1-Dichloroethane	<14.7	ug/kg	57.5	14.7	1	03/13/25 09:30	03/13/25 20:11	75-34-3	
1,2-Dichloroethane	<13.2	ug/kg	57.5	13.2	1	03/13/25 09:30	03/13/25 20:11	107-06-2	
1,1-Dichloroethene	<19.1	ug/kg	57.5	19.1	1	03/13/25 09:30	03/13/25 20:11	75-35-4	
cis-1,2-Dichloroethene	<12.3	ug/kg	57.5	12.3	1	03/13/25 09:30	03/13/25 20:11	156-59-2	
trans-1,2-Dichloroethene	<12.6	ug/kg	57.5	12.6	1	03/13/25 09:30	03/13/25 20:11	156-60-5	
1,2-Dichloropropane	<13.7	ug/kg	57.5	13.7	1	03/13/25 09:30	03/13/25 20:11	78-87-5	
1,3-Dichloropropane	<12.5	ug/kg	57.5	12.5	1	03/13/25 09:30	03/13/25 20:11	142-28-9	
2,2-Dichloropropane	<15.5	ug/kg	57.5	15.5	1	03/13/25 09:30	03/13/25 20:11	594-20-7	
1,1-Dichloropropene	<18.6	ug/kg	57.5	18.6	1	03/13/25 09:30	03/13/25 20:11	563-58-6	
cis-1,3-Dichloropropene	<38.0	ug/kg	288	38.0	1	03/13/25 09:30	03/13/25 20:11	10061-01-5	
trans-1,3-Dichloropropene	<164	ug/kg	288	164	1	03/13/25 09:30	03/13/25 20:11	10061-02-6	
Diisopropyl ether	<14.3	ug/kg	57.5	14.3	1	03/13/25 09:30	03/13/25 20:11	108-20-3	
Ethylbenzene	205	ug/kg	57.5	13.7	1	03/13/25 09:30	03/13/25 20:11	100-41-4	
Hexachloro-1,3-butadiene	<114	ug/kg	288	114	1	03/13/25 09:30	03/13/25 20:11	87-68-3	
Isopropylbenzene (Cumene)	71.2	ug/kg	57.5	15.5	1	03/13/25 09:30	03/13/25 20:11	98-82-8	
p-Isopropyltoluene	53.2J	ug/kg	57.5	19.6	1	03/13/25 09:30	03/13/25 20:11	99-87-6	
Methylene Chloride	<16.0	ug/kg	57.5	16.0	1	03/13/25 09:30	03/13/25 20:11	75-09-2	
Methyl-tert-butyl ether	<16.9	ug/kg	57.5	16.9	1	03/13/25 09:30	03/13/25 20:11	1634-04-4	
Naphthalene	1150	ug/kg	288	24.2	1	03/13/25 09:30	03/13/25 20:11	91-20-3	
n-Propylbenzene	96.7	ug/kg	57.5	13.8	1	03/13/25 09:30	03/13/25 20:11	103-65-1	
Styrene	<14.7	ug/kg	57.5	14.7	1	03/13/25 09:30	03/13/25 20:11	100-42-5	
1,1,1,2-Tetrachloroethane	<13.8	ug/kg	57.5	13.8	1	03/13/25 09:30	03/13/25 20:11	630-20-6	
1,1,1,2,2-Tetrachloroethane	<20.8	ug/kg	57.5	20.8	1	03/13/25 09:30	03/13/25 20:11	79-34-5	
Tetrachloroethene	<22.3	ug/kg	57.5	22.3	1	03/13/25 09:30	03/13/25 20:11	127-18-4	
Toluene	925	ug/kg	57.5	14.5	1	03/13/25 09:30	03/13/25 20:11	108-88-3	
1,2,3-Trichlorobenzene	<64.1	ug/kg	288	64.1	1	03/13/25 09:30	03/13/25 20:11	87-61-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

Sample: GP-4(2-4') Lab ID: 40291958005 Collected: 03/10/25 09:25 Received: 03/11/25 09:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<47.4	ug/kg	288	47.4	1	03/13/25 09:30	03/13/25 20:11	120-82-1	
1,1,1-Trichloroethane	<14.7	ug/kg	57.5	14.7	1	03/13/25 09:30	03/13/25 20:11	71-55-6	
1,1,2-Trichloroethane	<20.9	ug/kg	57.5	20.9	1	03/13/25 09:30	03/13/25 20:11	79-00-5	
Trichloroethene	<21.5	ug/kg	57.5	21.5	1	03/13/25 09:30	03/13/25 20:11	79-01-6	
Trichlorofluoromethane	<16.7	ug/kg	57.5	16.7	1	03/13/25 09:30	03/13/25 20:11	75-69-4	
1,2,3-Trichloropropane	<28.0	ug/kg	57.5	28.0	1	03/13/25 09:30	03/13/25 20:11	96-18-4	
1,2,4-Trimethylbenzene	547	ug/kg	57.5	17.1	1	03/13/25 09:30	03/13/25 20:11	95-63-6	
1,3,5-Trimethylbenzene	151	ug/kg	57.5	18.5	1	03/13/25 09:30	03/13/25 20:11	108-67-8	
Vinyl chloride	<11.6	ug/kg	57.5	11.6	1	03/13/25 09:30	03/13/25 20:11	75-01-4	
m&p-Xylene	1100	ug/kg	115	24.3	1	03/13/25 09:30	03/13/25 20:11	179601-23-1	
o-Xylene	712	ug/kg	57.5	17.3	1	03/13/25 09:30	03/13/25 20:11	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	128	%	56-189		1	03/13/25 09:30	03/13/25 20:11	2199-69-1	
4-Bromofluorobenzene (S)	123	%	58-188		1	03/13/25 09:30	03/13/25 20:11	460-00-4	
Toluene-d8 (S)	125	%	70-172		1	03/13/25 09:30	03/13/25 20:11	2037-26-5	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	7.0	%	0.10	0.10	1		03/11/25 17:00		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

Sample: GP-4(15-16') Lab ID: 40291958006 Collected: 03/10/25 09:35 Received: 03/11/25 09:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	14.6J	ug/kg	22.6	13.4	1	03/13/25 09:30	03/14/25 11:38	71-43-2	
Bromobenzene	<22.0	ug/kg	56.5	22.0	1	03/13/25 09:30	03/14/25 11:38	108-86-1	
Bromochloromethane	<15.5	ug/kg	56.5	15.5	1	03/13/25 09:30	03/14/25 11:38	74-97-5	
Bromodichloromethane	<13.4	ug/kg	56.5	13.4	1	03/13/25 09:30	03/14/25 11:38	75-27-4	
Bromoform	<249	ug/kg	283	249	1	03/13/25 09:30	03/14/25 11:38	75-25-2	
Bromomethane	<79.2	ug/kg	283	79.2	1	03/13/25 09:30	03/14/25 11:38	74-83-9	
n-Butylbenzene	<25.9	ug/kg	56.5	25.9	1	03/13/25 09:30	03/14/25 11:38	104-51-8	
sec-Butylbenzene	<19.4	ug/kg	56.5	19.4	1	03/13/25 09:30	03/14/25 11:38	135-98-8	
tert-Butylbenzene	<17.7	ug/kg	56.5	17.7	1	03/13/25 09:30	03/14/25 11:38	98-06-6	
Carbon tetrachloride	<12.4	ug/kg	56.5	12.4	1	03/13/25 09:30	03/14/25 11:38	56-23-5	
Chlorobenzene	<6.8	ug/kg	56.5	6.8	1	03/13/25 09:30	03/14/25 11:38	108-90-7	
Chloroethane	<23.8	ug/kg	283	23.8	1	03/13/25 09:30	03/14/25 11:38	75-00-3	
Chloroform	<40.5	ug/kg	283	40.5	1	03/13/25 09:30	03/14/25 11:38	67-66-3	
Chloromethane	<21.5	ug/kg	56.5	21.5	1	03/13/25 09:30	03/14/25 11:38	74-87-3	
2-Chlorotoluene	<18.3	ug/kg	56.5	18.3	1	03/13/25 09:30	03/14/25 11:38	95-49-8	
4-Chlorotoluene	<21.5	ug/kg	56.5	21.5	1	03/13/25 09:30	03/14/25 11:38	106-43-4	
1,2-Dibromo-3-chloropropane	<43.8	ug/kg	283	43.8	1	03/13/25 09:30	03/14/25 11:38	96-12-8	
Dibromochloromethane	<193	ug/kg	283	193	1	03/13/25 09:30	03/14/25 11:38	124-48-1	
1,2-Dibromoethane (EDB)	<15.5	ug/kg	56.5	15.5	1	03/13/25 09:30	03/14/25 11:38	106-93-4	
Dibromomethane	<16.7	ug/kg	56.5	16.7	1	03/13/25 09:30	03/14/25 11:38	74-95-3	
1,2-Dichlorobenzene	<17.5	ug/kg	56.5	17.5	1	03/13/25 09:30	03/14/25 11:38	95-50-1	
1,3-Dichlorobenzene	<15.5	ug/kg	56.5	15.5	1	03/13/25 09:30	03/14/25 11:38	541-73-1	
1,4-Dichlorobenzene	<15.5	ug/kg	56.5	15.5	1	03/13/25 09:30	03/14/25 11:38	106-46-7	
Dichlorodifluoromethane	<24.3	ug/kg	56.5	24.3	1	03/13/25 09:30	03/14/25 11:38	75-71-8	
1,1-Dichloroethane	<14.5	ug/kg	56.5	14.5	1	03/13/25 09:30	03/14/25 11:38	75-34-3	
1,2-Dichloroethane	<13.0	ug/kg	56.5	13.0	1	03/13/25 09:30	03/14/25 11:38	107-06-2	
1,1-Dichloroethene	<18.8	ug/kg	56.5	18.8	1	03/13/25 09:30	03/14/25 11:38	75-35-4	
cis-1,2-Dichloroethene	<12.1	ug/kg	56.5	12.1	1	03/13/25 09:30	03/14/25 11:38	156-59-2	
trans-1,2-Dichloroethene	<12.4	ug/kg	56.5	12.4	1	03/13/25 09:30	03/14/25 11:38	156-60-5	
1,2-Dichloropropane	<13.4	ug/kg	56.5	13.4	1	03/13/25 09:30	03/14/25 11:38	78-87-5	
1,3-Dichloropropane	<12.3	ug/kg	56.5	12.3	1	03/13/25 09:30	03/14/25 11:38	142-28-9	
2,2-Dichloropropane	<15.3	ug/kg	56.5	15.3	1	03/13/25 09:30	03/14/25 11:38	594-20-7	
1,1-Dichloropropene	<18.3	ug/kg	56.5	18.3	1	03/13/25 09:30	03/14/25 11:38	563-58-6	
cis-1,3-Dichloropropene	<37.3	ug/kg	283	37.3	1	03/13/25 09:30	03/14/25 11:38	10061-01-5	
trans-1,3-Dichloropropene	<162	ug/kg	283	162	1	03/13/25 09:30	03/14/25 11:38	10061-02-6	
Diisopropyl ether	<14.0	ug/kg	56.5	14.0	1	03/13/25 09:30	03/14/25 11:38	108-20-3	
Ethylbenzene	<13.4	ug/kg	56.5	13.4	1	03/13/25 09:30	03/14/25 11:38	100-41-4	
Hexachloro-1,3-butadiene	<112	ug/kg	283	112	1	03/13/25 09:30	03/14/25 11:38	87-68-3	
Isopropylbenzene (Cumene)	<15.3	ug/kg	56.5	15.3	1	03/13/25 09:30	03/14/25 11:38	98-82-8	
p-Isopropyltoluene	<19.2	ug/kg	56.5	19.2	1	03/13/25 09:30	03/14/25 11:38	99-87-6	
Methylene Chloride	<15.7	ug/kg	56.5	15.7	1	03/13/25 09:30	03/14/25 11:38	75-09-2	
Methyl-tert-butyl ether	<16.6	ug/kg	56.5	16.6	1	03/13/25 09:30	03/14/25 11:38	1634-04-4	
Naphthalene	157J	ug/kg	283	23.8	1	03/13/25 09:30	03/14/25 11:38	91-20-3	
n-Propylbenzene	<13.6	ug/kg	56.5	13.6	1	03/13/25 09:30	03/14/25 11:38	103-65-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

Sample: GP-4(15-16') Lab ID: 40291958006 Collected: 03/10/25 09:35 Received: 03/11/25 09:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<14.5	ug/kg	56.5	14.5	1	03/13/25 09:30	03/14/25 11:38	100-42-5	
1,1,1,2-Tetrachloroethane	<13.5	ug/kg	56.5	13.5	1	03/13/25 09:30	03/14/25 11:38	630-20-6	
1,1,2,2-Tetrachloroethane	<20.5	ug/kg	56.5	20.5	1	03/13/25 09:30	03/14/25 11:38	79-34-5	
Tetrachloroethene	<21.9	ug/kg	56.5	21.9	1	03/13/25 09:30	03/14/25 11:38	127-18-4	
Toluene	44.3J	ug/kg	56.5	14.2	1	03/13/25 09:30	03/14/25 11:38	108-88-3	
1,2,3-Trichlorobenzene	<62.9	ug/kg	283	62.9	1	03/13/25 09:30	03/14/25 11:38	87-61-6	
1,2,4-Trichlorobenzene	<46.6	ug/kg	283	46.6	1	03/13/25 09:30	03/14/25 11:38	120-82-1	
1,1,1-Trichloroethane	<14.5	ug/kg	56.5	14.5	1	03/13/25 09:30	03/14/25 11:38	71-55-6	
1,1,2-Trichloroethane	<20.6	ug/kg	56.5	20.6	1	03/13/25 09:30	03/14/25 11:38	79-00-5	
Trichloroethene	<21.1	ug/kg	56.5	21.1	1	03/13/25 09:30	03/14/25 11:38	79-01-6	
Trichlorofluoromethane	<16.4	ug/kg	56.5	16.4	1	03/13/25 09:30	03/14/25 11:38	75-69-4	
1,2,3-Trichloropropane	<27.5	ug/kg	56.5	27.5	1	03/13/25 09:30	03/14/25 11:38	96-18-4	
1,2,4-Trimethylbenzene	43.2J	ug/kg	56.5	16.8	1	03/13/25 09:30	03/14/25 11:38	95-63-6	
1,3,5-Trimethylbenzene	<18.2	ug/kg	56.5	18.2	1	03/13/25 09:30	03/14/25 11:38	108-67-8	
Vinyl chloride	<11.4	ug/kg	56.5	11.4	1	03/13/25 09:30	03/14/25 11:38	75-01-4	
m&p-Xylene	70.6J	ug/kg	113	23.8	1	03/13/25 09:30	03/14/25 11:38	179601-23-1	
o-Xylene	48.8J	ug/kg	56.5	17.0	1	03/13/25 09:30	03/14/25 11:38	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	116	%	56-189		1	03/13/25 09:30	03/14/25 11:38	2199-69-1	
4-Bromofluorobenzene (S)	117	%	58-188		1	03/13/25 09:30	03/14/25 11:38	460-00-4	
Toluene-d8 (S)	124	%	70-172		1	03/13/25 09:30	03/14/25 11:38	2037-26-5	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	6.1	%	0.10	0.10	1		03/11/25 17:01		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

Sample: GP-5(2-4') Lab ID: 40291958007 Collected: 03/10/25 09:50 Received: 03/11/25 09:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Arsenic	<1.4	mg/kg	2.4	1.4	1	03/14/25 09:10	03/14/25 21:41	7440-38-2	
Barium	33.8	mg/kg	0.49	0.15	1	03/14/25 09:10	03/14/25 21:41	7440-39-3	
Cadmium	<0.13	mg/kg	0.49	0.13	1	03/14/25 09:10	03/14/25 21:41	7440-43-9	
Chromium	11.5	mg/kg	0.98	0.27	1	03/14/25 09:10	03/14/25 21:41	7440-47-3	
Lead	28.9	mg/kg	2.0	0.58	1	03/14/25 09:10	03/14/25 21:41	7439-92-1	
Selenium	<1.3	mg/kg	3.9	1.3	1	03/14/25 09:10	03/14/25 21:41	7782-49-2	
Silver	<0.30	mg/kg	0.98	0.30	1	03/14/25 09:10	03/14/25 21:41	7440-22-4	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.029J	mg/kg	0.034	0.0097	1	03/21/25 10:39	03/24/25 12:07	7439-97-6	
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Acenaphthene	43.8J	ug/kg	86.4	11.2	5	03/18/25 07:44	03/18/25 14:14	83-32-9	
Acenaphthylene	137	ug/kg	86.4	10.9	5	03/18/25 07:44	03/18/25 14:14	208-96-8	
Anthracene	294	ug/kg	86.4	10.7	5	03/18/25 07:44	03/18/25 14:14	120-12-7	
Benzo(a)anthracene	800	ug/kg	86.4	11.2	5	03/18/25 07:44	03/18/25 14:14	56-55-3	
Benzo(a)pyrene	757	ug/kg	86.4	9.8	5	03/18/25 07:44	03/18/25 14:14	50-32-8	
Benzo(b)fluoranthene	920	ug/kg	86.4	12.0	5	03/18/25 07:44	03/18/25 14:14	205-99-2	
Benzo(g,h,i)perylene	510	ug/kg	86.4	15.2	5	03/18/25 07:44	03/18/25 14:14	191-24-2	
Benzo(k)fluoranthene	383	ug/kg	86.4	11.0	5	03/18/25 07:44	03/18/25 14:14	207-08-9	
Chrysene	868	ug/kg	86.4	16.3	5	03/18/25 07:44	03/18/25 14:14	218-01-9	
Dibenz(a,h)anthracene	135	ug/kg	86.4	12.0	5	03/18/25 07:44	03/18/25 14:14	53-70-3	
Fluoranthene	1540	ug/kg	86.4	10.2	5	03/18/25 07:44	03/18/25 14:14	206-44-0	
Fluorene	80.8J	ug/kg	86.4	10.4	5	03/18/25 07:44	03/18/25 14:14	86-73-7	
Indeno(1,2,3-cd)pyrene	372	ug/kg	86.4	18.0	5	03/18/25 07:44	03/18/25 14:14	193-39-5	
1-Methylnaphthalene	147	ug/kg	86.4	12.6	5	03/18/25 07:44	03/18/25 14:14	90-12-0	
2-Methylnaphthalene	197	ug/kg	86.4	12.6	5	03/18/25 07:44	03/18/25 14:14	91-57-6	
Naphthalene	145	ug/kg	86.4	8.4	5	03/18/25 07:44	03/18/25 14:14	91-20-3	
Phenanthrene	1010	ug/kg	86.4	9.9	5	03/18/25 07:44	03/18/25 14:14	85-01-8	
Pyrene	1440	ug/kg	86.4	12.7	5	03/18/25 07:44	03/18/25 14:14	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	66	%	36-120		5	03/18/25 07:44	03/18/25 14:14	321-60-8	
Terphenyl-d14 (S)	68	%	36-120		5	03/18/25 07:44	03/18/25 14:14	1718-51-0	
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	56.6	ug/kg	21.3	12.7	1	03/13/25 09:30	03/13/25 14:54	71-43-2	
Bromobenzene	<20.8	ug/kg	53.3	20.8	1	03/13/25 09:30	03/13/25 14:54	108-86-1	
Bromochloromethane	<14.6	ug/kg	53.3	14.6	1	03/13/25 09:30	03/13/25 14:54	74-97-5	
Bromodichloromethane	<12.7	ug/kg	53.3	12.7	1	03/13/25 09:30	03/13/25 14:54	75-27-4	
Bromoform	<234	ug/kg	266	234	1	03/13/25 09:30	03/13/25 14:54	75-25-2	
Bromomethane	<74.7	ug/kg	266	74.7	1	03/13/25 09:30	03/13/25 14:54	74-83-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

Sample: GP-5(2-4') Lab ID: 40291958007 Collected: 03/10/25 09:50 Received: 03/11/25 09:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
n-Butylbenzene	<24.4	ug/kg	53.3	24.4	1	03/13/25 09:30	03/13/25 14:54	104-51-8	
sec-Butylbenzene	<18.3	ug/kg	53.3	18.3	1	03/13/25 09:30	03/13/25 14:54	135-98-8	
tert-Butylbenzene	<16.7	ug/kg	53.3	16.7	1	03/13/25 09:30	03/13/25 14:54	98-06-6	
Carbon tetrachloride	<11.7	ug/kg	53.3	11.7	1	03/13/25 09:30	03/13/25 14:54	56-23-5	
Chlorobenzene	<6.4	ug/kg	53.3	6.4	1	03/13/25 09:30	03/13/25 14:54	108-90-7	
Chloroethane	<22.5	ug/kg	266	22.5	1	03/13/25 09:30	03/13/25 14:54	75-00-3	
Chloroform	<38.2	ug/kg	266	38.2	1	03/13/25 09:30	03/13/25 14:54	67-66-3	
Chloromethane	<20.3	ug/kg	53.3	20.3	1	03/13/25 09:30	03/13/25 14:54	74-87-3	
2-Chlorotoluene	<17.3	ug/kg	53.3	17.3	1	03/13/25 09:30	03/13/25 14:54	95-49-8	
4-Chlorotoluene	<20.3	ug/kg	53.3	20.3	1	03/13/25 09:30	03/13/25 14:54	106-43-4	
1,2-Dibromo-3-chloropropane	<41.4	ug/kg	266	41.4	1	03/13/25 09:30	03/13/25 14:54	96-12-8	
Dibromochloromethane	<182	ug/kg	266	182	1	03/13/25 09:30	03/13/25 14:54	124-48-1	
1,2-Dibromoethane (EDB)	<14.6	ug/kg	53.3	14.6	1	03/13/25 09:30	03/13/25 14:54	106-93-4	
Dibromomethane	<15.8	ug/kg	53.3	15.8	1	03/13/25 09:30	03/13/25 14:54	74-95-3	
1,2-Dichlorobenzene	<16.5	ug/kg	53.3	16.5	1	03/13/25 09:30	03/13/25 14:54	95-50-1	
1,3-Dichlorobenzene	<14.6	ug/kg	53.3	14.6	1	03/13/25 09:30	03/13/25 14:54	541-73-1	
1,4-Dichlorobenzene	<14.6	ug/kg	53.3	14.6	1	03/13/25 09:30	03/13/25 14:54	106-46-7	
Dichlorodifluoromethane	<22.9	ug/kg	53.3	22.9	1	03/13/25 09:30	03/13/25 14:54	75-71-8	
1,1-Dichloroethane	<13.6	ug/kg	53.3	13.6	1	03/13/25 09:30	03/13/25 14:54	75-34-3	
1,2-Dichloroethane	<12.3	ug/kg	53.3	12.3	1	03/13/25 09:30	03/13/25 14:54	107-06-2	
1,1-Dichloroethene	<17.7	ug/kg	53.3	17.7	1	03/13/25 09:30	03/13/25 14:54	75-35-4	
cis-1,2-Dichloroethene	<11.4	ug/kg	53.3	11.4	1	03/13/25 09:30	03/13/25 14:54	156-59-2	
trans-1,2-Dichloroethene	<11.7	ug/kg	53.3	11.7	1	03/13/25 09:30	03/13/25 14:54	156-60-5	
1,2-Dichloropropane	<12.7	ug/kg	53.3	12.7	1	03/13/25 09:30	03/13/25 14:54	78-87-5	
1,3-Dichloropropane	<11.6	ug/kg	53.3	11.6	1	03/13/25 09:30	03/13/25 14:54	142-28-9	
2,2-Dichloropropane	<14.4	ug/kg	53.3	14.4	1	03/13/25 09:30	03/13/25 14:54	594-20-7	
1,1-Dichloropropene	<17.3	ug/kg	53.3	17.3	1	03/13/25 09:30	03/13/25 14:54	563-58-6	
cis-1,3-Dichloropropene	<35.2	ug/kg	266	35.2	1	03/13/25 09:30	03/13/25 14:54	10061-01-5	
trans-1,3-Dichloropropene	<152	ug/kg	266	152	1	03/13/25 09:30	03/13/25 14:54	10061-02-6	
Diisopropyl ether	<13.2	ug/kg	53.3	13.2	1	03/13/25 09:30	03/13/25 14:54	108-20-3	
Ethylbenzene	36.5J	ug/kg	53.3	12.7	1	03/13/25 09:30	03/13/25 14:54	100-41-4	
Hexachloro-1,3-butadiene	<106	ug/kg	266	106	1	03/13/25 09:30	03/13/25 14:54	87-68-3	
Isopropylbenzene (Cumene)	14.7J	ug/kg	53.3	14.4	1	03/13/25 09:30	03/13/25 14:54	98-82-8	
p-Isopropyltoluene	<18.1	ug/kg	53.3	18.1	1	03/13/25 09:30	03/13/25 14:54	99-87-6	
Methylene Chloride	<14.8	ug/kg	53.3	14.8	1	03/13/25 09:30	03/13/25 14:54	75-09-2	
Methyl-tert-butyl ether	<15.7	ug/kg	53.3	15.7	1	03/13/25 09:30	03/13/25 14:54	1634-04-4	
Naphthalene	158J	ug/kg	266	22.4	1	03/13/25 09:30	03/13/25 14:54	91-20-3	
n-Propylbenzene	27.1J	ug/kg	53.3	12.8	1	03/13/25 09:30	03/13/25 14:54	103-65-1	
Styrene	<13.6	ug/kg	53.3	13.6	1	03/13/25 09:30	03/13/25 14:54	100-42-5	
1,1,1,2-Tetrachloroethane	<12.8	ug/kg	53.3	12.8	1	03/13/25 09:30	03/13/25 14:54	630-20-6	
1,1,1,2,2-Tetrachloroethane	<19.3	ug/kg	53.3	19.3	1	03/13/25 09:30	03/13/25 14:54	79-34-5	
Tetrachloroethene	<20.7	ug/kg	53.3	20.7	1	03/13/25 09:30	03/13/25 14:54	127-18-4	
Toluene	206	ug/kg	53.3	13.4	1	03/13/25 09:30	03/13/25 14:54	108-88-3	
1,2,3-Trichlorobenzene	70.6J	ug/kg	266	59.4	1	03/13/25 09:30	03/13/25 14:54	87-61-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

Sample: GP-5(2-4') Lab ID: 40291958007 Collected: 03/10/25 09:50 Received: 03/11/25 09:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	137J	ug/kg	266	43.9	1	03/13/25 09:30	03/13/25 14:54	120-82-1	
1,1,1-Trichloroethane	<13.6	ug/kg	53.3	13.6	1	03/13/25 09:30	03/13/25 14:54	71-55-6	
1,1,2-Trichloroethane	<19.4	ug/kg	53.3	19.4	1	03/13/25 09:30	03/13/25 14:54	79-00-5	
Trichloroethene	<19.9	ug/kg	53.3	19.9	1	03/13/25 09:30	03/13/25 14:54	79-01-6	
Trichlorofluoromethane	<15.5	ug/kg	53.3	15.5	1	03/13/25 09:30	03/13/25 14:54	75-69-4	
1,2,3-Trichloropropane	<25.9	ug/kg	53.3	25.9	1	03/13/25 09:30	03/13/25 14:54	96-18-4	
1,2,4-Trimethylbenzene	58.4	ug/kg	53.3	15.9	1	03/13/25 09:30	03/13/25 14:54	95-63-6	
1,3,5-Trimethylbenzene	19.0J	ug/kg	53.3	17.2	1	03/13/25 09:30	03/13/25 14:54	108-67-8	
Vinyl chloride	<10.8	ug/kg	53.3	10.8	1	03/13/25 09:30	03/13/25 14:54	75-01-4	
m&p-Xylene	139	ug/kg	107	22.5	1	03/13/25 09:30	03/13/25 14:54	179601-23-1	
o-Xylene	87.3	ug/kg	53.3	16.0	1	03/13/25 09:30	03/13/25 14:54	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	117	%	56-189		1	03/13/25 09:30	03/13/25 14:54	2199-69-1	
4-Bromofluorobenzene (S)	114	%	58-188		1	03/13/25 09:30	03/13/25 14:54	460-00-4	
Toluene-d8 (S)	122	%	70-172		1	03/13/25 09:30	03/13/25 14:54	2037-26-5	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	3.2	%	0.10	0.10	1		03/11/25 17:01		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

Sample: GP-5(15-17') Lab ID: 40291958008 Collected: 03/10/25 10:00 Received: 03/11/25 09:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<13.7	ug/kg	23.0	13.7	1	03/14/25 08:30	03/14/25 15:14	71-43-2	
Bromobenzene	<22.4	ug/kg	57.5	22.4	1	03/14/25 08:30	03/14/25 15:14	108-86-1	
Bromochloromethane	<15.8	ug/kg	57.5	15.8	1	03/14/25 08:30	03/14/25 15:14	74-97-5	
Bromodichloromethane	<13.7	ug/kg	57.5	13.7	1	03/14/25 08:30	03/14/25 15:14	75-27-4	
Bromoform	<253	ug/kg	287	253	1	03/14/25 08:30	03/14/25 15:14	75-25-2	
Bromomethane	<80.6	ug/kg	287	80.6	1	03/14/25 08:30	03/14/25 15:14	74-83-9	
n-Butylbenzene	<26.3	ug/kg	57.5	26.3	1	03/14/25 08:30	03/14/25 15:14	104-51-8	
sec-Butylbenzene	<19.7	ug/kg	57.5	19.7	1	03/14/25 08:30	03/14/25 15:14	135-98-8	
tert-Butylbenzene	<18.1	ug/kg	57.5	18.1	1	03/14/25 08:30	03/14/25 15:14	98-06-6	
Carbon tetrachloride	<12.6	ug/kg	57.5	12.6	1	03/14/25 08:30	03/14/25 15:14	56-23-5	
Chlorobenzene	<6.9	ug/kg	57.5	6.9	1	03/14/25 08:30	03/14/25 15:14	108-90-7	
Chloroethane	<24.3	ug/kg	287	24.3	1	03/14/25 08:30	03/14/25 15:14	75-00-3	
Chloroform	<41.2	ug/kg	287	41.2	1	03/14/25 08:30	03/14/25 15:14	67-66-3	
Chloromethane	<21.8	ug/kg	57.5	21.8	1	03/14/25 08:30	03/14/25 15:14	74-87-3	
2-Chlorotoluene	<18.6	ug/kg	57.5	18.6	1	03/14/25 08:30	03/14/25 15:14	95-49-8	
4-Chlorotoluene	<21.8	ug/kg	57.5	21.8	1	03/14/25 08:30	03/14/25 15:14	106-43-4	
1,2-Dibromo-3-chloropropane	<44.6	ug/kg	287	44.6	1	03/14/25 08:30	03/14/25 15:14	96-12-8	
Dibromochloromethane	<197	ug/kg	287	197	1	03/14/25 08:30	03/14/25 15:14	124-48-1	
1,2-Dibromoethane (EDB)	<15.8	ug/kg	57.5	15.8	1	03/14/25 08:30	03/14/25 15:14	106-93-4	
Dibromomethane	<17.0	ug/kg	57.5	17.0	1	03/14/25 08:30	03/14/25 15:14	74-95-3	
1,2-Dichlorobenzene	<17.8	ug/kg	57.5	17.8	1	03/14/25 08:30	03/14/25 15:14	95-50-1	
1,3-Dichlorobenzene	<15.8	ug/kg	57.5	15.8	1	03/14/25 08:30	03/14/25 15:14	541-73-1	
1,4-Dichlorobenzene	<15.8	ug/kg	57.5	15.8	1	03/14/25 08:30	03/14/25 15:14	106-46-7	
Dichlorodifluoromethane	<24.7	ug/kg	57.5	24.7	1	03/14/25 08:30	03/14/25 15:14	75-71-8	
1,1-Dichloroethane	<14.7	ug/kg	57.5	14.7	1	03/14/25 08:30	03/14/25 15:14	75-34-3	
1,2-Dichloroethane	<13.2	ug/kg	57.5	13.2	1	03/14/25 08:30	03/14/25 15:14	107-06-2	
1,1-Dichloroethene	<19.1	ug/kg	57.5	19.1	1	03/14/25 08:30	03/14/25 15:14	75-35-4	
cis-1,2-Dichloroethene	<12.3	ug/kg	57.5	12.3	1	03/14/25 08:30	03/14/25 15:14	156-59-2	
trans-1,2-Dichloroethene	<12.6	ug/kg	57.5	12.6	1	03/14/25 08:30	03/14/25 15:14	156-60-5	
1,2-Dichloropropane	<13.7	ug/kg	57.5	13.7	1	03/14/25 08:30	03/14/25 15:14	78-87-5	
1,3-Dichloropropane	<12.5	ug/kg	57.5	12.5	1	03/14/25 08:30	03/14/25 15:14	142-28-9	
2,2-Dichloropropane	<15.5	ug/kg	57.5	15.5	1	03/14/25 08:30	03/14/25 15:14	594-20-7	
1,1-Dichloropropene	<18.6	ug/kg	57.5	18.6	1	03/14/25 08:30	03/14/25 15:14	563-58-6	
cis-1,3-Dichloropropene	<37.9	ug/kg	287	37.9	1	03/14/25 08:30	03/14/25 15:14	10061-01-5	
trans-1,3-Dichloropropene	<164	ug/kg	287	164	1	03/14/25 08:30	03/14/25 15:14	10061-02-6	
Diisopropyl ether	<14.3	ug/kg	57.5	14.3	1	03/14/25 08:30	03/14/25 15:14	108-20-3	
Ethylbenzene	<13.7	ug/kg	57.5	13.7	1	03/14/25 08:30	03/14/25 15:14	100-41-4	
Hexachloro-1,3-butadiene	<114	ug/kg	287	114	1	03/14/25 08:30	03/14/25 15:14	87-68-3	
Isopropylbenzene (Cumene)	<15.5	ug/kg	57.5	15.5	1	03/14/25 08:30	03/14/25 15:14	98-82-8	
p-Isopropyltoluene	<19.5	ug/kg	57.5	19.5	1	03/14/25 08:30	03/14/25 15:14	99-87-6	
Methylene Chloride	21.2J	ug/kg	57.5	16.0	1	03/14/25 08:30	03/14/25 15:14	75-09-2	B
Methyl-tert-butyl ether	<16.9	ug/kg	57.5	16.9	1	03/14/25 08:30	03/14/25 15:14	1634-04-4	
Naphthalene	135J	ug/kg	287	24.2	1	03/14/25 08:30	03/14/25 15:14	91-20-3	
n-Propylbenzene	<13.8	ug/kg	57.5	13.8	1	03/14/25 08:30	03/14/25 15:14	103-65-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

Sample: GP-5(15-17') Lab ID: 40291958008 Collected: 03/10/25 10:00 Received: 03/11/25 09:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<14.7	ug/kg	57.5	14.7	1	03/14/25 08:30	03/14/25 15:14	100-42-5	
1,1,1,2-Tetrachloroethane	<13.8	ug/kg	57.5	13.8	1	03/14/25 08:30	03/14/25 15:14	630-20-6	
1,1,2,2-Tetrachloroethane	<20.8	ug/kg	57.5	20.8	1	03/14/25 08:30	03/14/25 15:14	79-34-5	
Tetrachloroethene	<22.3	ug/kg	57.5	22.3	1	03/14/25 08:30	03/14/25 15:14	127-18-4	
Toluene	50.3J	ug/kg	57.5	14.5	1	03/14/25 08:30	03/14/25 15:14	108-88-3	
1,2,3-Trichlorobenzene	<64.0	ug/kg	287	64.0	1	03/14/25 08:30	03/14/25 15:14	87-61-6	
1,2,4-Trichlorobenzene	66.8J	ug/kg	287	47.4	1	03/14/25 08:30	03/14/25 15:14	120-82-1	
1,1,1-Trichloroethane	<14.7	ug/kg	57.5	14.7	1	03/14/25 08:30	03/14/25 15:14	71-55-6	
1,1,2-Trichloroethane	<20.9	ug/kg	57.5	20.9	1	03/14/25 08:30	03/14/25 15:14	79-00-5	
Trichloroethene	<21.5	ug/kg	57.5	21.5	1	03/14/25 08:30	03/14/25 15:14	79-01-6	
Trichlorofluoromethane	<16.7	ug/kg	57.5	16.7	1	03/14/25 08:30	03/14/25 15:14	75-69-4	
1,2,3-Trichloropropane	<27.9	ug/kg	57.5	27.9	1	03/14/25 08:30	03/14/25 15:14	96-18-4	
1,2,4-Trimethylbenzene	35.2J	ug/kg	57.5	17.1	1	03/14/25 08:30	03/14/25 15:14	95-63-6	
1,3,5-Trimethylbenzene	<18.5	ug/kg	57.5	18.5	1	03/14/25 08:30	03/14/25 15:14	108-67-8	
Vinyl chloride	<11.6	ug/kg	57.5	11.6	1	03/14/25 08:30	03/14/25 15:14	75-01-4	
m&p-Xylene	61.9J	ug/kg	115	24.3	1	03/14/25 08:30	03/14/25 15:14	179601-23-1	
o-Xylene	36.3J	ug/kg	57.5	17.2	1	03/14/25 08:30	03/14/25 15:14	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	117	%	56-189		1	03/14/25 08:30	03/14/25 15:14	2199-69-1	
4-Bromofluorobenzene (S)	115	%	58-188		1	03/14/25 08:30	03/14/25 15:14	460-00-4	
Toluene-d8 (S)	122	%	70-172		1	03/14/25 08:30	03/14/25 15:14	2037-26-5	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	7.0	%	0.10	0.10	1		03/11/25 17:01		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

Sample: GP-6(2-4') Lab ID: 40291958009 Collected: 03/10/25 10:20 Received: 03/11/25 09:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Arsenic	2.4J	mg/kg	2.5	1.5	1	03/14/25 09:10	03/14/25 21:43	7440-38-2	
Barium	93.7	mg/kg	0.51	0.15	1	03/14/25 09:10	03/14/25 21:43	7440-39-3	
Cadmium	0.23J	mg/kg	0.51	0.14	1	03/14/25 09:10	03/14/25 21:43	7440-43-9	
Chromium	14.0	mg/kg	1.0	0.28	1	03/14/25 09:10	03/14/25 21:43	7440-47-3	
Lead	37.9	mg/kg	2.0	0.61	1	03/14/25 09:10	03/14/25 21:43	7439-92-1	
Selenium	<1.3	mg/kg	4.1	1.3	1	03/14/25 09:10	03/14/25 21:43	7782-49-2	
Silver	<0.31	mg/kg	1.0	0.31	1	03/14/25 09:10	03/14/25 21:43	7440-22-4	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.022J	mg/kg	0.036	0.010	1	03/21/25 10:39	03/24/25 12:09	7439-97-6	
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Acenaphthene	21.9J	ug/kg	95.3	12.4	5	03/18/25 07:44	03/18/25 16:17	83-32-9	
Acenaphthylene	59.4J	ug/kg	95.3	12.0	5	03/18/25 07:44	03/18/25 16:17	208-96-8	
Anthracene	51.5J	ug/kg	95.3	11.8	5	03/18/25 07:44	03/18/25 16:17	120-12-7	
Benzo(a)anthracene	197	ug/kg	95.3	12.3	5	03/18/25 07:44	03/18/25 16:17	56-55-3	
Benzo(a)pyrene	193	ug/kg	95.3	10.8	5	03/18/25 07:44	03/18/25 16:17	50-32-8	
Benzo(b)fluoranthene	362	ug/kg	95.3	13.2	5	03/18/25 07:44	03/18/25 16:17	205-99-2	
Benzo(g,h,i)perylene	219	ug/kg	95.3	16.7	5	03/18/25 07:44	03/18/25 16:17	191-24-2	
Benzo(k)fluoranthene	104	ug/kg	95.3	12.2	5	03/18/25 07:44	03/18/25 16:17	207-08-9	
Chrysene	311	ug/kg	95.3	18.0	5	03/18/25 07:44	03/18/25 16:17	218-01-9	
Dibenz(a,h)anthracene	47.0J	ug/kg	95.3	13.2	5	03/18/25 07:44	03/18/25 16:17	53-70-3	
Fluoranthene	363	ug/kg	95.3	11.3	5	03/18/25 07:44	03/18/25 16:17	206-44-0	
Fluorene	34.1J	ug/kg	95.3	11.4	5	03/18/25 07:44	03/18/25 16:17	86-73-7	
Indeno(1,2,3-cd)pyrene	123	ug/kg	95.3	19.9	5	03/18/25 07:44	03/18/25 16:17	193-39-5	
1-Methylnaphthalene	1100	ug/kg	95.3	13.9	5	03/18/25 07:44	03/18/25 16:17	90-12-0	
2-Methylnaphthalene	1500	ug/kg	95.3	13.9	5	03/18/25 07:44	03/18/25 16:17	91-57-6	
Naphthalene	908	ug/kg	95.3	9.3	5	03/18/25 07:44	03/18/25 16:17	91-20-3	
Phenanthrene	850	ug/kg	95.3	10.9	5	03/18/25 07:44	03/18/25 16:17	85-01-8	
Pyrene	316	ug/kg	95.3	14.0	5	03/18/25 07:44	03/18/25 16:17	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	65	%	36-120		5	03/18/25 07:44	03/18/25 16:17	321-60-8	
Terphenyl-d14 (S)	65	%	36-120		5	03/18/25 07:44	03/18/25 16:17	1718-51-0	
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	76.2	ug/kg	25.6	15.2	1	03/14/25 08:30	03/14/25 14:54	71-43-2	
Bromobenzene	<25.0	ug/kg	64.1	25.0	1	03/14/25 08:30	03/14/25 14:54	108-86-1	
Bromochloromethane	<17.6	ug/kg	64.1	17.6	1	03/14/25 08:30	03/14/25 14:54	74-97-5	
Bromodichloromethane	<15.2	ug/kg	64.1	15.2	1	03/14/25 08:30	03/14/25 14:54	75-27-4	
Bromoform	<282	ug/kg	320	282	1	03/14/25 08:30	03/14/25 14:54	75-25-2	
Bromomethane	<89.8	ug/kg	320	89.8	1	03/14/25 08:30	03/14/25 14:54	74-83-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

Sample: GP-6(2-4') Lab ID: 40291958009 Collected: 03/10/25 10:20 Received: 03/11/25 09:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
n-Butylbenzene	<29.3	ug/kg	64.1	29.3	1	03/14/25 08:30	03/14/25 14:54	104-51-8	
sec-Butylbenzene	<22.0	ug/kg	64.1	22.0	1	03/14/25 08:30	03/14/25 14:54	135-98-8	
tert-Butylbenzene	<20.1	ug/kg	64.1	20.1	1	03/14/25 08:30	03/14/25 14:54	98-06-6	
Carbon tetrachloride	<14.1	ug/kg	64.1	14.1	1	03/14/25 08:30	03/14/25 14:54	56-23-5	
Chlorobenzene	<7.7	ug/kg	64.1	7.7	1	03/14/25 08:30	03/14/25 14:54	108-90-7	
Chloroethane	<27.0	ug/kg	320	27.0	1	03/14/25 08:30	03/14/25 14:54	75-00-3	
Chloroform	<45.9	ug/kg	320	45.9	1	03/14/25 08:30	03/14/25 14:54	67-66-3	
Chloromethane	<24.3	ug/kg	64.1	24.3	1	03/14/25 08:30	03/14/25 14:54	74-87-3	
2-Chlorotoluene	<20.8	ug/kg	64.1	20.8	1	03/14/25 08:30	03/14/25 14:54	95-49-8	
4-Chlorotoluene	<24.3	ug/kg	64.1	24.3	1	03/14/25 08:30	03/14/25 14:54	106-43-4	
1,2-Dibromo-3-chloropropane	<49.7	ug/kg	320	49.7	1	03/14/25 08:30	03/14/25 14:54	96-12-8	
Dibromochloromethane	<219	ug/kg	320	219	1	03/14/25 08:30	03/14/25 14:54	124-48-1	
1,2-Dibromoethane (EDB)	<17.6	ug/kg	64.1	17.6	1	03/14/25 08:30	03/14/25 14:54	106-93-4	
Dibromomethane	<19.0	ug/kg	64.1	19.0	1	03/14/25 08:30	03/14/25 14:54	74-95-3	
1,2-Dichlorobenzene	<19.9	ug/kg	64.1	19.9	1	03/14/25 08:30	03/14/25 14:54	95-50-1	
1,3-Dichlorobenzene	<17.6	ug/kg	64.1	17.6	1	03/14/25 08:30	03/14/25 14:54	541-73-1	
1,4-Dichlorobenzene	<17.6	ug/kg	64.1	17.6	1	03/14/25 08:30	03/14/25 14:54	106-46-7	
Dichlorodifluoromethane	<27.5	ug/kg	64.1	27.5	1	03/14/25 08:30	03/14/25 14:54	75-71-8	
1,1-Dichloroethane	<16.4	ug/kg	64.1	16.4	1	03/14/25 08:30	03/14/25 14:54	75-34-3	
1,2-Dichloroethane	<14.7	ug/kg	64.1	14.7	1	03/14/25 08:30	03/14/25 14:54	107-06-2	
1,1-Dichloroethene	<21.3	ug/kg	64.1	21.3	1	03/14/25 08:30	03/14/25 14:54	75-35-4	
cis-1,2-Dichloroethene	<13.7	ug/kg	64.1	13.7	1	03/14/25 08:30	03/14/25 14:54	156-59-2	
trans-1,2-Dichloroethene	<14.0	ug/kg	64.1	14.0	1	03/14/25 08:30	03/14/25 14:54	156-60-5	
1,2-Dichloropropane	<15.2	ug/kg	64.1	15.2	1	03/14/25 08:30	03/14/25 14:54	78-87-5	
1,3-Dichloropropane	<14.0	ug/kg	64.1	14.0	1	03/14/25 08:30	03/14/25 14:54	142-28-9	
2,2-Dichloropropane	<17.3	ug/kg	64.1	17.3	1	03/14/25 08:30	03/14/25 14:54	594-20-7	
1,1-Dichloropropene	<20.8	ug/kg	64.1	20.8	1	03/14/25 08:30	03/14/25 14:54	563-58-6	
cis-1,3-Dichloropropene	<42.3	ug/kg	320	42.3	1	03/14/25 08:30	03/14/25 14:54	10061-01-5	
trans-1,3-Dichloropropene	<183	ug/kg	320	183	1	03/14/25 08:30	03/14/25 14:54	10061-02-6	
Diisopropyl ether	<15.9	ug/kg	64.1	15.9	1	03/14/25 08:30	03/14/25 14:54	108-20-3	
Ethylbenzene	81.7	ug/kg	64.1	15.2	1	03/14/25 08:30	03/14/25 14:54	100-41-4	
Hexachloro-1,3-butadiene	<127	ug/kg	320	127	1	03/14/25 08:30	03/14/25 14:54	87-68-3	
Isopropylbenzene (Cumene)	25.4J	ug/kg	64.1	17.3	1	03/14/25 08:30	03/14/25 14:54	98-82-8	
p-Isopropyltoluene	<21.8	ug/kg	64.1	21.8	1	03/14/25 08:30	03/14/25 14:54	99-87-6	
Methylene Chloride	68.8	ug/kg	64.1	17.8	1	03/14/25 08:30	03/14/25 14:54	75-09-2	B
Methyl-tert-butyl ether	<18.8	ug/kg	64.1	18.8	1	03/14/25 08:30	03/14/25 14:54	1634-04-4	
Naphthalene	487	ug/kg	320	26.9	1	03/14/25 08:30	03/14/25 14:54	91-20-3	
n-Propylbenzene	29.9J	ug/kg	64.1	15.4	1	03/14/25 08:30	03/14/25 14:54	103-65-1	
Styrene	<16.4	ug/kg	64.1	16.4	1	03/14/25 08:30	03/14/25 14:54	100-42-5	
1,1,1,2-Tetrachloroethane	<15.4	ug/kg	64.1	15.4	1	03/14/25 08:30	03/14/25 14:54	630-20-6	
1,1,1,2,2-Tetrachloroethane	<23.2	ug/kg	64.1	23.2	1	03/14/25 08:30	03/14/25 14:54	79-34-5	
Tetrachloroethene	<24.9	ug/kg	64.1	24.9	1	03/14/25 08:30	03/14/25 14:54	127-18-4	
Toluene	428	ug/kg	64.1	16.1	1	03/14/25 08:30	03/14/25 14:54	108-88-3	
1,2,3-Trichlorobenzene	<71.4	ug/kg	320	71.4	1	03/14/25 08:30	03/14/25 14:54	87-61-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

Sample: GP-6(2-4') Lab ID: 40291958009 Collected: 03/10/25 10:20 Received: 03/11/25 09:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<52.8	ug/kg	320	52.8	1	03/14/25 08:30	03/14/25 14:54	120-82-1	
1,1,1-Trichloroethane	<16.4	ug/kg	64.1	16.4	1	03/14/25 08:30	03/14/25 14:54	71-55-6	
1,1,2-Trichloroethane	<23.3	ug/kg	64.1	23.3	1	03/14/25 08:30	03/14/25 14:54	79-00-5	
Trichloroethene	<24.0	ug/kg	64.1	24.0	1	03/14/25 08:30	03/14/25 14:54	79-01-6	
Trichlorofluoromethane	<18.6	ug/kg	64.1	18.6	1	03/14/25 08:30	03/14/25 14:54	75-69-4	
1,2,3-Trichloropropane	<31.1	ug/kg	64.1	31.1	1	03/14/25 08:30	03/14/25 14:54	96-18-4	
1,2,4-Trimethylbenzene	155	ug/kg	64.1	19.1	1	03/14/25 08:30	03/14/25 14:54	95-63-6	
1,3,5-Trimethylbenzene	31.4J	ug/kg	64.1	20.6	1	03/14/25 08:30	03/14/25 14:54	108-67-8	
Vinyl chloride	<12.9	ug/kg	64.1	12.9	1	03/14/25 08:30	03/14/25 14:54	75-01-4	
m&p-Xylene	377	ug/kg	128	27.0	1	03/14/25 08:30	03/14/25 14:54	179601-23-1	
o-Xylene	262	ug/kg	64.1	19.2	1	03/14/25 08:30	03/14/25 14:54	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	124	%	56-189		1	03/14/25 08:30	03/14/25 14:54	2199-69-1	
4-Bromofluorobenzene (S)	120	%	58-188		1	03/14/25 08:30	03/14/25 14:54	460-00-4	
Toluene-d8 (S)	130	%	70-172		1	03/14/25 08:30	03/14/25 14:54	2037-26-5	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	12.3	%	0.10	0.10	1		03/11/25 17:01		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

Sample: GP-6(15-16') Lab ID: 40291958010 Collected: 03/10/25 10:30 Received: 03/11/25 09:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<13.1	ug/kg	22.0	13.1	1	03/14/25 08:30	03/14/25 15:33	71-43-2	
Bromobenzene	<21.4	ug/kg	54.9	21.4	1	03/14/25 08:30	03/14/25 15:33	108-86-1	
Bromochloromethane	<15.0	ug/kg	54.9	15.0	1	03/14/25 08:30	03/14/25 15:33	74-97-5	
Bromodichloromethane	<13.1	ug/kg	54.9	13.1	1	03/14/25 08:30	03/14/25 15:33	75-27-4	
Bromoform	<242	ug/kg	275	242	1	03/14/25 08:30	03/14/25 15:33	75-25-2	
Bromomethane	<77.0	ug/kg	275	77.0	1	03/14/25 08:30	03/14/25 15:33	74-83-9	
n-Butylbenzene	<25.2	ug/kg	54.9	25.2	1	03/14/25 08:30	03/14/25 15:33	104-51-8	
sec-Butylbenzene	<18.8	ug/kg	54.9	18.8	1	03/14/25 08:30	03/14/25 15:33	135-98-8	
tert-Butylbenzene	<17.2	ug/kg	54.9	17.2	1	03/14/25 08:30	03/14/25 15:33	98-06-6	
Carbon tetrachloride	<12.1	ug/kg	54.9	12.1	1	03/14/25 08:30	03/14/25 15:33	56-23-5	
Chlorobenzene	<6.6	ug/kg	54.9	6.6	1	03/14/25 08:30	03/14/25 15:33	108-90-7	
Chloroethane	<23.2	ug/kg	275	23.2	1	03/14/25 08:30	03/14/25 15:33	75-00-3	
Chloroform	<39.3	ug/kg	275	39.3	1	03/14/25 08:30	03/14/25 15:33	67-66-3	
Chloromethane	<20.9	ug/kg	54.9	20.9	1	03/14/25 08:30	03/14/25 15:33	74-87-3	
2-Chlorotoluene	<17.8	ug/kg	54.9	17.8	1	03/14/25 08:30	03/14/25 15:33	95-49-8	
4-Chlorotoluene	<20.9	ug/kg	54.9	20.9	1	03/14/25 08:30	03/14/25 15:33	106-43-4	
1,2-Dibromo-3-chloropropane	<42.6	ug/kg	275	42.6	1	03/14/25 08:30	03/14/25 15:33	96-12-8	
Dibromochloromethane	<188	ug/kg	275	188	1	03/14/25 08:30	03/14/25 15:33	124-48-1	
1,2-Dibromoethane (EDB)	<15.0	ug/kg	54.9	15.0	1	03/14/25 08:30	03/14/25 15:33	106-93-4	
Dibromomethane	<16.3	ug/kg	54.9	16.3	1	03/14/25 08:30	03/14/25 15:33	74-95-3	
1,2-Dichlorobenzene	<17.0	ug/kg	54.9	17.0	1	03/14/25 08:30	03/14/25 15:33	95-50-1	
1,3-Dichlorobenzene	<15.0	ug/kg	54.9	15.0	1	03/14/25 08:30	03/14/25 15:33	541-73-1	
1,4-Dichlorobenzene	<15.0	ug/kg	54.9	15.0	1	03/14/25 08:30	03/14/25 15:33	106-46-7	
Dichlorodifluoromethane	<23.6	ug/kg	54.9	23.6	1	03/14/25 08:30	03/14/25 15:33	75-71-8	
1,1-Dichloroethane	<14.1	ug/kg	54.9	14.1	1	03/14/25 08:30	03/14/25 15:33	75-34-3	
1,2-Dichloroethane	<12.6	ug/kg	54.9	12.6	1	03/14/25 08:30	03/14/25 15:33	107-06-2	
1,1-Dichloroethene	<18.2	ug/kg	54.9	18.2	1	03/14/25 08:30	03/14/25 15:33	75-35-4	
cis-1,2-Dichloroethene	<11.8	ug/kg	54.9	11.8	1	03/14/25 08:30	03/14/25 15:33	156-59-2	
trans-1,2-Dichloroethene	<12.0	ug/kg	54.9	12.0	1	03/14/25 08:30	03/14/25 15:33	156-60-5	
1,2-Dichloropropane	<13.1	ug/kg	54.9	13.1	1	03/14/25 08:30	03/14/25 15:33	78-87-5	
1,3-Dichloropropane	<12.0	ug/kg	54.9	12.0	1	03/14/25 08:30	03/14/25 15:33	142-28-9	
2,2-Dichloropropane	<14.8	ug/kg	54.9	14.8	1	03/14/25 08:30	03/14/25 15:33	594-20-7	
1,1-Dichloropropene	<17.8	ug/kg	54.9	17.8	1	03/14/25 08:30	03/14/25 15:33	563-58-6	
cis-1,3-Dichloropropene	<36.2	ug/kg	275	36.2	1	03/14/25 08:30	03/14/25 15:33	10061-01-5	
trans-1,3-Dichloropropene	<157	ug/kg	275	157	1	03/14/25 08:30	03/14/25 15:33	10061-02-6	
Diisopropyl ether	<13.6	ug/kg	54.9	13.6	1	03/14/25 08:30	03/14/25 15:33	108-20-3	
Ethylbenzene	<13.1	ug/kg	54.9	13.1	1	03/14/25 08:30	03/14/25 15:33	100-41-4	
Hexachloro-1,3-butadiene	<109	ug/kg	275	109	1	03/14/25 08:30	03/14/25 15:33	87-68-3	
Isopropylbenzene (Cumene)	<14.8	ug/kg	54.9	14.8	1	03/14/25 08:30	03/14/25 15:33	98-82-8	
p-Isopropyltoluene	<18.7	ug/kg	54.9	18.7	1	03/14/25 08:30	03/14/25 15:33	99-87-6	
Methylene Chloride	50.4J	ug/kg	54.9	15.3	1	03/14/25 08:30	03/14/25 15:33	75-09-2	B
Methyl-tert-butyl ether	<16.1	ug/kg	54.9	16.1	1	03/14/25 08:30	03/14/25 15:33	1634-04-4	
Naphthalene	92.8J	ug/kg	275	23.1	1	03/14/25 08:30	03/14/25 15:33	91-20-3	
n-Propylbenzene	<13.2	ug/kg	54.9	13.2	1	03/14/25 08:30	03/14/25 15:33	103-65-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

Sample: GP-6(15-16') Lab ID: 40291958010 Collected: 03/10/25 10:30 Received: 03/11/25 09:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<14.1	ug/kg	54.9	14.1	1	03/14/25 08:30	03/14/25 15:33	100-42-5	
1,1,1,2-Tetrachloroethane	<13.2	ug/kg	54.9	13.2	1	03/14/25 08:30	03/14/25 15:33	630-20-6	
1,1,2,2-Tetrachloroethane	<19.9	ug/kg	54.9	19.9	1	03/14/25 08:30	03/14/25 15:33	79-34-5	
Tetrachloroethene	<21.3	ug/kg	54.9	21.3	1	03/14/25 08:30	03/14/25 15:33	127-18-4	
Toluene	37.0J	ug/kg	54.9	13.8	1	03/14/25 08:30	03/14/25 15:33	108-88-3	
1,2,3-Trichlorobenzene	<61.2	ug/kg	275	61.2	1	03/14/25 08:30	03/14/25 15:33	87-61-6	
1,2,4-Trichlorobenzene	<45.2	ug/kg	275	45.2	1	03/14/25 08:30	03/14/25 15:33	120-82-1	
1,1,1-Trichloroethane	<14.1	ug/kg	54.9	14.1	1	03/14/25 08:30	03/14/25 15:33	71-55-6	
1,1,2-Trichloroethane	<20.0	ug/kg	54.9	20.0	1	03/14/25 08:30	03/14/25 15:33	79-00-5	
Trichloroethene	<20.5	ug/kg	54.9	20.5	1	03/14/25 08:30	03/14/25 15:33	79-01-6	
Trichlorofluoromethane	<15.9	ug/kg	54.9	15.9	1	03/14/25 08:30	03/14/25 15:33	75-69-4	
1,2,3-Trichloropropane	<26.7	ug/kg	54.9	26.7	1	03/14/25 08:30	03/14/25 15:33	96-18-4	
1,2,4-Trimethylbenzene	33.1J	ug/kg	54.9	16.4	1	03/14/25 08:30	03/14/25 15:33	95-63-6	
1,3,5-Trimethylbenzene	<17.7	ug/kg	54.9	17.7	1	03/14/25 08:30	03/14/25 15:33	108-67-8	
Vinyl chloride	<11.1	ug/kg	54.9	11.1	1	03/14/25 08:30	03/14/25 15:33	75-01-4	
m&p-Xylene	56.2J	ug/kg	110	23.2	1	03/14/25 08:30	03/14/25 15:33	179601-23-1	
o-Xylene	39.8J	ug/kg	54.9	16.5	1	03/14/25 08:30	03/14/25 15:33	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	122	%	56-189		1	03/14/25 08:30	03/14/25 15:33	2199-69-1	
4-Bromofluorobenzene (S)	119	%	58-188		1	03/14/25 08:30	03/14/25 15:33	460-00-4	
Toluene-d8 (S)	120	%	70-172		1	03/14/25 08:30	03/14/25 15:33	2037-26-5	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	4.7	%	0.10	0.10	1		03/11/25 17:01		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

Sample: GP-7(2-4') Lab ID: 40291958011 Collected: 03/10/25 10:55 Received: 03/11/25 09:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Arsenic	1.5J	mg/kg	2.3	1.4	1	03/14/25 09:10	03/14/25 21:45	7440-38-2	
Barium	26.6	mg/kg	0.47	0.14	1	03/14/25 09:10	03/14/25 21:45	7440-39-3	
Cadmium	<0.12	mg/kg	0.47	0.12	1	03/14/25 09:10	03/14/25 21:45	7440-43-9	
Chromium	10.7	mg/kg	0.94	0.26	1	03/14/25 09:10	03/14/25 21:45	7440-47-3	
Lead	1.8J	mg/kg	1.9	0.56	1	03/14/25 09:10	03/14/25 21:45	7439-92-1	
Selenium	<1.2	mg/kg	3.7	1.2	1	03/14/25 09:10	03/14/25 21:45	7782-49-2	
Silver	<0.29	mg/kg	0.94	0.29	1	03/14/25 09:10	03/14/25 21:45	7440-22-4	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.014J	mg/kg	0.035	0.010	1	03/21/25 10:39	03/24/25 12:12	7439-97-6	
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Acenaphthene	<2.2	ug/kg	17.2	2.2	1	03/18/25 07:44	03/18/25 11:26	83-32-9	
Acenaphthylene	<2.2	ug/kg	17.2	2.2	1	03/18/25 07:44	03/18/25 11:26	208-96-8	
Anthracene	<2.1	ug/kg	17.2	2.1	1	03/18/25 07:44	03/18/25 11:26	120-12-7	
Benzo(a)anthracene	<2.2	ug/kg	17.2	2.2	1	03/18/25 07:44	03/18/25 11:26	56-55-3	
Benzo(a)pyrene	<1.9	ug/kg	17.2	1.9	1	03/18/25 07:44	03/18/25 11:26	50-32-8	
Benzo(b)fluoranthene	<2.4	ug/kg	17.2	2.4	1	03/18/25 07:44	03/18/25 11:26	205-99-2	
Benzo(g,h,i)perylene	<3.0	ug/kg	17.2	3.0	1	03/18/25 07:44	03/18/25 11:26	191-24-2	
Benzo(k)fluoranthene	<2.2	ug/kg	17.2	2.2	1	03/18/25 07:44	03/18/25 11:26	207-08-9	
Chrysene	<3.2	ug/kg	17.2	3.2	1	03/18/25 07:44	03/18/25 11:26	218-01-9	
Dibenz(a,h)anthracene	<2.4	ug/kg	17.2	2.4	1	03/18/25 07:44	03/18/25 11:26	53-70-3	
Fluoranthene	<2.0	ug/kg	17.2	2.0	1	03/18/25 07:44	03/18/25 11:26	206-44-0	
Fluorene	<2.1	ug/kg	17.2	2.1	1	03/18/25 07:44	03/18/25 11:26	86-73-7	
Indeno(1,2,3-cd)pyrene	<3.6	ug/kg	17.2	3.6	1	03/18/25 07:44	03/18/25 11:26	193-39-5	
1-Methylnaphthalene	<2.5	ug/kg	17.2	2.5	1	03/18/25 07:44	03/18/25 11:26	90-12-0	
2-Methylnaphthalene	<2.5	ug/kg	17.2	2.5	1	03/18/25 07:44	03/18/25 11:26	91-57-6	
Naphthalene	<1.7	ug/kg	17.2	1.7	1	03/18/25 07:44	03/18/25 11:26	91-20-3	
Phenanthrene	<2.0	ug/kg	17.2	2.0	1	03/18/25 07:44	03/18/25 11:26	85-01-8	
Pyrene	<2.5	ug/kg	17.2	2.5	1	03/18/25 07:44	03/18/25 11:26	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	70	%	36-120		1	03/18/25 07:44	03/18/25 11:26	321-60-8	
Terphenyl-d14 (S)	69	%	36-120		1	03/18/25 07:44	03/18/25 11:26	1718-51-0	
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<12.5	ug/kg	21.0	12.5	1	03/14/25 08:30	03/14/25 15:53	71-43-2	
Bromobenzene	<20.5	ug/kg	52.6	20.5	1	03/14/25 08:30	03/14/25 15:53	108-86-1	
Bromochloromethane	<14.4	ug/kg	52.6	14.4	1	03/14/25 08:30	03/14/25 15:53	74-97-5	
Bromodichloromethane	<12.5	ug/kg	52.6	12.5	1	03/14/25 08:30	03/14/25 15:53	75-27-4	
Bromoform	<231	ug/kg	263	231	1	03/14/25 08:30	03/14/25 15:53	75-25-2	
Bromomethane	<73.7	ug/kg	263	73.7	1	03/14/25 08:30	03/14/25 15:53	74-83-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

Sample: GP-7(2-4') Lab ID: 40291958011 Collected: 03/10/25 10:55 Received: 03/11/25 09:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
n-Butylbenzene	<24.1	ug/kg	52.6	24.1	1	03/14/25 08:30	03/14/25 15:53	104-51-8	
sec-Butylbenzene	<18.0	ug/kg	52.6	18.0	1	03/14/25 08:30	03/14/25 15:53	135-98-8	
tert-Butylbenzene	<16.5	ug/kg	52.6	16.5	1	03/14/25 08:30	03/14/25 15:53	98-06-6	
Carbon tetrachloride	<11.6	ug/kg	52.6	11.6	1	03/14/25 08:30	03/14/25 15:53	56-23-5	
Chlorobenzene	<6.3	ug/kg	52.6	6.3	1	03/14/25 08:30	03/14/25 15:53	108-90-7	
Chloroethane	<22.2	ug/kg	263	22.2	1	03/14/25 08:30	03/14/25 15:53	75-00-3	
Chloroform	<37.6	ug/kg	263	37.6	1	03/14/25 08:30	03/14/25 15:53	67-66-3	
Chloromethane	<20.0	ug/kg	52.6	20.0	1	03/14/25 08:30	03/14/25 15:53	74-87-3	
2-Chlorotoluene	<17.0	ug/kg	52.6	17.0	1	03/14/25 08:30	03/14/25 15:53	95-49-8	
4-Chlorotoluene	<20.0	ug/kg	52.6	20.0	1	03/14/25 08:30	03/14/25 15:53	106-43-4	
1,2-Dibromo-3-chloropropane	<40.8	ug/kg	263	40.8	1	03/14/25 08:30	03/14/25 15:53	96-12-8	
Dibromochloromethane	<180	ug/kg	263	180	1	03/14/25 08:30	03/14/25 15:53	124-48-1	
1,2-Dibromoethane (EDB)	<14.4	ug/kg	52.6	14.4	1	03/14/25 08:30	03/14/25 15:53	106-93-4	
Dibromomethane	<15.6	ug/kg	52.6	15.6	1	03/14/25 08:30	03/14/25 15:53	74-95-3	
1,2-Dichlorobenzene	<16.3	ug/kg	52.6	16.3	1	03/14/25 08:30	03/14/25 15:53	95-50-1	
1,3-Dichlorobenzene	<14.4	ug/kg	52.6	14.4	1	03/14/25 08:30	03/14/25 15:53	541-73-1	
1,4-Dichlorobenzene	<14.4	ug/kg	52.6	14.4	1	03/14/25 08:30	03/14/25 15:53	106-46-7	
Dichlorodifluoromethane	<22.6	ug/kg	52.6	22.6	1	03/14/25 08:30	03/14/25 15:53	75-71-8	
1,1-Dichloroethane	<13.5	ug/kg	52.6	13.5	1	03/14/25 08:30	03/14/25 15:53	75-34-3	
1,2-Dichloroethane	<12.1	ug/kg	52.6	12.1	1	03/14/25 08:30	03/14/25 15:53	107-06-2	
1,1-Dichloroethene	<17.5	ug/kg	52.6	17.5	1	03/14/25 08:30	03/14/25 15:53	75-35-4	
cis-1,2-Dichloroethene	<11.2	ug/kg	52.6	11.2	1	03/14/25 08:30	03/14/25 15:53	156-59-2	
trans-1,2-Dichloroethene	<11.5	ug/kg	52.6	11.5	1	03/14/25 08:30	03/14/25 15:53	156-60-5	
1,2-Dichloropropane	<12.5	ug/kg	52.6	12.5	1	03/14/25 08:30	03/14/25 15:53	78-87-5	
1,3-Dichloropropane	<11.5	ug/kg	52.6	11.5	1	03/14/25 08:30	03/14/25 15:53	142-28-9	
2,2-Dichloropropane	<14.2	ug/kg	52.6	14.2	1	03/14/25 08:30	03/14/25 15:53	594-20-7	
1,1-Dichloropropene	<17.0	ug/kg	52.6	17.0	1	03/14/25 08:30	03/14/25 15:53	563-58-6	
cis-1,3-Dichloropropene	<34.7	ug/kg	263	34.7	1	03/14/25 08:30	03/14/25 15:53	10061-01-5	
trans-1,3-Dichloropropene	<150	ug/kg	263	150	1	03/14/25 08:30	03/14/25 15:53	10061-02-6	
Diisopropyl ether	<13.0	ug/kg	52.6	13.0	1	03/14/25 08:30	03/14/25 15:53	108-20-3	
Ethylbenzene	<12.5	ug/kg	52.6	12.5	1	03/14/25 08:30	03/14/25 15:53	100-41-4	
Hexachloro-1,3-butadiene	<104	ug/kg	263	104	1	03/14/25 08:30	03/14/25 15:53	87-68-3	
Isopropylbenzene (Cumene)	<14.2	ug/kg	52.6	14.2	1	03/14/25 08:30	03/14/25 15:53	98-82-8	
p-Isopropyltoluene	<17.9	ug/kg	52.6	17.9	1	03/14/25 08:30	03/14/25 15:53	99-87-6	
Methylene Chloride	34.2J	ug/kg	52.6	14.6	1	03/14/25 08:30	03/14/25 15:53	75-09-2	B
Methyl-tert-butyl ether	<15.5	ug/kg	52.6	15.5	1	03/14/25 08:30	03/14/25 15:53	1634-04-4	
Naphthalene	<22.1	ug/kg	263	22.1	1	03/14/25 08:30	03/14/25 15:53	91-20-3	
n-Propylbenzene	<12.6	ug/kg	52.6	12.6	1	03/14/25 08:30	03/14/25 15:53	103-65-1	
Styrene	<13.5	ug/kg	52.6	13.5	1	03/14/25 08:30	03/14/25 15:53	100-42-5	
1,1,1,2-Tetrachloroethane	<12.6	ug/kg	52.6	12.6	1	03/14/25 08:30	03/14/25 15:53	630-20-6	
1,1,1,2,2-Tetrachloroethane	<19.0	ug/kg	52.6	19.0	1	03/14/25 08:30	03/14/25 15:53	79-34-5	
Tetrachloroethene	<20.4	ug/kg	52.6	20.4	1	03/14/25 08:30	03/14/25 15:53	127-18-4	
Toluene	<13.2	ug/kg	52.6	13.2	1	03/14/25 08:30	03/14/25 15:53	108-88-3	
1,2,3-Trichlorobenzene	<58.6	ug/kg	263	58.6	1	03/14/25 08:30	03/14/25 15:53	87-61-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

Sample: GP-7(2-4') Lab ID: 40291958011 Collected: 03/10/25 10:55 Received: 03/11/25 09:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<43.3	ug/kg	263	43.3	1	03/14/25 08:30	03/14/25 15:53	120-82-1	
1,1,1-Trichloroethane	<13.5	ug/kg	52.6	13.5	1	03/14/25 08:30	03/14/25 15:53	71-55-6	
1,1,2-Trichloroethane	<19.1	ug/kg	52.6	19.1	1	03/14/25 08:30	03/14/25 15:53	79-00-5	
Trichloroethene	<19.7	ug/kg	52.6	19.7	1	03/14/25 08:30	03/14/25 15:53	79-01-6	
Trichlorofluoromethane	<15.2	ug/kg	52.6	15.2	1	03/14/25 08:30	03/14/25 15:53	75-69-4	
1,2,3-Trichloropropane	<25.5	ug/kg	52.6	25.5	1	03/14/25 08:30	03/14/25 15:53	96-18-4	
1,2,4-Trimethylbenzene	<15.7	ug/kg	52.6	15.7	1	03/14/25 08:30	03/14/25 15:53	95-63-6	
1,3,5-Trimethylbenzene	<16.9	ug/kg	52.6	16.9	1	03/14/25 08:30	03/14/25 15:53	108-67-8	
Vinyl chloride	<10.6	ug/kg	52.6	10.6	1	03/14/25 08:30	03/14/25 15:53	75-01-4	
m&p-Xylene	<22.2	ug/kg	105	22.2	1	03/14/25 08:30	03/14/25 15:53	179601-23-1	
o-Xylene	<15.8	ug/kg	52.6	15.8	1	03/14/25 08:30	03/14/25 15:53	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	118	%	56-189		1	03/14/25 08:30	03/14/25 15:53	2199-69-1	
4-Bromofluorobenzene (S)	114	%	58-188		1	03/14/25 08:30	03/14/25 15:53	460-00-4	
Toluene-d8 (S)	115	%	70-172		1	03/14/25 08:30	03/14/25 15:53	2037-26-5	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	2.5	%	0.10	0.10	1		03/11/25 17:01		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

Sample: GP-7(15-17') Lab ID: 40291958012 Collected: 03/10/25 11:05 Received: 03/11/25 09:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<12.7	ug/kg	21.3	12.7	1	03/14/25 08:30	03/14/25 16:13	71-43-2	
Bromobenzene	<20.8	ug/kg	53.4	20.8	1	03/14/25 08:30	03/14/25 16:13	108-86-1	
Bromochloromethane	<14.6	ug/kg	53.4	14.6	1	03/14/25 08:30	03/14/25 16:13	74-97-5	
Bromodichloromethane	<12.7	ug/kg	53.4	12.7	1	03/14/25 08:30	03/14/25 16:13	75-27-4	
Bromoform	<235	ug/kg	267	235	1	03/14/25 08:30	03/14/25 16:13	75-25-2	
Bromomethane	<74.8	ug/kg	267	74.8	1	03/14/25 08:30	03/14/25 16:13	74-83-9	
n-Butylbenzene	<24.4	ug/kg	53.4	24.4	1	03/14/25 08:30	03/14/25 16:13	104-51-8	
sec-Butylbenzene	<18.3	ug/kg	53.4	18.3	1	03/14/25 08:30	03/14/25 16:13	135-98-8	
tert-Butylbenzene	<16.8	ug/kg	53.4	16.8	1	03/14/25 08:30	03/14/25 16:13	98-06-6	
Carbon tetrachloride	<11.7	ug/kg	53.4	11.7	1	03/14/25 08:30	03/14/25 16:13	56-23-5	
Chlorobenzene	<6.4	ug/kg	53.4	6.4	1	03/14/25 08:30	03/14/25 16:13	108-90-7	
Chloroethane	<22.5	ug/kg	267	22.5	1	03/14/25 08:30	03/14/25 16:13	75-00-3	
Chloroform	<38.2	ug/kg	267	38.2	1	03/14/25 08:30	03/14/25 16:13	67-66-3	
Chloromethane	<20.3	ug/kg	53.4	20.3	1	03/14/25 08:30	03/14/25 16:13	74-87-3	
2-Chlorotoluene	<17.3	ug/kg	53.4	17.3	1	03/14/25 08:30	03/14/25 16:13	95-49-8	
4-Chlorotoluene	<20.3	ug/kg	53.4	20.3	1	03/14/25 08:30	03/14/25 16:13	106-43-4	
1,2-Dibromo-3-chloropropane	<41.4	ug/kg	267	41.4	1	03/14/25 08:30	03/14/25 16:13	96-12-8	
Dibromochloromethane	<182	ug/kg	267	182	1	03/14/25 08:30	03/14/25 16:13	124-48-1	
1,2-Dibromoethane (EDB)	<14.6	ug/kg	53.4	14.6	1	03/14/25 08:30	03/14/25 16:13	106-93-4	
Dibromomethane	<15.8	ug/kg	53.4	15.8	1	03/14/25 08:30	03/14/25 16:13	74-95-3	
1,2-Dichlorobenzene	<16.5	ug/kg	53.4	16.5	1	03/14/25 08:30	03/14/25 16:13	95-50-1	
1,3-Dichlorobenzene	<14.6	ug/kg	53.4	14.6	1	03/14/25 08:30	03/14/25 16:13	541-73-1	
1,4-Dichlorobenzene	<14.6	ug/kg	53.4	14.6	1	03/14/25 08:30	03/14/25 16:13	106-46-7	
Dichlorodifluoromethane	<22.9	ug/kg	53.4	22.9	1	03/14/25 08:30	03/14/25 16:13	75-71-8	
1,1-Dichloroethane	<13.7	ug/kg	53.4	13.7	1	03/14/25 08:30	03/14/25 16:13	75-34-3	
1,2-Dichloroethane	<12.3	ug/kg	53.4	12.3	1	03/14/25 08:30	03/14/25 16:13	107-06-2	
1,1-Dichloroethene	<17.7	ug/kg	53.4	17.7	1	03/14/25 08:30	03/14/25 16:13	75-35-4	
cis-1,2-Dichloroethene	<11.4	ug/kg	53.4	11.4	1	03/14/25 08:30	03/14/25 16:13	156-59-2	
trans-1,2-Dichloroethene	<11.7	ug/kg	53.4	11.7	1	03/14/25 08:30	03/14/25 16:13	156-60-5	
1,2-Dichloropropane	<12.7	ug/kg	53.4	12.7	1	03/14/25 08:30	03/14/25 16:13	78-87-5	
1,3-Dichloropropane	<11.6	ug/kg	53.4	11.6	1	03/14/25 08:30	03/14/25 16:13	142-28-9	
2,2-Dichloropropane	<14.4	ug/kg	53.4	14.4	1	03/14/25 08:30	03/14/25 16:13	594-20-7	
1,1-Dichloropropene	<17.3	ug/kg	53.4	17.3	1	03/14/25 08:30	03/14/25 16:13	563-58-6	
cis-1,3-Dichloropropene	<35.2	ug/kg	267	35.2	1	03/14/25 08:30	03/14/25 16:13	10061-01-5	
trans-1,3-Dichloropropene	<153	ug/kg	267	153	1	03/14/25 08:30	03/14/25 16:13	10061-02-6	
Diisopropyl ether	<13.2	ug/kg	53.4	13.2	1	03/14/25 08:30	03/14/25 16:13	108-20-3	
Ethylbenzene	<12.7	ug/kg	53.4	12.7	1	03/14/25 08:30	03/14/25 16:13	100-41-4	
Hexachloro-1,3-butadiene	<106	ug/kg	267	106	1	03/14/25 08:30	03/14/25 16:13	87-68-3	
Isopropylbenzene (Cumene)	<14.4	ug/kg	53.4	14.4	1	03/14/25 08:30	03/14/25 16:13	98-82-8	
p-Isopropyltoluene	<18.1	ug/kg	53.4	18.1	1	03/14/25 08:30	03/14/25 16:13	99-87-6	
Methylene Chloride	44.6J	ug/kg	53.4	14.8	1	03/14/25 08:30	03/14/25 16:13	75-09-2	B
Methyl-tert-butyl ether	<15.7	ug/kg	53.4	15.7	1	03/14/25 08:30	03/14/25 16:13	1634-04-4	
Naphthalene	<22.4	ug/kg	267	22.4	1	03/14/25 08:30	03/14/25 16:13	91-20-3	
n-Propylbenzene	<12.8	ug/kg	53.4	12.8	1	03/14/25 08:30	03/14/25 16:13	103-65-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

Sample: GP-7(15-17') Lab ID: 40291958012 Collected: 03/10/25 11:05 Received: 03/11/25 09:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<13.7	ug/kg	53.4	13.7	1	03/14/25 08:30	03/14/25 16:13	100-42-5	
1,1,1,2-Tetrachloroethane	<12.8	ug/kg	53.4	12.8	1	03/14/25 08:30	03/14/25 16:13	630-20-6	
1,1,2,2-Tetrachloroethane	<19.3	ug/kg	53.4	19.3	1	03/14/25 08:30	03/14/25 16:13	79-34-5	
Tetrachloroethene	<20.7	ug/kg	53.4	20.7	1	03/14/25 08:30	03/14/25 16:13	127-18-4	
Toluene	<13.4	ug/kg	53.4	13.4	1	03/14/25 08:30	03/14/25 16:13	108-88-3	
1,2,3-Trichlorobenzene	<59.4	ug/kg	267	59.4	1	03/14/25 08:30	03/14/25 16:13	87-61-6	
1,2,4-Trichlorobenzene	<44.0	ug/kg	267	44.0	1	03/14/25 08:30	03/14/25 16:13	120-82-1	
1,1,1-Trichloroethane	<13.7	ug/kg	53.4	13.7	1	03/14/25 08:30	03/14/25 16:13	71-55-6	
1,1,2-Trichloroethane	<19.4	ug/kg	53.4	19.4	1	03/14/25 08:30	03/14/25 16:13	79-00-5	
Trichloroethene	<20.0	ug/kg	53.4	20.0	1	03/14/25 08:30	03/14/25 16:13	79-01-6	
Trichlorofluoromethane	<15.5	ug/kg	53.4	15.5	1	03/14/25 08:30	03/14/25 16:13	75-69-4	
1,2,3-Trichloropropane	<25.9	ug/kg	53.4	25.9	1	03/14/25 08:30	03/14/25 16:13	96-18-4	
1,2,4-Trimethylbenzene	<15.9	ug/kg	53.4	15.9	1	03/14/25 08:30	03/14/25 16:13	95-63-6	
1,3,5-Trimethylbenzene	<17.2	ug/kg	53.4	17.2	1	03/14/25 08:30	03/14/25 16:13	108-67-8	
Vinyl chloride	<10.8	ug/kg	53.4	10.8	1	03/14/25 08:30	03/14/25 16:13	75-01-4	
m&p-Xylene	<22.5	ug/kg	107	22.5	1	03/14/25 08:30	03/14/25 16:13	179601-23-1	
o-Xylene	<16.0	ug/kg	53.4	16.0	1	03/14/25 08:30	03/14/25 16:13	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	122	%	56-189		1	03/14/25 08:30	03/14/25 16:13	2199-69-1	
4-Bromofluorobenzene (S)	118	%	58-188		1	03/14/25 08:30	03/14/25 16:13	460-00-4	
Toluene-d8 (S)	116	%	70-172		1	03/14/25 08:30	03/14/25 16:13	2037-26-5	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	3.3	%	0.10	0.10	1		03/11/25 17:01		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

Sample: GP-8(2-4') Lab ID: 40291958013 Collected: 03/10/25 11:25 Received: 03/11/25 09:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Arsenic	2.0J	mg/kg	2.7	1.6	1	03/14/25 09:10	03/14/25 21:47	7440-38-2	
Barium	44.4	mg/kg	0.55	0.16	1	03/14/25 09:10	03/14/25 21:47	7440-39-3	
Cadmium	<0.15	mg/kg	0.55	0.15	1	03/14/25 09:10	03/14/25 21:47	7440-43-9	
Chromium	12.1	mg/kg	1.1	0.30	1	03/14/25 09:10	03/14/25 21:47	7440-47-3	
Lead	4.1	mg/kg	2.2	0.65	1	03/14/25 09:10	03/14/25 21:47	7439-92-1	
Selenium	<1.4	mg/kg	4.4	1.4	1	03/14/25 09:10	03/14/25 21:47	7782-49-2	
Silver	0.35J	mg/kg	1.1	0.34	1	03/14/25 09:10	03/14/25 21:47	7440-22-4	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.012J	mg/kg	0.039	0.011	1	03/21/25 10:39	03/24/25 12:14	7439-97-6	
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Acenaphthene	<2.5	ug/kg	19.2	2.5	1	03/18/25 07:44	03/18/25 11:41	83-32-9	
Acenaphthylene	3.0J	ug/kg	19.2	2.4	1	03/18/25 07:44	03/18/25 11:41	208-96-8	
Anthracene	5.9J	ug/kg	19.2	2.4	1	03/18/25 07:44	03/18/25 11:41	120-12-7	
Benzo(a)anthracene	14.3J	ug/kg	19.2	2.5	1	03/18/25 07:44	03/18/25 11:41	56-55-3	
Benzo(a)pyrene	10.1J	ug/kg	19.2	2.2	1	03/18/25 07:44	03/18/25 11:41	50-32-8	
Benzo(b)fluoranthene	12.9J	ug/kg	19.2	2.7	1	03/18/25 07:44	03/18/25 11:41	205-99-2	
Benzo(g,h,i)perylene	10.8J	ug/kg	19.2	3.4	1	03/18/25 07:44	03/18/25 11:41	191-24-2	
Benzo(k)fluoranthene	3.3J	ug/kg	19.2	2.5	1	03/18/25 07:44	03/18/25 11:41	207-08-9	
Chrysene	23.5	ug/kg	19.2	3.6	1	03/18/25 07:44	03/18/25 11:41	218-01-9	
Dibenz(a,h)anthracene	<2.7	ug/kg	19.2	2.7	1	03/18/25 07:44	03/18/25 11:41	53-70-3	
Fluoranthene	16.6J	ug/kg	19.2	2.3	1	03/18/25 07:44	03/18/25 11:41	206-44-0	
Fluorene	4.2J	ug/kg	19.2	2.3	1	03/18/25 07:44	03/18/25 11:41	86-73-7	
Indeno(1,2,3-cd)pyrene	4.5J	ug/kg	19.2	4.0	1	03/18/25 07:44	03/18/25 11:41	193-39-5	
1-Methylnaphthalene	130	ug/kg	19.2	2.8	1	03/18/25 07:44	03/18/25 11:41	90-12-0	
2-Methylnaphthalene	188	ug/kg	19.2	2.8	1	03/18/25 07:44	03/18/25 11:41	91-57-6	
Naphthalene	128	ug/kg	19.2	1.9	1	03/18/25 07:44	03/18/25 11:41	91-20-3	
Phenanthrene	91.6	ug/kg	19.2	2.2	1	03/18/25 07:44	03/18/25 11:41	85-01-8	
Pyrene	20.4	ug/kg	19.2	2.8	1	03/18/25 07:44	03/18/25 11:41	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	53	%	36-120		1	03/18/25 07:44	03/18/25 11:41	321-60-8	
Terphenyl-d14 (S)	55	%	36-120		1	03/18/25 07:44	03/18/25 11:41	1718-51-0	
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	33.9	ug/kg	26.1	15.5	1	03/14/25 10:45	03/14/25 14:57	71-43-2	
Bromobenzene	<25.4	ug/kg	65.2	25.4	1	03/14/25 10:45	03/14/25 14:57	108-86-1	
Bromochloromethane	<17.9	ug/kg	65.2	17.9	1	03/14/25 10:45	03/14/25 14:57	74-97-5	
Bromodichloromethane	<15.5	ug/kg	65.2	15.5	1	03/14/25 10:45	03/14/25 14:57	75-27-4	
Bromoform	<287	ug/kg	326	287	1	03/14/25 10:45	03/14/25 14:57	75-25-2	
Bromomethane	<91.4	ug/kg	326	91.4	1	03/14/25 10:45	03/14/25 14:57	74-83-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

Sample: GP-8(2-4') Lab ID: 40291958013 Collected: 03/10/25 11:25 Received: 03/11/25 09:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
n-Butylbenzene	<29.9	ug/kg	65.2	29.9	1	03/14/25 10:45	03/14/25 14:57	104-51-8	
sec-Butylbenzene	<22.4	ug/kg	65.2	22.4	1	03/14/25 10:45	03/14/25 14:57	135-98-8	
tert-Butylbenzene	<20.5	ug/kg	65.2	20.5	1	03/14/25 10:45	03/14/25 14:57	98-06-6	
Carbon tetrachloride	<14.3	ug/kg	65.2	14.3	1	03/14/25 10:45	03/14/25 14:57	56-23-5	
Chlorobenzene	<7.8	ug/kg	65.2	7.8	1	03/14/25 10:45	03/14/25 14:57	108-90-7	
Chloroethane	<27.5	ug/kg	326	27.5	1	03/14/25 10:45	03/14/25 14:57	75-00-3	
Chloroform	<46.7	ug/kg	326	46.7	1	03/14/25 10:45	03/14/25 14:57	67-66-3	
Chloromethane	<24.8	ug/kg	65.2	24.8	1	03/14/25 10:45	03/14/25 14:57	74-87-3	
2-Chlorotoluene	<21.1	ug/kg	65.2	21.1	1	03/14/25 10:45	03/14/25 14:57	95-49-8	
4-Chlorotoluene	<24.8	ug/kg	65.2	24.8	1	03/14/25 10:45	03/14/25 14:57	106-43-4	
1,2-Dibromo-3-chloropropane	<50.6	ug/kg	326	50.6	1	03/14/25 10:45	03/14/25 14:57	96-12-8	
Dibromochloromethane	<223	ug/kg	326	223	1	03/14/25 10:45	03/14/25 14:57	124-48-1	
1,2-Dibromoethane (EDB)	<17.9	ug/kg	65.2	17.9	1	03/14/25 10:45	03/14/25 14:57	106-93-4	
Dibromomethane	<19.3	ug/kg	65.2	19.3	1	03/14/25 10:45	03/14/25 14:57	74-95-3	
1,2-Dichlorobenzene	<20.2	ug/kg	65.2	20.2	1	03/14/25 10:45	03/14/25 14:57	95-50-1	
1,3-Dichlorobenzene	<17.9	ug/kg	65.2	17.9	1	03/14/25 10:45	03/14/25 14:57	541-73-1	
1,4-Dichlorobenzene	<17.9	ug/kg	65.2	17.9	1	03/14/25 10:45	03/14/25 14:57	106-46-7	
Dichlorodifluoromethane	<28.0	ug/kg	65.2	28.0	1	03/14/25 10:45	03/14/25 14:57	75-71-8	
1,1-Dichloroethane	<16.7	ug/kg	65.2	16.7	1	03/14/25 10:45	03/14/25 14:57	75-34-3	
1,2-Dichloroethane	<15.0	ug/kg	65.2	15.0	1	03/14/25 10:45	03/14/25 14:57	107-06-2	
1,1-Dichloroethene	<21.7	ug/kg	65.2	21.7	1	03/14/25 10:45	03/14/25 14:57	75-35-4	
cis-1,2-Dichloroethene	<14.0	ug/kg	65.2	14.0	1	03/14/25 10:45	03/14/25 14:57	156-59-2	
trans-1,2-Dichloroethene	<14.3	ug/kg	65.2	14.3	1	03/14/25 10:45	03/14/25 14:57	156-60-5	
1,2-Dichloropropane	<15.5	ug/kg	65.2	15.5	1	03/14/25 10:45	03/14/25 14:57	78-87-5	
1,3-Dichloropropane	<14.2	ug/kg	65.2	14.2	1	03/14/25 10:45	03/14/25 14:57	142-28-9	
2,2-Dichloropropane	<17.6	ug/kg	65.2	17.6	1	03/14/25 10:45	03/14/25 14:57	594-20-7	
1,1-Dichloropropene	<21.1	ug/kg	65.2	21.1	1	03/14/25 10:45	03/14/25 14:57	563-58-6	
cis-1,3-Dichloropropene	<43.0	ug/kg	326	43.0	1	03/14/25 10:45	03/14/25 14:57	10061-01-5	
trans-1,3-Dichloropropene	<187	ug/kg	326	187	1	03/14/25 10:45	03/14/25 14:57	10061-02-6	
Diisopropyl ether	<16.2	ug/kg	65.2	16.2	1	03/14/25 10:45	03/14/25 14:57	108-20-3	
Ethylbenzene	71.8	ug/kg	65.2	15.5	1	03/14/25 10:45	03/14/25 14:57	100-41-4	
Hexachloro-1,3-butadiene	<130	ug/kg	326	130	1	03/14/25 10:45	03/14/25 14:57	87-68-3	
Isopropylbenzene (Cumene)	31.9J	ug/kg	65.2	17.6	1	03/14/25 10:45	03/14/25 14:57	98-82-8	
p-Isopropyltoluene	<22.2	ug/kg	65.2	22.2	1	03/14/25 10:45	03/14/25 14:57	99-87-6	
Methylene Chloride	<18.1	ug/kg	65.2	18.1	1	03/14/25 10:45	03/14/25 14:57	75-09-2	
Methyl-tert-butyl ether	<19.2	ug/kg	65.2	19.2	1	03/14/25 10:45	03/14/25 14:57	1634-04-4	
Naphthalene	563	ug/kg	326	27.4	1	03/14/25 10:45	03/14/25 14:57	91-20-3	
n-Propylbenzene	48.8J	ug/kg	65.2	15.7	1	03/14/25 10:45	03/14/25 14:57	103-65-1	
Styrene	<16.7	ug/kg	65.2	16.7	1	03/14/25 10:45	03/14/25 14:57	100-42-5	
1,1,1,2-Tetrachloroethane	<15.6	ug/kg	65.2	15.6	1	03/14/25 10:45	03/14/25 14:57	630-20-6	
1,1,2,2-Tetrachloroethane	<23.6	ug/kg	65.2	23.6	1	03/14/25 10:45	03/14/25 14:57	79-34-5	
Tetrachloroethene	<25.3	ug/kg	65.2	25.3	1	03/14/25 10:45	03/14/25 14:57	127-18-4	
Toluene	347	ug/kg	65.2	16.4	1	03/14/25 10:45	03/14/25 14:57	108-88-3	
1,2,3-Trichlorobenzene	<72.7	ug/kg	326	72.7	1	03/14/25 10:45	03/14/25 14:57	87-61-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

Sample: GP-8(2-4') Lab ID: 40291958013 Collected: 03/10/25 11:25 Received: 03/11/25 09:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<53.7	ug/kg	326	53.7	1	03/14/25 10:45	03/14/25 14:57	120-82-1	
1,1,1-Trichloroethane	<16.7	ug/kg	65.2	16.7	1	03/14/25 10:45	03/14/25 14:57	71-55-6	
1,1,2-Trichloroethane	<23.7	ug/kg	65.2	23.7	1	03/14/25 10:45	03/14/25 14:57	79-00-5	
Trichloroethene	<24.4	ug/kg	65.2	24.4	1	03/14/25 10:45	03/14/25 14:57	79-01-6	
Trichlorofluoromethane	<18.9	ug/kg	65.2	18.9	1	03/14/25 10:45	03/14/25 14:57	75-69-4	
1,2,3-Trichloropropane	<31.7	ug/kg	65.2	31.7	1	03/14/25 10:45	03/14/25 14:57	96-18-4	
1,2,4-Trimethylbenzene	231	ug/kg	65.2	19.4	1	03/14/25 10:45	03/14/25 14:57	95-63-6	
1,3,5-Trimethylbenzene	76.1	ug/kg	65.2	21.0	1	03/14/25 10:45	03/14/25 14:57	108-67-8	
Vinyl chloride	<13.2	ug/kg	65.2	13.2	1	03/14/25 10:45	03/14/25 14:57	75-01-4	
m&p-Xylene	457	ug/kg	130	27.5	1	03/14/25 10:45	03/14/25 14:57	179601-23-1	
o-Xylene	315	ug/kg	65.2	19.6	1	03/14/25 10:45	03/14/25 14:57	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	130	%	56-189		1	03/14/25 10:45	03/14/25 14:57	2199-69-1	
4-Bromofluorobenzene (S)	123	%	58-188		1	03/14/25 10:45	03/14/25 14:57	460-00-4	
Toluene-d8 (S)	125	%	70-172		1	03/14/25 10:45	03/14/25 14:57	2037-26-5	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	13.2	%	0.10	0.10	1		03/11/25 17:01		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

Sample: GP-9(2-4') Lab ID: 40291958014 Collected: 03/10/25 11:40 Received: 03/11/25 09:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Arsenic	3.0	mg/kg	2.8	1.7	1	03/14/25 09:10	03/14/25 21:49	7440-38-2	
Barium	72.1	mg/kg	0.57	0.17	1	03/14/25 09:10	03/14/25 21:49	7440-39-3	
Cadmium	<0.15	mg/kg	0.57	0.15	1	03/14/25 09:10	03/14/25 21:49	7440-43-9	
Chromium	22.8	mg/kg	1.1	0.31	1	03/14/25 09:10	03/14/25 21:49	7440-47-3	
Lead	35.1	mg/kg	2.3	0.68	1	03/14/25 09:10	03/14/25 21:49	7439-92-1	
Selenium	<1.5	mg/kg	4.5	1.5	1	03/14/25 09:10	03/14/25 21:49	7782-49-2	
Silver	<0.35	mg/kg	1.1	0.35	1	03/14/25 09:10	03/14/25 21:49	7440-22-4	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.019J	mg/kg	0.040	0.011	1	03/21/25 10:39	03/24/25 12:17	7439-97-6	
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Acenaphthene	<2.5	ug/kg	19.6	2.5	1	03/19/25 07:38	03/19/25 14:45	83-32-9	
Acenaphthylene	26.9	ug/kg	19.6	2.5	1	03/19/25 07:38	03/19/25 14:45	208-96-8	
Anthracene	14.2J	ug/kg	19.6	2.4	1	03/19/25 07:38	03/19/25 14:45	120-12-7	
Benzo(a)anthracene	52.4	ug/kg	19.6	2.5	1	03/19/25 07:38	03/19/25 14:45	56-55-3	
Benzo(a)pyrene	76.2	ug/kg	19.6	2.2	1	03/19/25 07:38	03/19/25 14:45	50-32-8	
Benzo(b)fluoranthene	106	ug/kg	19.6	2.7	1	03/19/25 07:38	03/19/25 14:45	205-99-2	
Benzo(g,h,i)perylene	62.6	ug/kg	19.6	3.4	1	03/19/25 07:38	03/19/25 14:45	191-24-2	L2
Benzo(k)fluoranthene	46.9	ug/kg	19.6	2.5	1	03/19/25 07:38	03/19/25 14:45	207-08-9	
Chrysene	73.0	ug/kg	19.6	3.7	1	03/19/25 07:38	03/19/25 14:45	218-01-9	
Dibenz(a,h)anthracene	16.2J	ug/kg	19.6	2.7	1	03/19/25 07:38	03/19/25 14:45	53-70-3	
Fluoranthene	83.1	ug/kg	19.6	2.3	1	03/19/25 07:38	03/19/25 14:45	206-44-0	
Fluorene	2.9J	ug/kg	19.6	2.3	1	03/19/25 07:38	03/19/25 14:45	86-73-7	
Indeno(1,2,3-cd)pyrene	49.1	ug/kg	19.6	4.1	1	03/19/25 07:38	03/19/25 14:45	193-39-5	
1-Methylnaphthalene	16.8J	ug/kg	19.6	2.9	1	03/19/25 07:38	03/19/25 14:45	90-12-0	
2-Methylnaphthalene	20.7	ug/kg	19.6	2.9	1	03/19/25 07:38	03/19/25 14:45	91-57-6	
Naphthalene	18.3J	ug/kg	19.6	1.9	1	03/19/25 07:38	03/19/25 14:45	91-20-3	
Phenanthrene	36.3	ug/kg	19.6	2.2	1	03/19/25 07:38	03/19/25 14:45	85-01-8	
Pyrene	77.9	ug/kg	19.6	2.9	1	03/19/25 07:38	03/19/25 14:45	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	66	%	36-120		1	03/19/25 07:38	03/19/25 14:45	321-60-8	
Terphenyl-d14 (S)	67	%	36-120		1	03/19/25 07:38	03/19/25 14:45	1718-51-0	
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<16.0	ug/kg	26.8	16.0	1	03/14/25 10:45	03/14/25 15:18	71-43-2	
Bromobenzene	<26.2	ug/kg	67.1	26.2	1	03/14/25 10:45	03/14/25 15:18	108-86-1	
Bromochloromethane	<18.4	ug/kg	67.1	18.4	1	03/14/25 10:45	03/14/25 15:18	74-97-5	
Bromodichloromethane	<16.0	ug/kg	67.1	16.0	1	03/14/25 10:45	03/14/25 15:18	75-27-4	
Bromoform	<295	ug/kg	336	295	1	03/14/25 10:45	03/14/25 15:18	75-25-2	
Bromomethane	<94.1	ug/kg	336	94.1	1	03/14/25 10:45	03/14/25 15:18	74-83-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

Sample: GP-9(2-4') Lab ID: 40291958014 Collected: 03/10/25 11:40 Received: 03/11/25 09:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
n-Butylbenzene	<30.7	ug/kg	67.1	30.7	1	03/14/25 10:45	03/14/25 15:18	104-51-8	
sec-Butylbenzene	<23.0	ug/kg	67.1	23.0	1	03/14/25 10:45	03/14/25 15:18	135-98-8	
tert-Butylbenzene	<21.1	ug/kg	67.1	21.1	1	03/14/25 10:45	03/14/25 15:18	98-06-6	
Carbon tetrachloride	<14.8	ug/kg	67.1	14.8	1	03/14/25 10:45	03/14/25 15:18	56-23-5	
Chlorobenzene	<8.0	ug/kg	67.1	8.0	1	03/14/25 10:45	03/14/25 15:18	108-90-7	
Chloroethane	<28.3	ug/kg	336	28.3	1	03/14/25 10:45	03/14/25 15:18	75-00-3	
Chloroform	<48.0	ug/kg	336	48.0	1	03/14/25 10:45	03/14/25 15:18	67-66-3	
Chloromethane	<25.5	ug/kg	67.1	25.5	1	03/14/25 10:45	03/14/25 15:18	74-87-3	
2-Chlorotoluene	<21.7	ug/kg	67.1	21.7	1	03/14/25 10:45	03/14/25 15:18	95-49-8	
4-Chlorotoluene	<25.5	ug/kg	67.1	25.5	1	03/14/25 10:45	03/14/25 15:18	106-43-4	
1,2-Dibromo-3-chloropropane	<52.1	ug/kg	336	52.1	1	03/14/25 10:45	03/14/25 15:18	96-12-8	
Dibromochloromethane	<229	ug/kg	336	229	1	03/14/25 10:45	03/14/25 15:18	124-48-1	
1,2-Dibromoethane (EDB)	<18.4	ug/kg	67.1	18.4	1	03/14/25 10:45	03/14/25 15:18	106-93-4	
Dibromomethane	<19.9	ug/kg	67.1	19.9	1	03/14/25 10:45	03/14/25 15:18	74-95-3	
1,2-Dichlorobenzene	<20.8	ug/kg	67.1	20.8	1	03/14/25 10:45	03/14/25 15:18	95-50-1	
1,3-Dichlorobenzene	<18.4	ug/kg	67.1	18.4	1	03/14/25 10:45	03/14/25 15:18	541-73-1	
1,4-Dichlorobenzene	<18.4	ug/kg	67.1	18.4	1	03/14/25 10:45	03/14/25 15:18	106-46-7	
Dichlorodifluoromethane	<28.9	ug/kg	67.1	28.9	1	03/14/25 10:45	03/14/25 15:18	75-71-8	
1,1-Dichloroethane	<17.2	ug/kg	67.1	17.2	1	03/14/25 10:45	03/14/25 15:18	75-34-3	
1,2-Dichloroethane	<15.4	ug/kg	67.1	15.4	1	03/14/25 10:45	03/14/25 15:18	107-06-2	
1,1-Dichloroethene	<22.3	ug/kg	67.1	22.3	1	03/14/25 10:45	03/14/25 15:18	75-35-4	
cis-1,2-Dichloroethene	<14.4	ug/kg	67.1	14.4	1	03/14/25 10:45	03/14/25 15:18	156-59-2	
trans-1,2-Dichloroethene	<14.7	ug/kg	67.1	14.7	1	03/14/25 10:45	03/14/25 15:18	156-60-5	
1,2-Dichloropropane	<16.0	ug/kg	67.1	16.0	1	03/14/25 10:45	03/14/25 15:18	78-87-5	
1,3-Dichloropropane	<14.6	ug/kg	67.1	14.6	1	03/14/25 10:45	03/14/25 15:18	142-28-9	
2,2-Dichloropropane	<18.1	ug/kg	67.1	18.1	1	03/14/25 10:45	03/14/25 15:18	594-20-7	
1,1-Dichloropropene	<21.7	ug/kg	67.1	21.7	1	03/14/25 10:45	03/14/25 15:18	563-58-6	
cis-1,3-Dichloropropene	<44.3	ug/kg	336	44.3	1	03/14/25 10:45	03/14/25 15:18	10061-01-5	
trans-1,3-Dichloropropene	<192	ug/kg	336	192	1	03/14/25 10:45	03/14/25 15:18	10061-02-6	
Diisopropyl ether	<16.6	ug/kg	67.1	16.6	1	03/14/25 10:45	03/14/25 15:18	108-20-3	
Ethylbenzene	<16.0	ug/kg	67.1	16.0	1	03/14/25 10:45	03/14/25 15:18	100-41-4	
Hexachloro-1,3-butadiene	<133	ug/kg	336	133	1	03/14/25 10:45	03/14/25 15:18	87-68-3	
Isopropylbenzene (Cumene)	<18.1	ug/kg	67.1	18.1	1	03/14/25 10:45	03/14/25 15:18	98-82-8	
p-Isopropyltoluene	<22.8	ug/kg	67.1	22.8	1	03/14/25 10:45	03/14/25 15:18	99-87-6	
Methylene Chloride	<18.7	ug/kg	67.1	18.7	1	03/14/25 10:45	03/14/25 15:18	75-09-2	
Methyl-tert-butyl ether	<19.7	ug/kg	67.1	19.7	1	03/14/25 10:45	03/14/25 15:18	1634-04-4	
Naphthalene	43.0J	ug/kg	336	28.2	1	03/14/25 10:45	03/14/25 15:18	91-20-3	
n-Propylbenzene	<16.1	ug/kg	67.1	16.1	1	03/14/25 10:45	03/14/25 15:18	103-65-1	
Styrene	<17.2	ug/kg	67.1	17.2	1	03/14/25 10:45	03/14/25 15:18	100-42-5	
1,1,1,2-Tetrachloroethane	<16.1	ug/kg	67.1	16.1	1	03/14/25 10:45	03/14/25 15:18	630-20-6	
1,1,1,2,2-Tetrachloroethane	<24.3	ug/kg	67.1	24.3	1	03/14/25 10:45	03/14/25 15:18	79-34-5	
Tetrachloroethene	<26.0	ug/kg	67.1	26.0	1	03/14/25 10:45	03/14/25 15:18	127-18-4	
Toluene	<16.9	ug/kg	67.1	16.9	1	03/14/25 10:45	03/14/25 15:18	108-88-3	
1,2,3-Trichlorobenzene	<74.8	ug/kg	336	74.8	1	03/14/25 10:45	03/14/25 15:18	87-61-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

Sample: GP-9(2-4') Lab ID: 40291958014 Collected: 03/10/25 11:40 Received: 03/11/25 09:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<55.3	ug/kg	336	55.3	1	03/14/25 10:45	03/14/25 15:18	120-82-1	
1,1,1-Trichloroethane	<17.2	ug/kg	67.1	17.2	1	03/14/25 10:45	03/14/25 15:18	71-55-6	
1,1,2-Trichloroethane	<24.4	ug/kg	67.1	24.4	1	03/14/25 10:45	03/14/25 15:18	79-00-5	
Trichloroethene	<25.1	ug/kg	67.1	25.1	1	03/14/25 10:45	03/14/25 15:18	79-01-6	
Trichlorofluoromethane	<19.5	ug/kg	67.1	19.5	1	03/14/25 10:45	03/14/25 15:18	75-69-4	
1,2,3-Trichloropropane	<32.6	ug/kg	67.1	32.6	1	03/14/25 10:45	03/14/25 15:18	96-18-4	
1,2,4-Trimethylbenzene	<20.0	ug/kg	67.1	20.0	1	03/14/25 10:45	03/14/25 15:18	95-63-6	
1,3,5-Trimethylbenzene	<21.6	ug/kg	67.1	21.6	1	03/14/25 10:45	03/14/25 15:18	108-67-8	
Vinyl chloride	<13.6	ug/kg	67.1	13.6	1	03/14/25 10:45	03/14/25 15:18	75-01-4	
m&p-Xylene	<28.3	ug/kg	134	28.3	1	03/14/25 10:45	03/14/25 15:18	179601-23-1	
o-Xylene	<20.1	ug/kg	67.1	20.1	1	03/14/25 10:45	03/14/25 15:18	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	133	%	56-189		1	03/14/25 10:45	03/14/25 15:18	2199-69-1	
4-Bromofluorobenzene (S)	126	%	58-188		1	03/14/25 10:45	03/14/25 15:18	460-00-4	
Toluene-d8 (S)	127	%	70-172		1	03/14/25 10:45	03/14/25 15:18	2037-26-5	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	14.6	%	0.10	0.10	1		03/11/25 17:01		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

Sample: GP-10(2-4') Lab ID: 40291958015 Collected: 03/10/25 12:00 Received: 03/11/25 09:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Green Bay									
Arsenic	<1.4	mg/kg	2.4	1.4	1	03/14/25 09:10	03/14/25 21:51	7440-38-2	
Barium	21.3	mg/kg	0.47	0.14	1	03/14/25 09:10	03/14/25 21:51	7440-39-3	
Cadmium	<0.13	mg/kg	0.47	0.13	1	03/14/25 09:10	03/14/25 21:51	7440-43-9	
Chromium	17.7	mg/kg	0.95	0.26	1	03/14/25 09:10	03/14/25 21:51	7440-47-3	
Lead	1.9	mg/kg	1.9	0.57	1	03/14/25 09:10	03/14/25 21:51	7439-92-1	
Selenium	<1.2	mg/kg	3.8	1.2	1	03/14/25 09:10	03/14/25 21:51	7782-49-2	
Silver	0.57J	mg/kg	0.95	0.29	1	03/14/25 09:10	03/14/25 21:51	7440-22-4	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	<0.0099	mg/kg	0.035	0.0099	1	03/21/25 10:39	03/24/25 12:19	7439-97-6	
8270E MSSV PAH by SIM									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Acenaphthene	<2.2	ug/kg	17.0	2.2	1	03/19/25 07:38	03/19/25 11:25	83-32-9	
Acenaphthylene	<2.1	ug/kg	17.0	2.1	1	03/19/25 07:38	03/19/25 11:25	208-96-8	
Anthracene	<2.1	ug/kg	17.0	2.1	1	03/19/25 07:38	03/19/25 11:25	120-12-7	
Benzo(a)anthracene	<2.2	ug/kg	17.0	2.2	1	03/19/25 07:38	03/19/25 11:25	56-55-3	
Benzo(a)pyrene	<1.9	ug/kg	17.0	1.9	1	03/19/25 07:38	03/19/25 11:25	50-32-8	
Benzo(b)fluoranthene	<2.4	ug/kg	17.0	2.4	1	03/19/25 07:38	03/19/25 11:25	205-99-2	
Benzo(g,h,i)perylene	<3.0	ug/kg	17.0	3.0	1	03/19/25 07:38	03/19/25 11:25	191-24-2	L2
Benzo(k)fluoranthene	<2.2	ug/kg	17.0	2.2	1	03/19/25 07:38	03/19/25 11:25	207-08-9	
Chrysene	<3.2	ug/kg	17.0	3.2	1	03/19/25 07:38	03/19/25 11:25	218-01-9	
Dibenz(a,h)anthracene	<2.4	ug/kg	17.0	2.4	1	03/19/25 07:38	03/19/25 11:25	53-70-3	
Fluoranthene	<2.0	ug/kg	17.0	2.0	1	03/19/25 07:38	03/19/25 11:25	206-44-0	
Fluorene	<2.0	ug/kg	17.0	2.0	1	03/19/25 07:38	03/19/25 11:25	86-73-7	
Indeno(1,2,3-cd)pyrene	<3.5	ug/kg	17.0	3.5	1	03/19/25 07:38	03/19/25 11:25	193-39-5	
1-Methylnaphthalene	<2.5	ug/kg	17.0	2.5	1	03/19/25 07:38	03/19/25 11:25	90-12-0	
2-Methylnaphthalene	<2.5	ug/kg	17.0	2.5	1	03/19/25 07:38	03/19/25 11:25	91-57-6	
Naphthalene	<1.7	ug/kg	17.0	1.7	1	03/19/25 07:38	03/19/25 11:25	91-20-3	
Phenanthrene	<1.9	ug/kg	17.0	1.9	1	03/19/25 07:38	03/19/25 11:25	85-01-8	
Pyrene	<2.5	ug/kg	17.0	2.5	1	03/19/25 07:38	03/19/25 11:25	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	70	%	36-120		1	03/19/25 07:38	03/19/25 11:25	321-60-8	
Terphenyl-d14 (S)	69	%	36-120		1	03/19/25 07:38	03/19/25 11:25	1718-51-0	
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<12.4	ug/kg	20.8	12.4	1	03/14/25 10:45	03/14/25 15:38	71-43-2	
Bromobenzene	<20.3	ug/kg	52.0	20.3	1	03/14/25 10:45	03/14/25 15:38	108-86-1	
Bromochloromethane	<14.2	ug/kg	52.0	14.2	1	03/14/25 10:45	03/14/25 15:38	74-97-5	
Bromodichloromethane	<12.4	ug/kg	52.0	12.4	1	03/14/25 10:45	03/14/25 15:38	75-27-4	
Bromoform	<229	ug/kg	260	229	1	03/14/25 10:45	03/14/25 15:38	75-25-2	
Bromomethane	<72.9	ug/kg	260	72.9	1	03/14/25 10:45	03/14/25 15:38	74-83-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

Sample: GP-10(2-4') Lab ID: 40291958015 Collected: 03/10/25 12:00 Received: 03/11/25 09:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
n-Butylbenzene	<23.8	ug/kg	52.0	23.8	1	03/14/25 10:45	03/14/25 15:38	104-51-8	
sec-Butylbenzene	<17.8	ug/kg	52.0	17.8	1	03/14/25 10:45	03/14/25 15:38	135-98-8	
tert-Butylbenzene	<16.3	ug/kg	52.0	16.3	1	03/14/25 10:45	03/14/25 15:38	98-06-6	
Carbon tetrachloride	<11.4	ug/kg	52.0	11.4	1	03/14/25 10:45	03/14/25 15:38	56-23-5	
Chlorobenzene	<6.2	ug/kg	52.0	6.2	1	03/14/25 10:45	03/14/25 15:38	108-90-7	
Chloroethane	<21.9	ug/kg	260	21.9	1	03/14/25 10:45	03/14/25 15:38	75-00-3	
Chloroform	<37.2	ug/kg	260	37.2	1	03/14/25 10:45	03/14/25 15:38	67-66-3	
Chloromethane	<19.8	ug/kg	52.0	19.8	1	03/14/25 10:45	03/14/25 15:38	74-87-3	
2-Chlorotoluene	<16.8	ug/kg	52.0	16.8	1	03/14/25 10:45	03/14/25 15:38	95-49-8	
4-Chlorotoluene	<19.8	ug/kg	52.0	19.8	1	03/14/25 10:45	03/14/25 15:38	106-43-4	
1,2-Dibromo-3-chloropropane	<40.3	ug/kg	260	40.3	1	03/14/25 10:45	03/14/25 15:38	96-12-8	
Dibromochloromethane	<178	ug/kg	260	178	1	03/14/25 10:45	03/14/25 15:38	124-48-1	
1,2-Dibromoethane (EDB)	<14.2	ug/kg	52.0	14.2	1	03/14/25 10:45	03/14/25 15:38	106-93-4	
Dibromomethane	<15.4	ug/kg	52.0	15.4	1	03/14/25 10:45	03/14/25 15:38	74-95-3	
1,2-Dichlorobenzene	<16.1	ug/kg	52.0	16.1	1	03/14/25 10:45	03/14/25 15:38	95-50-1	
1,3-Dichlorobenzene	<14.2	ug/kg	52.0	14.2	1	03/14/25 10:45	03/14/25 15:38	541-73-1	
1,4-Dichlorobenzene	<14.2	ug/kg	52.0	14.2	1	03/14/25 10:45	03/14/25 15:38	106-46-7	
Dichlorodifluoromethane	<22.4	ug/kg	52.0	22.4	1	03/14/25 10:45	03/14/25 15:38	75-71-8	
1,1-Dichloroethane	<13.3	ug/kg	52.0	13.3	1	03/14/25 10:45	03/14/25 15:38	75-34-3	
1,2-Dichloroethane	<12.0	ug/kg	52.0	12.0	1	03/14/25 10:45	03/14/25 15:38	107-06-2	
1,1-Dichloroethene	<17.3	ug/kg	52.0	17.3	1	03/14/25 10:45	03/14/25 15:38	75-35-4	
cis-1,2-Dichloroethene	<11.1	ug/kg	52.0	11.1	1	03/14/25 10:45	03/14/25 15:38	156-59-2	
trans-1,2-Dichloroethene	<11.4	ug/kg	52.0	11.4	1	03/14/25 10:45	03/14/25 15:38	156-60-5	
1,2-Dichloropropane	<12.4	ug/kg	52.0	12.4	1	03/14/25 10:45	03/14/25 15:38	78-87-5	
1,3-Dichloropropane	<11.3	ug/kg	52.0	11.3	1	03/14/25 10:45	03/14/25 15:38	142-28-9	
2,2-Dichloropropane	<14.0	ug/kg	52.0	14.0	1	03/14/25 10:45	03/14/25 15:38	594-20-7	
1,1-Dichloropropene	<16.8	ug/kg	52.0	16.8	1	03/14/25 10:45	03/14/25 15:38	563-58-6	
cis-1,3-Dichloropropene	<34.3	ug/kg	260	34.3	1	03/14/25 10:45	03/14/25 15:38	10061-01-5	
trans-1,3-Dichloropropene	<149	ug/kg	260	149	1	03/14/25 10:45	03/14/25 15:38	10061-02-6	
Diisopropyl ether	<12.9	ug/kg	52.0	12.9	1	03/14/25 10:45	03/14/25 15:38	108-20-3	
Ethylbenzene	<12.4	ug/kg	52.0	12.4	1	03/14/25 10:45	03/14/25 15:38	100-41-4	
Hexachloro-1,3-butadiene	<103	ug/kg	260	103	1	03/14/25 10:45	03/14/25 15:38	87-68-3	
Isopropylbenzene (Cumene)	<14.0	ug/kg	52.0	14.0	1	03/14/25 10:45	03/14/25 15:38	98-82-8	
p-Isopropyltoluene	<17.7	ug/kg	52.0	17.7	1	03/14/25 10:45	03/14/25 15:38	99-87-6	
Methylene Chloride	<14.5	ug/kg	52.0	14.5	1	03/14/25 10:45	03/14/25 15:38	75-09-2	
Methyl-tert-butyl ether	<15.3	ug/kg	52.0	15.3	1	03/14/25 10:45	03/14/25 15:38	1634-04-4	
Naphthalene	<21.9	ug/kg	260	21.9	1	03/14/25 10:45	03/14/25 15:38	91-20-3	
n-Propylbenzene	<12.5	ug/kg	52.0	12.5	1	03/14/25 10:45	03/14/25 15:38	103-65-1	
Styrene	<13.3	ug/kg	52.0	13.3	1	03/14/25 10:45	03/14/25 15:38	100-42-5	
1,1,1,2-Tetrachloroethane	<12.5	ug/kg	52.0	12.5	1	03/14/25 10:45	03/14/25 15:38	630-20-6	
1,1,1,2,2-Tetrachloroethane	<18.8	ug/kg	52.0	18.8	1	03/14/25 10:45	03/14/25 15:38	79-34-5	
Tetrachloroethene	<20.2	ug/kg	52.0	20.2	1	03/14/25 10:45	03/14/25 15:38	127-18-4	
Toluene	<13.1	ug/kg	52.0	13.1	1	03/14/25 10:45	03/14/25 15:38	108-88-3	
1,2,3-Trichlorobenzene	<57.9	ug/kg	260	57.9	1	03/14/25 10:45	03/14/25 15:38	87-61-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

Sample: GP-10(2-4') Lab ID: 40291958015 Collected: 03/10/25 12:00 Received: 03/11/25 09:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<42.8	ug/kg	260	42.8	1	03/14/25 10:45	03/14/25 15:38	120-82-1	
1,1,1-Trichloroethane	<13.3	ug/kg	52.0	13.3	1	03/14/25 10:45	03/14/25 15:38	71-55-6	
1,1,2-Trichloroethane	<18.9	ug/kg	52.0	18.9	1	03/14/25 10:45	03/14/25 15:38	79-00-5	
Trichloroethene	<19.4	ug/kg	52.0	19.4	1	03/14/25 10:45	03/14/25 15:38	79-01-6	
Trichlorofluoromethane	<15.1	ug/kg	52.0	15.1	1	03/14/25 10:45	03/14/25 15:38	75-69-4	
1,2,3-Trichloropropane	<25.3	ug/kg	52.0	25.3	1	03/14/25 10:45	03/14/25 15:38	96-18-4	
1,2,4-Trimethylbenzene	<15.5	ug/kg	52.0	15.5	1	03/14/25 10:45	03/14/25 15:38	95-63-6	
1,3,5-Trimethylbenzene	<16.7	ug/kg	52.0	16.7	1	03/14/25 10:45	03/14/25 15:38	108-67-8	
Vinyl chloride	<10.5	ug/kg	52.0	10.5	1	03/14/25 10:45	03/14/25 15:38	75-01-4	
m&p-Xylene	<21.9	ug/kg	104	21.9	1	03/14/25 10:45	03/14/25 15:38	179601-23-1	
o-Xylene	<15.6	ug/kg	52.0	15.6	1	03/14/25 10:45	03/14/25 15:38	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	124	%	56-189		1	03/14/25 10:45	03/14/25 15:38	2199-69-1	
4-Bromofluorobenzene (S)	115	%	58-188		1	03/14/25 10:45	03/14/25 15:38	460-00-4	
Toluene-d8 (S)	114	%	70-172		1	03/14/25 10:45	03/14/25 15:38	2037-26-5	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	2.0	%	0.10	0.10	1		03/11/25 17:02		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

Sample: GP-3 H2O Lab ID: 40291958016 Collected: 03/10/25 09:15 Received: 03/11/25 09:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		03/13/25 19:12	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		03/13/25 19:12	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		03/13/25 19:12	74-97-5	
Bromodichloromethane	<0.21	ug/L	1.0	0.21	1		03/13/25 19:12	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		03/13/25 19:12	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		03/13/25 19:12	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		03/13/25 19:12	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		03/13/25 19:12	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		03/13/25 19:12	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		03/13/25 19:12	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		03/13/25 19:12	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		03/13/25 19:12	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		03/13/25 19:12	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		03/13/25 19:12	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		03/13/25 19:12	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		03/13/25 19:12	106-43-4	
1,2-Dibromo-3-chloropropane	<0.36	ug/L	5.0	0.36	1		03/13/25 19:12	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		03/13/25 19:12	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		03/13/25 19:12	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		03/13/25 19:12	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		03/13/25 19:12	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		03/13/25 19:12	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		03/13/25 19:12	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		03/13/25 19:12	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		03/13/25 19:12	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		03/13/25 19:12	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		03/13/25 19:12	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		03/13/25 19:12	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		03/13/25 19:12	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		03/13/25 19:12	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		03/13/25 19:12	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		03/13/25 19:12	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		03/13/25 19:12	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		03/13/25 19:12	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		03/13/25 19:12	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		03/13/25 19:12	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		03/13/25 19:12	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		03/13/25 19:12	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		03/13/25 19:12	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		03/13/25 19:12	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		03/13/25 19:12	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		03/13/25 19:12	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		03/13/25 19:12	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		03/13/25 19:12	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		03/13/25 19:12	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

Sample: GP-3 H2O Lab ID: 40291958016 Collected: 03/10/25 09:15 Received: 03/11/25 09:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		03/13/25 19:12	630-20-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		03/13/25 19:12	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		03/13/25 19:12	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		03/13/25 19:12	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		03/13/25 19:12	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		03/13/25 19:12	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		03/13/25 19:12	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		03/13/25 19:12	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		03/13/25 19:12	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		03/13/25 19:12	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		03/13/25 19:12	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		03/13/25 19:12	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		03/13/25 19:12	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		03/13/25 19:12	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		03/13/25 19:12	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		03/13/25 19:12	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1		03/13/25 19:12	2199-69-1	
4-Bromofluorobenzene (S)	102	%	70-130		1		03/13/25 19:12	460-00-4	
Toluene-d8 (S)	101	%	70-130		1		03/13/25 19:12	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

Sample: GP-4 H2O Lab ID: 40291958017 Collected: 03/10/25 09:45 Received: 03/11/25 09:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		03/13/25 19:30	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		03/13/25 19:30	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		03/13/25 19:30	74-97-5	
Bromodichloromethane	<0.21	ug/L	1.0	0.21	1		03/13/25 19:30	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		03/13/25 19:30	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		03/13/25 19:30	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		03/13/25 19:30	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		03/13/25 19:30	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		03/13/25 19:30	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		03/13/25 19:30	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		03/13/25 19:30	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		03/13/25 19:30	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		03/13/25 19:30	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		03/13/25 19:30	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		03/13/25 19:30	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		03/13/25 19:30	106-43-4	
1,2-Dibromo-3-chloropropane	<0.36	ug/L	5.0	0.36	1		03/13/25 19:30	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		03/13/25 19:30	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		03/13/25 19:30	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		03/13/25 19:30	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		03/13/25 19:30	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		03/13/25 19:30	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		03/13/25 19:30	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		03/13/25 19:30	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		03/13/25 19:30	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		03/13/25 19:30	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		03/13/25 19:30	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		03/13/25 19:30	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		03/13/25 19:30	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		03/13/25 19:30	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		03/13/25 19:30	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		03/13/25 19:30	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		03/13/25 19:30	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		03/13/25 19:30	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		03/13/25 19:30	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		03/13/25 19:30	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		03/13/25 19:30	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		03/13/25 19:30	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		03/13/25 19:30	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		03/13/25 19:30	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		03/13/25 19:30	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		03/13/25 19:30	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		03/13/25 19:30	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		03/13/25 19:30	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		03/13/25 19:30	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

Sample: GP-4 H2O Lab ID: 40291958017 Collected: 03/10/25 09:45 Received: 03/11/25 09:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		03/13/25 19:30	630-20-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		03/13/25 19:30	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		03/13/25 19:30	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		03/13/25 19:30	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		03/13/25 19:30	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		03/13/25 19:30	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		03/13/25 19:30	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		03/13/25 19:30	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		03/13/25 19:30	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		03/13/25 19:30	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		03/13/25 19:30	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		03/13/25 19:30	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		03/13/25 19:30	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		03/13/25 19:30	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		03/13/25 19:30	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		03/13/25 19:30	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1		03/13/25 19:30	2199-69-1	
4-Bromofluorobenzene (S)	102	%	70-130		1		03/13/25 19:30	460-00-4	
Toluene-d8 (S)	99	%	70-130		1		03/13/25 19:30	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

Sample: GP-5 H2O Lab ID: 40291958018 Collected: 03/10/25 10:10 Received: 03/11/25 09:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		03/13/25 19:49	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		03/13/25 19:49	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		03/13/25 19:49	74-97-5	
Bromodichloromethane	<0.21	ug/L	1.0	0.21	1		03/13/25 19:49	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		03/13/25 19:49	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		03/13/25 19:49	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		03/13/25 19:49	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		03/13/25 19:49	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		03/13/25 19:49	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		03/13/25 19:49	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		03/13/25 19:49	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		03/13/25 19:49	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		03/13/25 19:49	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		03/13/25 19:49	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		03/13/25 19:49	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		03/13/25 19:49	106-43-4	
1,2-Dibromo-3-chloropropane	<0.36	ug/L	5.0	0.36	1		03/13/25 19:49	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		03/13/25 19:49	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		03/13/25 19:49	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		03/13/25 19:49	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		03/13/25 19:49	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		03/13/25 19:49	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		03/13/25 19:49	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		03/13/25 19:49	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		03/13/25 19:49	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		03/13/25 19:49	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		03/13/25 19:49	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		03/13/25 19:49	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		03/13/25 19:49	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		03/13/25 19:49	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		03/13/25 19:49	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		03/13/25 19:49	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		03/13/25 19:49	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		03/13/25 19:49	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		03/13/25 19:49	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		03/13/25 19:49	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		03/13/25 19:49	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		03/13/25 19:49	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		03/13/25 19:49	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		03/13/25 19:49	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		03/13/25 19:49	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		03/13/25 19:49	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		03/13/25 19:49	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		03/13/25 19:49	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		03/13/25 19:49	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

Sample: GP-5 H2O Lab ID: 40291958018 Collected: 03/10/25 10:10 Received: 03/11/25 09:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		03/13/25 19:49	630-20-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		03/13/25 19:49	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		03/13/25 19:49	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		03/13/25 19:49	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		03/13/25 19:49	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		03/13/25 19:49	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		03/13/25 19:49	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		03/13/25 19:49	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		03/13/25 19:49	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		03/13/25 19:49	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		03/13/25 19:49	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		03/13/25 19:49	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		03/13/25 19:49	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		03/13/25 19:49	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		03/13/25 19:49	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		03/13/25 19:49	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1		03/13/25 19:49	2199-69-1	
4-Bromofluorobenzene (S)	100	%	70-130		1		03/13/25 19:49	460-00-4	
Toluene-d8 (S)	101	%	70-130		1		03/13/25 19:49	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

Sample: GP-6 H2O Lab ID: 40291958019 Collected: 03/10/25 10:40 Received: 03/11/25 09:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		03/13/25 20:08	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		03/13/25 20:08	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		03/13/25 20:08	74-97-5	
Bromodichloromethane	<0.21	ug/L	1.0	0.21	1		03/13/25 20:08	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		03/13/25 20:08	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		03/13/25 20:08	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		03/13/25 20:08	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		03/13/25 20:08	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		03/13/25 20:08	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		03/13/25 20:08	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		03/13/25 20:08	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		03/13/25 20:08	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		03/13/25 20:08	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		03/13/25 20:08	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		03/13/25 20:08	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		03/13/25 20:08	106-43-4	
1,2-Dibromo-3-chloropropane	<0.36	ug/L	5.0	0.36	1		03/13/25 20:08	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		03/13/25 20:08	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		03/13/25 20:08	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		03/13/25 20:08	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		03/13/25 20:08	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		03/13/25 20:08	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		03/13/25 20:08	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		03/13/25 20:08	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		03/13/25 20:08	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		03/13/25 20:08	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		03/13/25 20:08	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		03/13/25 20:08	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		03/13/25 20:08	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		03/13/25 20:08	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		03/13/25 20:08	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		03/13/25 20:08	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		03/13/25 20:08	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		03/13/25 20:08	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		03/13/25 20:08	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		03/13/25 20:08	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		03/13/25 20:08	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		03/13/25 20:08	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		03/13/25 20:08	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		03/13/25 20:08	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		03/13/25 20:08	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		03/13/25 20:08	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		03/13/25 20:08	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		03/13/25 20:08	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		03/13/25 20:08	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

Sample: GP-6 H2O Lab ID: 40291958019 Collected: 03/10/25 10:40 Received: 03/11/25 09:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		03/13/25 20:08	630-20-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		03/13/25 20:08	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		03/13/25 20:08	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		03/13/25 20:08	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		03/13/25 20:08	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		03/13/25 20:08	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		03/13/25 20:08	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		03/13/25 20:08	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		03/13/25 20:08	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		03/13/25 20:08	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		03/13/25 20:08	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		03/13/25 20:08	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		03/13/25 20:08	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		03/13/25 20:08	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		03/13/25 20:08	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		03/13/25 20:08	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1		03/13/25 20:08	2199-69-1	
4-Bromofluorobenzene (S)	102	%	70-130		1		03/13/25 20:08	460-00-4	
Toluene-d8 (S)	101	%	70-130		1		03/13/25 20:08	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

Sample: GP-7 H2O Lab ID: 40291958020 Collected: 03/10/25 11:15 Received: 03/11/25 09:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		03/13/25 20:26	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		03/13/25 20:26	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		03/13/25 20:26	74-97-5	
Bromodichloromethane	<0.21	ug/L	1.0	0.21	1		03/13/25 20:26	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		03/13/25 20:26	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		03/13/25 20:26	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		03/13/25 20:26	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		03/13/25 20:26	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		03/13/25 20:26	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		03/13/25 20:26	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		03/13/25 20:26	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		03/13/25 20:26	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		03/13/25 20:26	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		03/13/25 20:26	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		03/13/25 20:26	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		03/13/25 20:26	106-43-4	
1,2-Dibromo-3-chloropropane	<0.36	ug/L	5.0	0.36	1		03/13/25 20:26	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		03/13/25 20:26	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		03/13/25 20:26	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		03/13/25 20:26	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		03/13/25 20:26	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		03/13/25 20:26	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		03/13/25 20:26	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		03/13/25 20:26	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		03/13/25 20:26	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		03/13/25 20:26	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		03/13/25 20:26	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		03/13/25 20:26	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		03/13/25 20:26	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		03/13/25 20:26	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		03/13/25 20:26	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		03/13/25 20:26	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		03/13/25 20:26	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		03/13/25 20:26	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		03/13/25 20:26	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		03/13/25 20:26	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		03/13/25 20:26	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		03/13/25 20:26	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		03/13/25 20:26	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		03/13/25 20:26	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		03/13/25 20:26	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		03/13/25 20:26	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		03/13/25 20:26	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		03/13/25 20:26	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		03/13/25 20:26	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

Sample: GP-7 H2O Lab ID: 40291958020 Collected: 03/10/25 11:15 Received: 03/11/25 09:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		03/13/25 20:26	630-20-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		03/13/25 20:26	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		03/13/25 20:26	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		03/13/25 20:26	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		03/13/25 20:26	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		03/13/25 20:26	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		03/13/25 20:26	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		03/13/25 20:26	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		03/13/25 20:26	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		03/13/25 20:26	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		03/13/25 20:26	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		03/13/25 20:26	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		03/13/25 20:26	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		03/13/25 20:26	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		03/13/25 20:26	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		03/13/25 20:26	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	98	%	70-130		1		03/13/25 20:26	2199-69-1	
4-Bromofluorobenzene (S)	100	%	70-130		1		03/13/25 20:26	460-00-4	
Toluene-d8 (S)	101	%	70-130		1		03/13/25 20:26	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

QC Batch:	499855	Analysis Method:	EPA 7471
QC Batch Method:	EPA 7471	Analysis Description:	7471 Mercury
		Laboratory:	Pace Analytical Services - Green Bay
Associated Lab Samples:	40291958001, 40291958002, 40291958003, 40291958005, 40291958007, 40291958009, 40291958011, 40291958013, 40291958014, 40291958015		

METHOD BLANK:	2855064	Matrix:	Solid
Associated Lab Samples:	40291958001, 40291958002, 40291958003, 40291958005, 40291958007, 40291958009, 40291958011, 40291958013, 40291958014, 40291958015		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Mercury	mg/kg	<0.010	0.035	03/24/25 11:18	

LABORATORY CONTROL SAMPLE: 2855065						
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	mg/kg	0.83	0.84	100	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE:					2855066	2855067							
Parameter	Units	40291924001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
Mercury	mg/kg	0.014J	0.89	0.89	0.89	0.88	99	98	85-115	1	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

QC Batch:	499258	Analysis Method:	EPA 6010D
QC Batch Method:	EPA 3050B	Analysis Description:	6010D MET
		Laboratory:	Pace Analytical Services - Green Bay
Associated Lab Samples:	40291958001, 40291958002, 40291958003, 40291958005, 40291958007, 40291958009, 40291958011, 40291958013, 40291958014, 40291958015		

METHOD BLANK:	2851609	Matrix:	Solid
Associated Lab Samples:	40291958001, 40291958002, 40291958003, 40291958005, 40291958007, 40291958009, 40291958011, 40291958013, 40291958014, 40291958015		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Arsenic	mg/kg	<1.5	2.5	03/14/25 21:17	
Barium	mg/kg	<0.15	0.50	03/14/25 21:17	
Cadmium	mg/kg	<0.13	0.50	03/14/25 21:17	
Chromium	mg/kg	<0.28	1.0	03/14/25 21:17	
Lead	mg/kg	<0.60	2.0	03/14/25 21:17	
Selenium	mg/kg	<1.3	4.0	03/14/25 21:17	
Silver	mg/kg	<0.31	1.0	03/14/25 21:17	

LABORATORY CONTROL SAMPLE: 2851610

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Arsenic	mg/kg	25	24.5	98	80-120	
Barium	mg/kg	25	25.9	104	80-120	
Cadmium	mg/kg	25	26.2	105	80-120	
Chromium	mg/kg	25	25.7	103	80-120	
Lead	mg/kg	25	26.7	107	80-120	
Selenium	mg/kg	25	25.5	102	80-120	
Silver	mg/kg	12.5	12.9	103	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2851611 2851612

Parameter	Units	MS		MSD		MS		MSD		% Rec Limits	Max	
		40291958001 Result	Spike Conc.	Spike Conc.	Result	MSD Result	% Rec	% Rec			RPD	RPD Qual
Arsenic	mg/kg	<3.1	26.6	26.7	26.4	25.8	95	92	75-125	3	20	
Barium	mg/kg	104	26.6	26.7	141	119	138	56	75-125	17	20	M0
Cadmium	mg/kg	0.30J	26.6	26.7	27.5	28.1	102	104	75-125	2	20	
Chromium	mg/kg	13.0	26.6	26.7	43.9	43.0	116	112	75-125	2	20	
Lead	mg/kg	19.4	26.6	26.7	49.3	48.0	113	107	75-125	3	20	
Selenium	mg/kg	<2.8	26.6	26.7	27.7	26.7	99	95	75-125	4	20	
Silver	mg/kg	<0.65	13.4	13.4	13.5	13.6	100	100	75-125	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

QC Batch: 499090

Analysis Method: EPA 8260

QC Batch Method: EPA 5035/5030B

Analysis Description: 8260 MSV Med Level Normal List

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40291958001, 40291958002

METHOD BLANK: 2850592

Matrix: Solid

Associated Lab Samples: 40291958001, 40291958002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	<12.0	50.0	03/12/25 09:44	
1,1,1-Trichloroethane	ug/kg	<12.8	50.0	03/12/25 09:44	
1,1,2,2-Tetrachloroethane	ug/kg	<18.1	50.0	03/12/25 09:44	
1,1,2-Trichloroethane	ug/kg	<18.2	50.0	03/12/25 09:44	
1,1-Dichloroethane	ug/kg	<12.8	50.0	03/12/25 09:44	
1,1-Dichloroethene	ug/kg	<16.6	50.0	03/12/25 09:44	
1,1-Dichloropropene	ug/kg	<16.2	50.0	03/12/25 09:44	
1,2,3-Trichlorobenzene	ug/kg	<55.7	250	03/12/25 09:44	
1,2,3-Trichloropropane	ug/kg	<24.3	50.0	03/12/25 09:44	
1,2,4-Trichlorobenzene	ug/kg	<41.2	250	03/12/25 09:44	
1,2,4-Trimethylbenzene	ug/kg	<14.9	50.0	03/12/25 09:44	
1,2-Dibromo-3-chloropropane	ug/kg	<38.8	250	03/12/25 09:44	
1,2-Dibromoethane (EDB)	ug/kg	<13.7	50.0	03/12/25 09:44	
1,2-Dichlorobenzene	ug/kg	<15.5	50.0	03/12/25 09:44	
1,2-Dichloroethane	ug/kg	<11.5	50.0	03/12/25 09:44	
1,2-Dichloropropane	ug/kg	<11.9	50.0	03/12/25 09:44	
1,3,5-Trimethylbenzene	ug/kg	<16.1	50.0	03/12/25 09:44	
1,3-Dichlorobenzene	ug/kg	<13.7	50.0	03/12/25 09:44	
1,3-Dichloropropane	ug/kg	<10.9	50.0	03/12/25 09:44	
1,4-Dichlorobenzene	ug/kg	<13.7	50.0	03/12/25 09:44	
2,2-Dichloropropane	ug/kg	<13.5	50.0	03/12/25 09:44	
2-Chlorotoluene	ug/kg	<16.2	50.0	03/12/25 09:44	
4-Chlorotoluene	ug/kg	<19.0	50.0	03/12/25 09:44	
Benzene	ug/kg	<11.9	20.0	03/12/25 09:44	
Bromobenzene	ug/kg	<19.5	50.0	03/12/25 09:44	
Bromochloromethane	ug/kg	<13.7	50.0	03/12/25 09:44	
Bromodichloromethane	ug/kg	<11.9	50.0	03/12/25 09:44	
Bromoform	ug/kg	<220	250	03/12/25 09:44	
Bromomethane	ug/kg	<70.1	250	03/12/25 09:44	
Carbon tetrachloride	ug/kg	<11.0	50.0	03/12/25 09:44	
Chlorobenzene	ug/kg	<6.0	50.0	03/12/25 09:44	
Chloroethane	ug/kg	<21.1	250	03/12/25 09:44	
Chloroform	ug/kg	<35.8	250	03/12/25 09:44	
Chloromethane	ug/kg	<19.0	50.0	03/12/25 09:44	
cis-1,2-Dichloroethene	ug/kg	<10.7	50.0	03/12/25 09:44	
cis-1,3-Dichloropropene	ug/kg	<33.0	250	03/12/25 09:44	
Dibromochloromethane	ug/kg	<171	250	03/12/25 09:44	
Dibromomethane	ug/kg	<14.8	50.0	03/12/25 09:44	
Dichlorodifluoromethane	ug/kg	<21.5	50.0	03/12/25 09:44	
Diisopropyl ether	ug/kg	<12.4	50.0	03/12/25 09:44	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 11874/MARATHON BOX CORP-1ST AV

PACE Project No.: 40291958

METHOD BLANK: 2850592

Matrix: Solid

Associated Lab Samples: 40291958001, 40291958002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/kg	<11.9	50.0	03/12/25 09:44	
Hexachloro-1,3-butadiene	ug/kg	<99.4	250	03/12/25 09:44	
Isopropylbenzene (Cumene)	ug/kg	<13.5	50.0	03/12/25 09:44	
m&p-Xylene	ug/kg	<21.1	100	03/12/25 09:44	
Methyl-tert-butyl ether	ug/kg	<14.7	50.0	03/12/25 09:44	
Methylene Chloride	ug/kg	39.9J	50.0	03/12/25 09:44	
n-Butylbenzene	ug/kg	<22.9	50.0	03/12/25 09:44	
n-Propylbenzene	ug/kg	<12.0	50.0	03/12/25 09:44	
Naphthalene	ug/kg	<21.0	250	03/12/25 09:44	
o-Xylene	ug/kg	<15.0	50.0	03/12/25 09:44	
p-Isopropyltoluene	ug/kg	<17.0	50.0	03/12/25 09:44	
sec-Butylbenzene	ug/kg	<17.2	50.0	03/12/25 09:44	
Styrene	ug/kg	<12.8	50.0	03/12/25 09:44	
tert-Butylbenzene	ug/kg	<15.7	50.0	03/12/25 09:44	
Tetrachloroethene	ug/kg	<19.4	50.0	03/12/25 09:44	
Toluene	ug/kg	<12.6	50.0	03/12/25 09:44	
trans-1,2-Dichloroethene	ug/kg	<10.9	50.0	03/12/25 09:44	
trans-1,3-Dichloropropene	ug/kg	<143	250	03/12/25 09:44	
Trichloroethene	ug/kg	<18.7	50.0	03/12/25 09:44	
Trichlorofluoromethane	ug/kg	<14.5	50.0	03/12/25 09:44	
Vinyl chloride	ug/kg	<10.1	50.0	03/12/25 09:44	
1,2-Dichlorobenzene-d4 (S)	%	92	56-189	03/12/25 09:44	
4-Bromofluorobenzene (S)	%	98	58-188	03/12/25 09:44	
Toluene-d8 (S)	%	90	70-172	03/12/25 09:44	

LABORATORY CONTROL SAMPLE: 2850593

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/kg	2500	2510	100	70-130	
1,1,2,2-Tetrachloroethane	ug/kg	2500	2590	104	68-130	
1,1,2-Trichloroethane	ug/kg	2500	2370	95	70-130	
1,1-Dichloroethane	ug/kg	2500	2380	95	70-130	
1,1-Dichloroethene	ug/kg	2500	2180	87	70-130	
1,2,4-Trichlorobenzene	ug/kg	2500	2290	92	70-130	
1,2-Dibromo-3-chloropropane	ug/kg	2500	2410	96	53-130	
1,2-Dibromoethane (EDB)	ug/kg	2500	2520	101	70-130	
1,2-Dichlorobenzene	ug/kg	2500	2360	94	70-130	
1,2-Dichloroethane	ug/kg	2500	2580	103	70-130	
1,2-Dichloropropane	ug/kg	2500	2670	107	70-130	
1,3-Dichlorobenzene	ug/kg	2500	2430	97	70-130	
1,4-Dichlorobenzene	ug/kg	2500	2400	96	70-130	
Benzene	ug/kg	2500	2530	101	70-130	
Bromodichloromethane	ug/kg	2500	2710	108	70-130	
Bromoform	ug/kg	2500	2470	99	59-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

LABORATORY CONTROL SAMPLE: 2850593

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromomethane	ug/kg	2500	2250	90	43-154	
Carbon tetrachloride	ug/kg	2500	2650	106	69-130	
Chlorobenzene	ug/kg	2500	2420	97	70-130	
Chloroethane	ug/kg	2500	2260	90	42-160	
Chloroform	ug/kg	2500	2420	97	70-130	
Chloromethane	ug/kg	2500	1910	76	48-137	
cis-1,2-Dichloroethene	ug/kg	2500	2350	94	70-130	
cis-1,3-Dichloropropene	ug/kg	2500	2590	104	70-130	
Dibromochloromethane	ug/kg	2500	2430	97	70-130	
Dichlorodifluoromethane	ug/kg	2500	1030	41	13-130	
Ethylbenzene	ug/kg	2500	2410	97	70-130	
Isopropylbenzene (Cumene)	ug/kg	2500	2420	97	70-130	
m&p-Xylene	ug/kg	5000	4800	96	70-130	
Methyl-tert-butyl ether	ug/kg	2500	2650	106	70-130	
Methylene Chloride	ug/kg	2500	2340	94	70-130	
o-Xylene	ug/kg	2500	2330	93	70-130	
Styrene	ug/kg	2500	2610	104	70-141	
Tetrachloroethene	ug/kg	2500	2400	96	70-130	
Toluene	ug/kg	2500	2460	98	70-130	
trans-1,2-Dichloroethene	ug/kg	2500	2350	94	70-130	
trans-1,3-Dichloropropene	ug/kg	2500	2520	101	67-130	
Trichloroethene	ug/kg	2500	2570	103	70-130	
Trichlorofluoromethane	ug/kg	2500	2360	94	60-130	
Vinyl chloride	ug/kg	2500	2090	83	51-130	
1,2-Dichlorobenzene-d4 (S)	%			87	56-189	
4-Bromofluorobenzene (S)	%			86	58-188	
Toluene-d8 (S)	%			86	70-172	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2850594 2850595

Parameter	Units	40291899010 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1-Trichloroethane	ug/kg	<15.5	1100	1120	1240	1150	112	104	44-130	7	31	
1,1,2,2-Tetrachloroethane	ug/kg	<21.9	1100	1120	1280	995	116	90	61-136	25	23	R1
1,1,2-Trichloroethane	ug/kg	<22.0	1100	1120	1310	1120	119	101	60-135	15	26	
1,1-Dichloroethane	ug/kg	<15.5	1100	1120	1250	1100	114	99	65-130	13	27	
1,1-Dichloroethene	ug/kg	<20.1	1100	1120	1110	1050	101	95	34-130	6	31	
1,2,4-Trichlorobenzene	ug/kg	<49.9	1100	1120	1220	1040	111	93	64-145	16	23	
1,2-Dibromo-3-chloropropane	ug/kg	<47.0	1100	1120	1100	878	100	79	43-143	22	27	
1,2-Dibromoethane (EDB)	ug/kg	<16.6	1100	1120	1290	1170	117	105	66-130	10	21	
1,2-Dichlorobenzene	ug/kg	<18.8	1100	1120	1240	1050	113	95	70-141	16	20	
1,2-Dichloroethane	ug/kg	<13.9	1100	1120	1320	1120	120	101	61-141	17	23	
1,2-Dichloropropane	ug/kg	<14.4	1100	1120	1300	1200	119	108	67-130	8	22	
1,3-Dichlorobenzene	ug/kg	<16.6	1100	1120	1270	1130	116	101	70-137	12	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2850594 2850595											
Parameter	Units	40291899010 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
1,4-Dichlorobenzene	ug/kg	<16.6	1100	1120	1260	1160	115	105	70-134	8	20
Benzene	ug/kg	<14.4	1100	1120	1290	1180	117	106	70-130	9	20
Bromodichloromethane	ug/kg	<14.4	1100	1120	1260	1200	114	108	63-133	4	22
Bromoform	ug/kg	<266	1100	1120	1200	1060	109	96	44-140	12	24
Bromomethane	ug/kg	<84.9	1100	1120	1220	1060	111	96	29-161	14	25
Carbon tetrachloride	ug/kg	<13.3	1100	1120	1230	1150	112	103	30-135	7	29
Chlorobenzene	ug/kg	<7.3	1100	1120	1240	1120	112	100	70-130	10	23
Chloroethane	ug/kg	<25.6	1100	1120	1250	1090	114	98	26-162	14	30
Chloroform	ug/kg	<43.4	1100	1120	1230	1110	112	99	65-131	11	24
Chloromethane	ug/kg	<23.0	1100	1120	1050	925	96	83	14-149	13	27
cis-1,2-Dichloroethene	ug/kg	<13.0	1100	1120	1180	1050	108	95	66-130	12	21
cis-1,3-Dichloropropene	ug/kg	<40.0	1100	1120	1310	1150	119	103	63-130	13	20
Dibromochloromethane	ug/kg	<207	1100	1120	1200	1090	109	98	57-135	9	23
Dichlorodifluoromethane	ug/kg	<26.0	1100	1120	582	454	53	41	10-130	25	43
Ethylbenzene	ug/kg	<14.4	1100	1120	1250	1160	113	105	70-130	7	20
Isopropylbenzene (Cumene)	ug/kg	<16.3	1100	1120	1300	1200	118	108	51-136	7	25
m&p-Xylene	ug/kg	<25.6	2200	2220	2550	2330	116	105	70-130	9	21
Methyl-tert-butyl ether	ug/kg	<17.8	1100	1120	1320	1060	120	95	63-130	22	22
Methylene Chloride	ug/kg	78.8	1100	1120	1290	1150	110	96	66-134	12	23
o-Xylene	ug/kg	<18.2	1100	1120	1210	1130	110	102	70-130	7	20
Styrene	ug/kg	<15.5	1100	1120	1310	1210	119	108	67-155	8	20
Tetrachloroethene	ug/kg	<23.5	1100	1120	1240	1170	113	105	48-134	7	27
Toluene	ug/kg	<15.3	1100	1120	1260	1130	114	101	70-130	11	20
trans-1,2-Dichloroethene	ug/kg	<13.2	1100	1120	1240	1120	113	101	57-130	10	25
trans-1,3-Dichloropropene	ug/kg	<173	1100	1120	1300	1110	119	99	56-130	16	20
Trichloroethene	ug/kg	<22.6	1100	1120	1300	1190	119	107	57-130	9	24
Trichlorofluoromethane	ug/kg	<17.6	1100	1120	1240	1110	113	100	17-130	11	41
Vinyl chloride	ug/kg	<12.2	1100	1120	1110	958	101	86	19-130	15	29
1,2-Dichlorobenzene-d4 (S)	%						120	103	56-189		
4-Bromofluorobenzene (S)	%						118	104	58-188		
Toluene-d8 (S)	%						120	107	70-172		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

QC Batch: 499191

Analysis Method: EPA 8260

QC Batch Method: EPA 5035/5030B

Analysis Description: 8260 MSV Med Level Normal List

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40291958003, 40291958004, 40291958005, 40291958006, 40291958007

METHOD BLANK: 2851158

Matrix: Solid

Associated Lab Samples: 40291958003, 40291958004, 40291958005, 40291958006, 40291958007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	<12.0	50.0	03/13/25 11:58	
1,1,1-Trichloroethane	ug/kg	<12.8	50.0	03/13/25 11:58	
1,1,2,2-Tetrachloroethane	ug/kg	<18.1	50.0	03/13/25 11:58	
1,1,2-Trichloroethane	ug/kg	<18.2	50.0	03/13/25 11:58	
1,1-Dichloroethane	ug/kg	<12.8	50.0	03/13/25 11:58	
1,1-Dichloroethene	ug/kg	<16.6	50.0	03/13/25 11:58	
1,1-Dichloropropene	ug/kg	<16.2	50.0	03/13/25 11:58	
1,2,3-Trichlorobenzene	ug/kg	<55.7	250	03/13/25 11:58	
1,2,3-Trichloropropane	ug/kg	<24.3	50.0	03/13/25 11:58	
1,2,4-Trichlorobenzene	ug/kg	<41.2	250	03/13/25 11:58	
1,2,4-Trimethylbenzene	ug/kg	<14.9	50.0	03/13/25 11:58	
1,2-Dibromo-3-chloropropane	ug/kg	<38.8	250	03/13/25 11:58	
1,2-Dibromoethane (EDB)	ug/kg	<13.7	50.0	03/13/25 11:58	
1,2-Dichlorobenzene	ug/kg	<15.5	50.0	03/13/25 11:58	
1,2-Dichloroethane	ug/kg	<11.5	50.0	03/13/25 11:58	
1,2-Dichloropropane	ug/kg	<11.9	50.0	03/13/25 11:58	
1,3,5-Trimethylbenzene	ug/kg	<16.1	50.0	03/13/25 11:58	
1,3-Dichlorobenzene	ug/kg	<13.7	50.0	03/13/25 11:58	
1,3-Dichloropropane	ug/kg	<10.9	50.0	03/13/25 11:58	
1,4-Dichlorobenzene	ug/kg	<13.7	50.0	03/13/25 11:58	
2,2-Dichloropropane	ug/kg	<13.5	50.0	03/13/25 11:58	
2-Chlorotoluene	ug/kg	<16.2	50.0	03/13/25 11:58	
4-Chlorotoluene	ug/kg	<19.0	50.0	03/13/25 11:58	
Benzene	ug/kg	<11.9	20.0	03/13/25 11:58	
Bromobenzene	ug/kg	<19.5	50.0	03/13/25 11:58	
Bromochloromethane	ug/kg	<13.7	50.0	03/13/25 11:58	
Bromodichloromethane	ug/kg	<11.9	50.0	03/13/25 11:58	
Bromoform	ug/kg	<220	250	03/13/25 11:58	
Bromomethane	ug/kg	<70.1	250	03/13/25 11:58	
Carbon tetrachloride	ug/kg	<11.0	50.0	03/13/25 11:58	
Chlorobenzene	ug/kg	<6.0	50.0	03/13/25 11:58	
Chloroethane	ug/kg	<21.1	250	03/13/25 11:58	
Chloroform	ug/kg	<35.8	250	03/13/25 11:58	
Chloromethane	ug/kg	<19.0	50.0	03/13/25 11:58	
cis-1,2-Dichloroethene	ug/kg	<10.7	50.0	03/13/25 11:58	
cis-1,3-Dichloropropene	ug/kg	<33.0	250	03/13/25 11:58	
Dibromochloromethane	ug/kg	<171	250	03/13/25 11:58	
Dibromomethane	ug/kg	<14.8	50.0	03/13/25 11:58	
Dichlorodifluoromethane	ug/kg	<21.5	50.0	03/13/25 11:58	
Diisopropyl ether	ug/kg	<12.4	50.0	03/13/25 11:58	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 11874/MARATHON BOX CORP-1ST AV

PACE Project No.: 40291958

METHOD BLANK: 2851158

Matrix: Solid

Associated Lab Samples: 40291958003, 40291958004, 40291958005, 40291958006, 40291958007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/kg	<11.9	50.0	03/13/25 11:58	
Hexachloro-1,3-butadiene	ug/kg	<99.4	250	03/13/25 11:58	
Isopropylbenzene (Cumene)	ug/kg	<13.5	50.0	03/13/25 11:58	
m&p-Xylene	ug/kg	<21.1	100	03/13/25 11:58	
Methyl-tert-butyl ether	ug/kg	<14.7	50.0	03/13/25 11:58	
Methylene Chloride	ug/kg	<13.9	50.0	03/13/25 11:58	
n-Butylbenzene	ug/kg	<22.9	50.0	03/13/25 11:58	
n-Propylbenzene	ug/kg	<12.0	50.0	03/13/25 11:58	
Naphthalene	ug/kg	<21.0	250	03/13/25 11:58	
o-Xylene	ug/kg	<15.0	50.0	03/13/25 11:58	
p-Isopropyltoluene	ug/kg	<17.0	50.0	03/13/25 11:58	
sec-Butylbenzene	ug/kg	<17.2	50.0	03/13/25 11:58	
Styrene	ug/kg	<12.8	50.0	03/13/25 11:58	
tert-Butylbenzene	ug/kg	<15.7	50.0	03/13/25 11:58	
Tetrachloroethene	ug/kg	<19.4	50.0	03/13/25 11:58	
Toluene	ug/kg	<12.6	50.0	03/13/25 11:58	
trans-1,2-Dichloroethene	ug/kg	<10.9	50.0	03/13/25 11:58	
trans-1,3-Dichloropropene	ug/kg	<143	250	03/13/25 11:58	
Trichloroethene	ug/kg	<18.7	50.0	03/13/25 11:58	
Trichlorofluoromethane	ug/kg	<14.5	50.0	03/13/25 11:58	
Vinyl chloride	ug/kg	<10.1	50.0	03/13/25 11:58	
1,2-Dichlorobenzene-d4 (S)	%	97	56-189	03/13/25 11:58	
4-Bromofluorobenzene (S)	%	94	58-188	03/13/25 11:58	
Toluene-d8 (S)	%	97	70-172	03/13/25 11:58	

LABORATORY CONTROL SAMPLE: 2851159

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/kg	2500	2560	102	70-130	
1,1,2,2-Tetrachloroethane	ug/kg	2500	2550	102	68-130	
1,1,2-Trichloroethane	ug/kg	2500	2470	99	70-130	
1,1-Dichloroethane	ug/kg	2500	2400	96	70-130	
1,1-Dichloroethene	ug/kg	2500	2260	91	70-130	
1,2,4-Trichlorobenzene	ug/kg	2500	2140	86	70-130	
1,2-Dibromo-3-chloropropane	ug/kg	2500	2230	89	53-130	
1,2-Dibromoethane (EDB)	ug/kg	2500	2600	104	70-130	
1,2-Dichlorobenzene	ug/kg	2500	2360	94	70-130	
1,2-Dichloroethane	ug/kg	2500	2620	105	70-130	
1,2-Dichloropropane	ug/kg	2500	2670	107	70-130	
1,3-Dichlorobenzene	ug/kg	2500	2480	99	70-130	
1,4-Dichlorobenzene	ug/kg	2500	2440	98	70-130	
Benzene	ug/kg	2500	2600	104	70-130	
Bromodichloromethane	ug/kg	2500	2690	108	70-130	
Bromoform	ug/kg	2500	2460	98	59-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

LABORATORY CONTROL SAMPLE: 2851159

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromomethane	ug/kg	2500	2240	90	43-154	
Carbon tetrachloride	ug/kg	2500	2610	104	69-130	
Chlorobenzene	ug/kg	2500	2400	96	70-130	
Chloroethane	ug/kg	2500	2330	93	42-160	
Chloroform	ug/kg	2500	2460	99	70-130	
Chloromethane	ug/kg	2500	1900	76	48-137	
cis-1,2-Dichloroethene	ug/kg	2500	2430	97	70-130	
cis-1,3-Dichloropropene	ug/kg	2500	2680	107	70-130	
Dibromochloromethane	ug/kg	2500	2460	98	70-130	
Dichlorodifluoromethane	ug/kg	2500	974	39	13-130	
Ethylbenzene	ug/kg	2500	2490	99	70-130	
Isopropylbenzene (Cumene)	ug/kg	2500	2470	99	70-130	
m&p-Xylene	ug/kg	5000	4830	97	70-130	
Methyl-tert-butyl ether	ug/kg	2500	2550	102	70-130	
Methylene Chloride	ug/kg	2500	2390	96	70-130	
o-Xylene	ug/kg	2500	2350	94	70-130	
Styrene	ug/kg	2500	2570	103	70-141	
Tetrachloroethene	ug/kg	2500	2400	96	70-130	
Toluene	ug/kg	2500	2490	100	70-130	
trans-1,2-Dichloroethene	ug/kg	2500	2390	95	70-130	
trans-1,3-Dichloropropene	ug/kg	2500	2540	102	67-130	
Trichloroethene	ug/kg	2500	2670	107	70-130	
Trichlorofluoromethane	ug/kg	2500	2470	99	60-130	
Vinyl chloride	ug/kg	2500	2090	84	51-130	
1,2-Dichlorobenzene-d4 (S)	%			96	56-189	
4-Bromofluorobenzene (S)	%			97	58-188	
Toluene-d8 (S)	%			94	70-172	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2851160 2851161

Parameter	Units	40291958007 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1-Trichloroethane	ug/kg	<13.6	1060	1060	927	936	87	88	44-130	1	31	
1,1,2,2-Tetrachloroethane	ug/kg	<19.3	1060	1060	1030	1080	97	102	61-136	5	23	
1,1,2-Trichloroethane	ug/kg	<19.4	1060	1060	1070	1110	101	104	60-135	4	26	
1,1-Dichloroethane	ug/kg	<13.6	1060	1060	1030	1040	96	98	65-130	1	27	
1,1-Dichloroethene	ug/kg	<17.7	1060	1060	914	869	86	82	34-130	5	31	
1,2,4-Trichlorobenzene	ug/kg	137J	1060	1060	1170	1130	97	93	64-145	4	23	
1,2-Dibromo-3-chloropropane	ug/kg	<41.4	1060	1060	993	1040	93	97	43-143	5	27	
1,2-Dibromoethane (EDB)	ug/kg	<14.6	1060	1060	1110	1130	104	106	66-130	2	21	
1,2-Dichlorobenzene	ug/kg	<16.5	1060	1060	1100	1090	104	102	70-141	2	20	
1,2-Dichloroethane	ug/kg	<12.3	1060	1060	1060	1060	100	99	61-141	0	23	
1,2-Dichloropropane	ug/kg	<12.7	1060	1060	1110	1170	104	110	67-130	5	22	
1,3-Dichlorobenzene	ug/kg	<14.6	1060	1060	1140	1130	107	106	70-137	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2851160				2851161									
Parameter	Units	40291958007	MS	MSD	MS	MSD	MS	MSD	% Rec	Limits	RPD	Max	Qual
		Result	Spike	Spike									
1,4-Dichlorobenzene	ug/kg	<14.6	1060	1060	1130	1140	106	107	70-134		1	20	
Benzene	ug/kg	56.6	1060	1060	1170	1160	104	104	70-130		0	20	
Bromodichloromethane	ug/kg	<12.7	1060	1060	1070	1110	101	104	63-133		3	22	
Bromoform	ug/kg	<234	1060	1060	939	1040	88	98	44-140		11	24	
Bromomethane	ug/kg	<74.7	1060	1060	1060	1100	100	103	29-161		3	25	
Carbon tetrachloride	ug/kg	<11.7	1060	1060	957	862	90	81	30-135		10	29	
Chlorobenzene	ug/kg	<6.4	1060	1060	1090	1090	102	102	70-130		0	23	
Chloroethane	ug/kg	<22.5	1060	1060	1050	1020	99	96	26-162		3	30	
Chloroform	ug/kg	<38.2	1060	1060	1070	1010	100	95	65-131		5	24	
Chloromethane	ug/kg	<20.3	1060	1060	1040	990	98	93	14-149		5	27	
cis-1,2-Dichloroethene	ug/kg	<11.4	1060	1060	989	970	93	91	66-130		2	21	
cis-1,3-Dichloropropene	ug/kg	<35.2	1060	1060	1050	1110	99	104	63-130		5	20	
Dibromochloromethane	ug/kg	<182	1060	1060	1040	1040	98	98	57-135		0	23	
Dichlorodifluoromethane	ug/kg	<22.9	1060	1060	621	552	58	52	10-130		12	43	
Ethylbenzene	ug/kg	36.5J	1060	1060	1110	1090	100	99	70-130		1	20	
Isopropylbenzene (Cumene)	ug/kg	14.7J	1060	1060	1080	1060	100	98	51-136		2	25	
m&p-Xylene	ug/kg	139	2130	2130	2340	2280	103	100	70-130		3	21	
Methyl-tert-butyl ether	ug/kg	<15.7	1060	1060	972	1030	91	97	63-130		6	22	
Methylene Chloride	ug/kg	<14.8	1060	1060	997	1010	94	94	66-134		1	23	
o-Xylene	ug/kg	87.3	1060	1060	1160	1170	101	102	70-130		1	20	
Styrene	ug/kg	<13.6	1060	1060	1160	1150	109	108	67-155		1	20	
Tetrachloroethene	ug/kg	<20.7	1060	1060	950	976	89	92	48-134		3	27	
Toluene	ug/kg	206	1060	1060	1280	1330	101	105	70-130		4	20	
trans-1,2-Dichloroethene	ug/kg	<11.7	1060	1060	986	970	92	91	57-130		2	25	
trans-1,3-Dichloropropene	ug/kg	<152	1060	1060	1070	1110	100	104	56-130		4	20	
Trichloroethene	ug/kg	<19.9	1060	1060	1050	1040	99	97	57-130		2	24	
Trichlorofluoromethane	ug/kg	<15.5	1060	1060	873	793	82	74	17-130		10	41	
Vinyl chloride	ug/kg	<10.8	1060	1060	917	868	86	81	19-130		5	29	
1,2-Dichlorobenzene-d4 (S)	%						119	117	56-189				
4-Bromofluorobenzene (S)	%						121	118	58-188				
Toluene-d8 (S)	%						120	118	70-172				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

QC Batch: 499294

Analysis Method: EPA 8260

QC Batch Method: EPA 5035/5030B

Analysis Description: 8260 MSV Med Level Normal List

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40291958008, 40291958009, 40291958010, 40291958011, 40291958012

METHOD BLANK: 2851704

Matrix: Solid

Associated Lab Samples: 40291958008, 40291958009, 40291958010, 40291958011, 40291958012

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	<12.0	50.0	03/14/25 10:59	
1,1,1-Trichloroethane	ug/kg	<12.8	50.0	03/14/25 10:59	
1,1,2,2-Tetrachloroethane	ug/kg	<18.1	50.0	03/14/25 10:59	
1,1,2-Trichloroethane	ug/kg	<18.2	50.0	03/14/25 10:59	
1,1-Dichloroethane	ug/kg	<12.8	50.0	03/14/25 10:59	
1,1-Dichloroethene	ug/kg	<16.6	50.0	03/14/25 10:59	
1,1-Dichloropropene	ug/kg	<16.2	50.0	03/14/25 10:59	
1,2,3-Trichlorobenzene	ug/kg	<55.7	250	03/14/25 10:59	
1,2,3-Trichloropropane	ug/kg	<24.3	50.0	03/14/25 10:59	
1,2,4-Trichlorobenzene	ug/kg	<41.2	250	03/14/25 10:59	
1,2,4-Trimethylbenzene	ug/kg	<14.9	50.0	03/14/25 10:59	
1,2-Dibromo-3-chloropropane	ug/kg	<38.8	250	03/14/25 10:59	
1,2-Dibromoethane (EDB)	ug/kg	<13.7	50.0	03/14/25 10:59	
1,2-Dichlorobenzene	ug/kg	<15.5	50.0	03/14/25 10:59	
1,2-Dichloroethane	ug/kg	<11.5	50.0	03/14/25 10:59	
1,2-Dichloropropane	ug/kg	<11.9	50.0	03/14/25 10:59	
1,3,5-Trimethylbenzene	ug/kg	<16.1	50.0	03/14/25 10:59	
1,3-Dichlorobenzene	ug/kg	<13.7	50.0	03/14/25 10:59	
1,3-Dichloropropane	ug/kg	<10.9	50.0	03/14/25 10:59	
1,4-Dichlorobenzene	ug/kg	<13.7	50.0	03/14/25 10:59	
2,2-Dichloropropane	ug/kg	<13.5	50.0	03/14/25 10:59	
2-Chlorotoluene	ug/kg	<16.2	50.0	03/14/25 10:59	
4-Chlorotoluene	ug/kg	<19.0	50.0	03/14/25 10:59	
Benzene	ug/kg	<11.9	20.0	03/14/25 10:59	
Bromobenzene	ug/kg	<19.5	50.0	03/14/25 10:59	
Bromochloromethane	ug/kg	<13.7	50.0	03/14/25 10:59	
Bromodichloromethane	ug/kg	<11.9	50.0	03/14/25 10:59	
Bromoform	ug/kg	<220	250	03/14/25 10:59	
Bromomethane	ug/kg	<70.1	250	03/14/25 10:59	
Carbon tetrachloride	ug/kg	<11.0	50.0	03/14/25 10:59	
Chlorobenzene	ug/kg	<6.0	50.0	03/14/25 10:59	
Chloroethane	ug/kg	<21.1	250	03/14/25 10:59	
Chloroform	ug/kg	<35.8	250	03/14/25 10:59	
Chloromethane	ug/kg	<19.0	50.0	03/14/25 10:59	
cis-1,2-Dichloroethene	ug/kg	<10.7	50.0	03/14/25 10:59	
cis-1,3-Dichloropropene	ug/kg	<33.0	250	03/14/25 10:59	
Dibromochloromethane	ug/kg	<171	250	03/14/25 10:59	
Dibromomethane	ug/kg	<14.8	50.0	03/14/25 10:59	
Dichlorodifluoromethane	ug/kg	<21.5	50.0	03/14/25 10:59	
Diisopropyl ether	ug/kg	<12.4	50.0	03/14/25 10:59	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 11874/MARATHON BOX CORP-1ST AV

PACE Project No.: 40291958

METHOD BLANK: 2851704

Matrix: Solid

Associated Lab Samples: 40291958008, 40291958009, 40291958010, 40291958011, 40291958012

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/kg	<11.9	50.0	03/14/25 10:59	
Hexachloro-1,3-butadiene	ug/kg	<99.4	250	03/14/25 10:59	
Isopropylbenzene (Cumene)	ug/kg	<13.5	50.0	03/14/25 10:59	
m&p-Xylene	ug/kg	<21.1	100	03/14/25 10:59	
Methyl-tert-butyl ether	ug/kg	<14.7	50.0	03/14/25 10:59	
Methylene Chloride	ug/kg	37.4J	50.0	03/14/25 10:59	
n-Butylbenzene	ug/kg	<22.9	50.0	03/14/25 10:59	
n-Propylbenzene	ug/kg	<12.0	50.0	03/14/25 10:59	
Naphthalene	ug/kg	<21.0	250	03/14/25 10:59	
o-Xylene	ug/kg	<15.0	50.0	03/14/25 10:59	
p-Isopropyltoluene	ug/kg	<17.0	50.0	03/14/25 10:59	
sec-Butylbenzene	ug/kg	<17.2	50.0	03/14/25 10:59	
Styrene	ug/kg	<12.8	50.0	03/14/25 10:59	
tert-Butylbenzene	ug/kg	<15.7	50.0	03/14/25 10:59	
Tetrachloroethene	ug/kg	<19.4	50.0	03/14/25 10:59	
Toluene	ug/kg	<12.6	50.0	03/14/25 10:59	
trans-1,2-Dichloroethene	ug/kg	<10.9	50.0	03/14/25 10:59	
trans-1,3-Dichloropropene	ug/kg	<143	250	03/14/25 10:59	
Trichloroethene	ug/kg	<18.7	50.0	03/14/25 10:59	
Trichlorofluoromethane	ug/kg	<14.5	50.0	03/14/25 10:59	
Vinyl chloride	ug/kg	<10.1	50.0	03/14/25 10:59	
1,2-Dichlorobenzene-d4 (S)	%	103	56-189	03/14/25 10:59	
4-Bromofluorobenzene (S)	%	99	58-188	03/14/25 10:59	
Toluene-d8 (S)	%	104	70-172	03/14/25 10:59	

LABORATORY CONTROL SAMPLE: 2851705

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/kg	2500	2540	101	70-130	
1,1,2,2-Tetrachloroethane	ug/kg	2500	2460	98	68-130	
1,1,2-Trichloroethane	ug/kg	2500	2450	98	70-130	
1,1-Dichloroethane	ug/kg	2500	2350	94	70-130	
1,1-Dichloroethene	ug/kg	2500	2180	87	70-130	
1,2,4-Trichlorobenzene	ug/kg	2500	2270	91	70-130	
1,2-Dibromo-3-chloropropane	ug/kg	2500	2100	84	53-130	
1,2-Dibromoethane (EDB)	ug/kg	2500	2520	101	70-130	
1,2-Dichlorobenzene	ug/kg	2500	2480	99	70-130	
1,2-Dichloroethane	ug/kg	2500	2600	104	70-130	
1,2-Dichloropropane	ug/kg	2500	2630	105	70-130	
1,3-Dichlorobenzene	ug/kg	2500	2560	102	70-130	
1,4-Dichlorobenzene	ug/kg	2500	2570	103	70-130	
Benzene	ug/kg	2500	2590	103	70-130	
Bromodichloromethane	ug/kg	2500	2660	106	70-130	
Bromoform	ug/kg	2500	2230	89	59-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

LABORATORY CONTROL SAMPLE: 2851705

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromomethane	ug/kg	2500	2060	82	43-154	
Carbon tetrachloride	ug/kg	2500	2410	96	69-130	
Chlorobenzene	ug/kg	2500	2450	98	70-130	
Chloroethane	ug/kg	2500	2320	93	42-160	
Chloroform	ug/kg	2500	2440	98	70-130	
Chloromethane	ug/kg	2500	1720	69	48-137	
cis-1,2-Dichloroethene	ug/kg	2500	2340	94	70-130	
cis-1,3-Dichloropropene	ug/kg	2500	2640	106	70-130	
Dibromochloromethane	ug/kg	2500	2440	97	70-130	
Dichlorodifluoromethane	ug/kg	2500	764	31	13-130	
Ethylbenzene	ug/kg	2500	2420	97	70-130	
Isopropylbenzene (Cumene)	ug/kg	2500	2400	96	70-130	
m&p-Xylene	ug/kg	5000	4790	96	70-130	
Methyl-tert-butyl ether	ug/kg	2500	2500	100	70-130	
Methylene Chloride	ug/kg	2500	2370	95	70-130	
o-Xylene	ug/kg	2500	2400	96	70-130	
Styrene	ug/kg	2500	2540	102	70-141	
Tetrachloroethene	ug/kg	2500	2360	94	70-130	
Toluene	ug/kg	2500	2480	99	70-130	
trans-1,2-Dichloroethene	ug/kg	2500	2370	95	70-130	
trans-1,3-Dichloropropene	ug/kg	2500	2470	99	67-130	
Trichloroethene	ug/kg	2500	2570	103	70-130	
Trichlorofluoromethane	ug/kg	2500	2100	84	60-130	
Vinyl chloride	ug/kg	2500	1910	76	51-130	
1,2-Dichlorobenzene-d4 (S)	%			106	56-189	
4-Bromofluorobenzene (S)	%			99	58-188	
Toluene-d8 (S)	%			95	70-172	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2851706 2851707

Parameter	Units	40291958009 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1-Trichloroethane	ug/kg	<16.4	1280	1280	1150	1020	90	80	44-130	12	31	
1,1,2,2-Tetrachloroethane	ug/kg	<23.2	1280	1280	1170	1290	91	101	61-136	10	23	
1,1,2-Trichloroethane	ug/kg	<23.3	1280	1280	1250	1250	98	98	60-135	0	26	
1,1-Dichloroethane	ug/kg	<16.4	1280	1280	1250	1160	97	90	65-130	7	27	
1,1-Dichloroethene	ug/kg	<21.3	1280	1280	1040	960	81	75	34-130	8	31	
1,2,4-Trichlorobenzene	ug/kg	<52.8	1280	1280	1220	1230	95	96	64-145	1	23	
1,2-Dibromo-3-chloropropane	ug/kg	<49.7	1280	1280	1260	1200	99	93	43-143	6	27	
1,2-Dibromoethane (EDB)	ug/kg	<17.6	1280	1280	1230	1280	96	100	66-130	4	21	
1,2-Dichlorobenzene	ug/kg	<19.9	1280	1280	1290	1300	101	101	70-141	1	20	
1,2-Dichloroethane	ug/kg	<14.7	1280	1280	1290	1330	101	104	61-141	3	23	
1,2-Dichloropropane	ug/kg	<15.2	1280	1280	1350	1240	106	97	67-130	9	22	
1,3-Dichlorobenzene	ug/kg	<17.6	1280	1280	1370	1330	107	104	70-137	3	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2851706				2851707									
Parameter	Units	40291958009	MS	MSD	MS	MSD	MS	MSD	% Rec	Limits	RPD	Max	Qual
		Result	Spike	Spike									
1,4-Dichlorobenzene	ug/kg	<17.6	1280	1280	1320	1320	103	103	70-134	0	20		
Benzene	ug/kg	76.2	1280	1280	1400	1340	104	99	70-130	4	20		
Bromodichloromethane	ug/kg	<15.2	1280	1280	1330	1290	104	101	63-133	3	22		
Bromoform	ug/kg	<282	1280	1280	1190	1210	93	94	44-140	1	24		
Bromomethane	ug/kg	<89.8	1280	1280	1130	1230	88	96	29-161	9	25		
Carbon tetrachloride	ug/kg	<14.1	1280	1280	1090	973	85	76	30-135	12	29		
Chlorobenzene	ug/kg	<7.7	1280	1280	1300	1270	101	99	70-130	2	23		
Chloroethane	ug/kg	<27.0	1280	1280	1280	1170	100	91	26-162	9	30		
Chloroform	ug/kg	<45.9	1280	1280	1260	1250	98	98	65-131	0	24		
Chloromethane	ug/kg	<24.3	1280	1280	1180	1130	92	89	14-149	4	27		
cis-1,2-Dichloroethene	ug/kg	<13.7	1280	1280	1210	1150	94	89	66-130	5	21		
cis-1,3-Dichloropropene	ug/kg	<42.3	1280	1280	1280	1250	100	97	63-130	2	20		
Dibromochloromethane	ug/kg	<219	1280	1280	1240	1180	97	92	57-135	5	23		
Dichlorodifluoromethane	ug/kg	<27.5	1280	1280	678	577	53	45	10-130	16	43		
Ethylbenzene	ug/kg	81.7	1280	1280	1350	1260	99	92	70-130	7	20		
Isopropylbenzene (Cumene)	ug/kg	25.4J	1280	1280	1290	1190	99	91	51-136	8	25		
m&p-Xylene	ug/kg	377	2570	2570	2970	2790	101	94	70-130	6	21		
Methyl-tert-butyl ether	ug/kg	<18.8	1280	1280	1250	1250	97	98	63-130	0	22		
Methylene Chloride	ug/kg	68.8	1280	1280	1310	1310	97	97	66-134	0	23		
o-Xylene	ug/kg	262	1280	1280	1560	1460	101	93	70-130	7	20		
Styrene	ug/kg	<16.4	1280	1280	1380	1350	108	105	67-155	2	20		
Tetrachloroethene	ug/kg	<24.9	1280	1280	1200	1070	94	84	48-134	11	27		
Toluene	ug/kg	428	1280	1280	1660	1630	96	94	70-130	2	20		
trans-1,2-Dichloroethene	ug/kg	<14.0	1280	1280	1200	1150	94	90	57-130	4	25		
trans-1,3-Dichloropropene	ug/kg	<183	1280	1280	1240	1220	96	96	56-130	1	20		
Trichloroethene	ug/kg	<24.0	1280	1280	1300	1160	102	91	57-130	11	24		
Trichlorofluoromethane	ug/kg	<18.6	1280	1280	1040	896	81	70	17-130	15	41		
Vinyl chloride	ug/kg	<12.9	1280	1280	1080	989	84	77	19-130	9	29		
1,2-Dichlorobenzene-d4 (S)	%						125	129	56-189				
4-Bromofluorobenzene (S)	%						128	126	58-188				
Toluene-d8 (S)	%						125	124	70-172				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

QC Batch: 499345

Analysis Method: EPA 8260

QC Batch Method: EPA 5035/5030B

Analysis Description: 8260 MSV Med Level Normal List

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40291958013, 40291958014, 40291958015

METHOD BLANK: 2851981

Matrix: Solid

Associated Lab Samples: 40291958013, 40291958014, 40291958015

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	<12.0	50.0	03/14/25 10:37	
1,1,1-Trichloroethane	ug/kg	<12.8	50.0	03/14/25 10:37	
1,1,2,2-Tetrachloroethane	ug/kg	<18.1	50.0	03/14/25 10:37	
1,1,2-Trichloroethane	ug/kg	<18.2	50.0	03/14/25 10:37	
1,1-Dichloroethane	ug/kg	<12.8	50.0	03/14/25 10:37	
1,1-Dichloroethene	ug/kg	<16.6	50.0	03/14/25 10:37	
1,1-Dichloropropene	ug/kg	<16.2	50.0	03/14/25 10:37	
1,2,3-Trichlorobenzene	ug/kg	<55.7	250	03/14/25 10:37	
1,2,3-Trichloropropane	ug/kg	<24.3	50.0	03/14/25 10:37	
1,2,4-Trichlorobenzene	ug/kg	<41.2	250	03/14/25 10:37	
1,2,4-Trimethylbenzene	ug/kg	<14.9	50.0	03/14/25 10:37	
1,2-Dibromo-3-chloropropane	ug/kg	<38.8	250	03/14/25 10:37	
1,2-Dibromoethane (EDB)	ug/kg	<13.7	50.0	03/14/25 10:37	
1,2-Dichlorobenzene	ug/kg	<15.5	50.0	03/14/25 10:37	
1,2-Dichloroethane	ug/kg	<11.5	50.0	03/14/25 10:37	
1,2-Dichloropropane	ug/kg	<11.9	50.0	03/14/25 10:37	
1,3,5-Trimethylbenzene	ug/kg	<16.1	50.0	03/14/25 10:37	
1,3-Dichlorobenzene	ug/kg	<13.7	50.0	03/14/25 10:37	
1,3-Dichloropropane	ug/kg	<10.9	50.0	03/14/25 10:37	
1,4-Dichlorobenzene	ug/kg	<13.7	50.0	03/14/25 10:37	
2,2-Dichloropropane	ug/kg	<13.5	50.0	03/14/25 10:37	
2-Chlorotoluene	ug/kg	<16.2	50.0	03/14/25 10:37	
4-Chlorotoluene	ug/kg	<19.0	50.0	03/14/25 10:37	
Benzene	ug/kg	<11.9	20.0	03/14/25 10:37	
Bromobenzene	ug/kg	<19.5	50.0	03/14/25 10:37	
Bromochloromethane	ug/kg	<13.7	50.0	03/14/25 10:37	
Bromodichloromethane	ug/kg	<11.9	50.0	03/14/25 10:37	
Bromoform	ug/kg	<220	250	03/14/25 10:37	
Bromomethane	ug/kg	<70.1	250	03/14/25 10:37	
Carbon tetrachloride	ug/kg	<11.0	50.0	03/14/25 10:37	
Chlorobenzene	ug/kg	<6.0	50.0	03/14/25 10:37	
Chloroethane	ug/kg	<21.1	250	03/14/25 10:37	
Chloroform	ug/kg	<35.8	250	03/14/25 10:37	
Chloromethane	ug/kg	<19.0	50.0	03/14/25 10:37	
cis-1,2-Dichloroethene	ug/kg	<10.7	50.0	03/14/25 10:37	
cis-1,3-Dichloropropene	ug/kg	<33.0	250	03/14/25 10:37	
Dibromochloromethane	ug/kg	<171	250	03/14/25 10:37	
Dibromomethane	ug/kg	<14.8	50.0	03/14/25 10:37	
Dichlorodifluoromethane	ug/kg	<21.5	50.0	03/14/25 10:37	
Diisopropyl ether	ug/kg	<12.4	50.0	03/14/25 10:37	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 11874/MARATHON BOX CORP-1ST AV

PACE Project No.: 40291958

METHOD BLANK: 2851981

Matrix: Solid

Associated Lab Samples: 40291958013, 40291958014, 40291958015

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/kg	<11.9	50.0	03/14/25 10:37	
Hexachloro-1,3-butadiene	ug/kg	<99.4	250	03/14/25 10:37	
Isopropylbenzene (Cumene)	ug/kg	<13.5	50.0	03/14/25 10:37	
m&p-Xylene	ug/kg	<21.1	100	03/14/25 10:37	
Methyl-tert-butyl ether	ug/kg	<14.7	50.0	03/14/25 10:37	
Methylene Chloride	ug/kg	21.9J	50.0	03/14/25 10:37	
n-Butylbenzene	ug/kg	<22.9	50.0	03/14/25 10:37	
n-Propylbenzene	ug/kg	<12.0	50.0	03/14/25 10:37	
Naphthalene	ug/kg	<21.0	250	03/14/25 10:37	
o-Xylene	ug/kg	<15.0	50.0	03/14/25 10:37	
p-Isopropyltoluene	ug/kg	<17.0	50.0	03/14/25 10:37	
sec-Butylbenzene	ug/kg	<17.2	50.0	03/14/25 10:37	
Styrene	ug/kg	<12.8	50.0	03/14/25 10:37	
tert-Butylbenzene	ug/kg	<15.7	50.0	03/14/25 10:37	
Tetrachloroethene	ug/kg	<19.4	50.0	03/14/25 10:37	
Toluene	ug/kg	<12.6	50.0	03/14/25 10:37	
trans-1,2-Dichloroethene	ug/kg	<10.9	50.0	03/14/25 10:37	
trans-1,3-Dichloropropene	ug/kg	<143	250	03/14/25 10:37	
Trichloroethene	ug/kg	<18.7	50.0	03/14/25 10:37	
Trichlorofluoromethane	ug/kg	<14.5	50.0	03/14/25 10:37	
Vinyl chloride	ug/kg	<10.1	50.0	03/14/25 10:37	
1,2-Dichlorobenzene-d4 (S)	%	109	56-189	03/14/25 10:37	
4-Bromofluorobenzene (S)	%	105	58-188	03/14/25 10:37	
Toluene-d8 (S)	%	108	70-172	03/14/25 10:37	

LABORATORY CONTROL SAMPLE: 2851982

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/kg	2500	2660	107	70-130	
1,1,2,2-Tetrachloroethane	ug/kg	2500	2210	89	68-130	
1,1,2-Trichloroethane	ug/kg	2500	2240	90	70-130	
1,1-Dichloroethane	ug/kg	2500	2410	96	70-130	
1,1-Dichloroethene	ug/kg	2500	2480	99	70-130	
1,2,4-Trichlorobenzene	ug/kg	2500	2440	98	70-130	
1,2-Dibromo-3-chloropropane	ug/kg	2500	2010	80	53-130	
1,2-Dibromoethane (EDB)	ug/kg	2500	2400	96	70-130	
1,2-Dichlorobenzene	ug/kg	2500	2600	104	70-130	
1,2-Dichloroethane	ug/kg	2500	2430	97	70-130	
1,2-Dichloropropane	ug/kg	2500	2320	93	70-130	
1,3-Dichlorobenzene	ug/kg	2500	2690	108	70-130	
1,4-Dichlorobenzene	ug/kg	2500	2590	103	70-130	
Benzene	ug/kg	2500	2440	98	70-130	
Bromodichloromethane	ug/kg	2500	2700	108	70-130	
Bromoform	ug/kg	2500	2290	92	59-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

LABORATORY CONTROL SAMPLE: 2851982

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromomethane	ug/kg	2500	2860	115	43-154	
Carbon tetrachloride	ug/kg	2500	2730	109	69-130	
Chlorobenzene	ug/kg	2500	2710	108	70-130	
Chloroethane	ug/kg	2500	2910	116	42-160	
Chloroform	ug/kg	2500	2470	99	70-130	
Chloromethane	ug/kg	2500	2770	111	48-137	
cis-1,2-Dichloroethene	ug/kg	2500	2410	96	70-130	
cis-1,3-Dichloropropene	ug/kg	2500	2590	104	70-130	
Dibromochloromethane	ug/kg	2500	2430	97	70-130	
Dichlorodifluoromethane	ug/kg	2500	2350	94	13-130	
Ethylbenzene	ug/kg	2500	2690	108	70-130	
Isopropylbenzene (Cumene)	ug/kg	2500	2840	114	70-130	
m&p-Xylene	ug/kg	5000	5520	110	70-130	
Methyl-tert-butyl ether	ug/kg	2500	2260	90	70-130	
Methylene Chloride	ug/kg	2500	2370	95	70-130	
o-Xylene	ug/kg	2500	2770	111	70-130	
Styrene	ug/kg	2500	2820	113	70-141	
Tetrachloroethene	ug/kg	2500	2620	105	70-130	
Toluene	ug/kg	2500	2580	103	70-130	
trans-1,2-Dichloroethene	ug/kg	2500	2590	104	70-130	
trans-1,3-Dichloropropene	ug/kg	2500	2440	98	67-130	
Trichloroethene	ug/kg	2500	2520	101	70-130	
Trichlorofluoromethane	ug/kg	2500	2510	100	60-130	
Vinyl chloride	ug/kg	2500	2560	102	51-130	
1,2-Dichlorobenzene-d4 (S)	%			109	56-189	
4-Bromofluorobenzene (S)	%			110	58-188	
Toluene-d8 (S)	%			100	70-172	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

QC Batch: 499155

Analysis Method: EPA 8260

QC Batch Method: EPA 8260

Analysis Description: 8260 MSV

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40291958016, 40291958017, 40291958018, 40291958019, 40291958020

METHOD BLANK: 2850979

Matrix: Water

Associated Lab Samples: 40291958016, 40291958017, 40291958018, 40291958019, 40291958020

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.36	1.0	03/13/25 14:27	
1,1,1-Trichloroethane	ug/L	<0.30	1.0	03/13/25 14:27	
1,1,2,2-Tetrachloroethane	ug/L	<0.25	1.0	03/13/25 14:27	
1,1,2-Trichloroethane	ug/L	<0.34	1.0	03/13/25 14:27	
1,1-Dichloroethane	ug/L	<0.30	1.0	03/13/25 14:27	
1,1-Dichloroethene	ug/L	<0.58	1.0	03/13/25 14:27	
1,1-Dichloropropene	ug/L	<0.41	1.0	03/13/25 14:27	
1,2,3-Trichlorobenzene	ug/L	<1.0	5.0	03/13/25 14:27	
1,2,3-Trichloropropane	ug/L	<0.56	1.0	03/13/25 14:27	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	03/13/25 14:27	
1,2,4-Trimethylbenzene	ug/L	<0.45	1.0	03/13/25 14:27	
1,2-Dibromo-3-chloropropane	ug/L	<0.36	5.0	03/13/25 14:27	
1,2-Dibromoethane (EDB)	ug/L	<0.31	1.0	03/13/25 14:27	
1,2-Dichlorobenzene	ug/L	<0.33	1.0	03/13/25 14:27	
1,2-Dichloroethane	ug/L	<0.29	1.0	03/13/25 14:27	
1,2-Dichloropropane	ug/L	<0.45	1.0	03/13/25 14:27	
1,3,5-Trimethylbenzene	ug/L	<0.36	1.0	03/13/25 14:27	
1,3-Dichlorobenzene	ug/L	<0.35	1.0	03/13/25 14:27	
1,3-Dichloropropane	ug/L	<0.30	1.0	03/13/25 14:27	
1,4-Dichlorobenzene	ug/L	<0.89	1.0	03/13/25 14:27	
2,2-Dichloropropane	ug/L	<0.42	1.0	03/13/25 14:27	
2-Chlorotoluene	ug/L	<0.89	5.0	03/13/25 14:27	
4-Chlorotoluene	ug/L	<0.89	5.0	03/13/25 14:27	
Benzene	ug/L	<0.30	1.0	03/13/25 14:27	
Bromobenzene	ug/L	<0.36	1.0	03/13/25 14:27	
Bromochloromethane	ug/L	<0.36	1.0	03/13/25 14:27	
Bromodichloromethane	ug/L	<0.21	1.0	03/13/25 14:27	
Bromoform	ug/L	<0.43	1.0	03/13/25 14:27	
Bromomethane	ug/L	<1.2	5.0	03/13/25 14:27	
Carbon tetrachloride	ug/L	<0.37	1.0	03/13/25 14:27	
Chlorobenzene	ug/L	<0.86	1.0	03/13/25 14:27	
Chloroethane	ug/L	<1.4	5.0	03/13/25 14:27	
Chloroform	ug/L	<0.50	5.0	03/13/25 14:27	
Chloromethane	ug/L	<1.6	5.0	03/13/25 14:27	
cis-1,2-Dichloroethene	ug/L	<0.47	1.0	03/13/25 14:27	
cis-1,3-Dichloropropene	ug/L	<0.24	1.0	03/13/25 14:27	
Dibromochloromethane	ug/L	<2.6	5.0	03/13/25 14:27	
Dibromomethane	ug/L	<0.99	5.0	03/13/25 14:27	
Dichlorodifluoromethane	ug/L	<0.46	5.0	03/13/25 14:27	
Diisopropyl ether	ug/L	<1.1	5.0	03/13/25 14:27	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

METHOD BLANK: 2850979

Matrix: Water

Associated Lab Samples: 40291958016, 40291958017, 40291958018, 40291958019, 40291958020

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/L	<0.33	1.0	03/13/25 14:27	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	03/13/25 14:27	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	03/13/25 14:27	
m&p-Xylene	ug/L	<0.70	2.0	03/13/25 14:27	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	03/13/25 14:27	
Methylene Chloride	ug/L	<0.32	5.0	03/13/25 14:27	
n-Butylbenzene	ug/L	<0.86	1.0	03/13/25 14:27	
n-Propylbenzene	ug/L	<0.35	1.0	03/13/25 14:27	
Naphthalene	ug/L	<1.9	5.0	03/13/25 14:27	
o-Xylene	ug/L	<0.35	1.0	03/13/25 14:27	
p-Isopropyltoluene	ug/L	<1.0	5.0	03/13/25 14:27	
sec-Butylbenzene	ug/L	<0.42	1.0	03/13/25 14:27	
Styrene	ug/L	<0.36	1.0	03/13/25 14:27	
tert-Butylbenzene	ug/L	<0.59	1.0	03/13/25 14:27	
Tetrachloroethene	ug/L	<0.41	1.0	03/13/25 14:27	
Toluene	ug/L	<0.29	1.0	03/13/25 14:27	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	03/13/25 14:27	
trans-1,3-Dichloropropene	ug/L	<0.27	1.0	03/13/25 14:27	
Trichloroethene	ug/L	<0.32	1.0	03/13/25 14:27	
Trichlorofluoromethane	ug/L	<0.42	1.0	03/13/25 14:27	
Vinyl chloride	ug/L	<0.17	1.0	03/13/25 14:27	
1,2-Dichlorobenzene-d4 (S)	%	99	70-130	03/13/25 14:27	
4-Bromofluorobenzene (S)	%	99	70-130	03/13/25 14:27	
Toluene-d8 (S)	%	100	70-130	03/13/25 14:27	

LABORATORY CONTROL SAMPLE: 2850980

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	48.1	96	70-133	
1,1,2,2-Tetrachloroethane	ug/L	50	50.5	101	70-130	
1,1,2-Trichloroethane	ug/L	50	50.4	101	70-130	
1,1-Dichloroethane	ug/L	50	47.7	95	70-130	
1,1-Dichloroethene	ug/L	50	43.5	87	66-130	
1,2,4-Trichlorobenzene	ug/L	50	47.1	94	68-130	
1,2-Dibromo-3-chloropropane	ug/L	50	48.0	96	66-130	
1,2-Dibromoethane (EDB)	ug/L	50	49.6	99	70-130	
1,2-Dichlorobenzene	ug/L	50	48.2	96	70-130	
1,2-Dichloroethane	ug/L	50	50.7	101	70-130	
1,2-Dichloropropane	ug/L	50	49.8	100	70-130	
1,3-Dichlorobenzene	ug/L	50	51.0	102	70-130	
1,4-Dichlorobenzene	ug/L	50	51.7	103	70-130	
Benzene	ug/L	50	48.3	97	70-130	
Bromodichloromethane	ug/L	50	47.3	95	70-130	
Bromoform	ug/L	50	49.9	100	61-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

LABORATORY CONTROL SAMPLE: 2850980

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromomethane	ug/L	50	33.1	66	40-157	
Carbon tetrachloride	ug/L	50	49.5	99	70-139	
Chlorobenzene	ug/L	50	49.9	100	70-130	
Chloroethane	ug/L	50	41.9	84	61-145	
Chloroform	ug/L	50	49.1	98	70-130	
Chloromethane	ug/L	50	35.8	72	22-163	
cis-1,2-Dichloroethene	ug/L	50	46.4	93	70-130	
cis-1,3-Dichloropropene	ug/L	50	49.4	99	70-130	
Dibromochloromethane	ug/L	50	50.8	102	70-130	
Dichlorodifluoromethane	ug/L	50	18.8	38	10-185	
Ethylbenzene	ug/L	50	52.2	104	70-130	
Isopropylbenzene (Cumene)	ug/L	50	54.5	109	70-134	
m&p-Xylene	ug/L	100	105	105	70-130	
Methyl-tert-butyl ether	ug/L	50	46.6	93	62-130	
Methylene Chloride	ug/L	50	46.2	92	70-130	
o-Xylene	ug/L	50	50.7	101	70-130	
Styrene	ug/L	50	54.3	109	70-130	
Tetrachloroethene	ug/L	50	49.5	99	70-130	
Toluene	ug/L	50	49.8	100	70-130	
trans-1,2-Dichloroethene	ug/L	50	48.0	96	70-130	
trans-1,3-Dichloropropene	ug/L	50	51.9	104	70-130	
Trichloroethene	ug/L	50	49.3	99	70-130	
Trichlorofluoromethane	ug/L	50	44.1	88	70-149	
Vinyl chloride	ug/L	50	37.1	74	37-145	
1,2-Dichlorobenzene-d4 (S)	%			98	70-130	
4-Bromofluorobenzene (S)	%			99	70-130	
Toluene-d8 (S)	%			102	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2851377 2851378

Parameter	Units	40291780025 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1-Trichloroethane	ug/L	3.1	50	50	54.3	54.5	102	103	70-136	0	20	
1,1,2,2-Tetrachloroethane	ug/L	<0.25	50	50	54.3	52.0	109	104	70-130	4	20	
1,1,2-Trichloroethane	ug/L	<0.34	50	50	53.6	53.3	107	107	70-130	0	20	
1,1-Dichloroethane	ug/L	3.0	50	50	52.7	53.2	100	101	70-130	1	20	
1,1-Dichloroethene	ug/L	0.68J	50	50	46.5	45.3	92	89	65-131	3	20	
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	50.6	48.8	101	98	63-130	4	20	
1,2-Dibromo-3-chloropropane	ug/L	<0.36	50	50	54.7	51.7	109	103	65-130	6	20	
1,2-Dibromoethane (EDB)	ug/L	<0.31	50	50	50.5	51.9	101	104	70-130	3	20	
1,2-Dichlorobenzene	ug/L	<0.33	50	50	51.8	50.5	104	101	70-130	3	20	
1,2-Dichloroethane	ug/L	<0.29	50	50	52.2	52.9	104	106	70-131	1	20	
1,2-Dichloropropane	ug/L	<0.45	50	50	51.6	51.5	103	103	70-130	0	20	
1,3-Dichlorobenzene	ug/L	<0.35	50	50	54.6	52.1	109	104	70-130	5	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2851377 2851378											
Parameter	Units	40291780025 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
1,4-Dichlorobenzene	ug/L	<0.89	50	50	54.3	52.6	109	105	70-130	3	20
Benzene	ug/L	<0.30	50	50	50.2	50.4	100	101	70-130	0	20
Bromodichloromethane	ug/L	<0.21	50	50	50.9	50.6	102	101	70-130	0	20
Bromoform	ug/L	<0.43	50	50	53.2	52.6	106	105	61-130	1	20
Bromomethane	ug/L	<1.2	50	50	35.4	36.8	71	74	40-170	4	20
Carbon tetrachloride	ug/L	<0.37	50	50	52.8	53.5	106	107	70-141	1	20
Chlorobenzene	ug/L	<0.86	50	50	51.5	52.8	103	106	70-130	3	20
Chloroethane	ug/L	<1.4	50	50	44.5	44.8	89	90	59-148	1	20
Chloroform	ug/L	<0.50	50	50	51.5	51.3	103	103	70-130	0	20
Chloromethane	ug/L	<1.6	50	50	38.2	38.9	76	78	19-170	2	20
cis-1,2-Dichloroethene	ug/L	5.3	50	50	54.0	54.2	97	98	70-130	0	20
cis-1,3-Dichloropropene	ug/L	<0.24	50	50	51.9	51.9	104	104	70-130	0	20
Dibromochloromethane	ug/L	<2.6	50	50	52.6	53.3	105	107	70-130	1	20
Dichlorodifluoromethane	ug/L	<0.46	50	50	19.2	19.4	38	39	10-190	1	20
Ethylbenzene	ug/L	<0.33	50	50	54.1	54.9	108	110	70-130	2	20
Isopropylbenzene (Cumene)	ug/L	<1.0	50	50	56.7	57.6	113	115	70-137	2	20
m&p-Xylene	ug/L	<0.70	100	100	107	111	107	111	70-130	4	20
Methyl-tert-butyl ether	ug/L	<1.1	50	50	48.1	49.0	96	98	62-130	2	20
Methylene Chloride	ug/L	<0.32	50	50	48.7	47.9	97	96	70-133	2	20
o-Xylene	ug/L	<0.35	50	50	53.0	55.0	106	110	70-130	4	20
Styrene	ug/L	<0.36	50	50	56.6	57.0	113	114	70-130	1	20
Tetrachloroethene	ug/L	<0.41	50	50	51.5	52.2	103	104	70-130	1	20
Toluene	ug/L	<0.29	50	50	52.2	53.4	104	107	70-130	2	20
trans-1,2-Dichloroethene	ug/L	<0.53	50	50	50.5	50.0	101	100	70-133	1	20
trans-1,3-Dichloropropene	ug/L	<0.27	50	50	54.8	54.5	110	109	68-130	1	20
Trichloroethene	ug/L	76.3	50	50	131	132	109	111	70-130	1	20
Trichlorofluoromethane	ug/L	<0.42	50	50	46.1	47.1	92	94	65-153	2	20
Vinyl chloride	ug/L	<0.17	50	50	38.7	39.6	77	79	37-150	2	20
1,2-Dichlorobenzene-d4 (S)	%						98	97	70-130		
4-Bromofluorobenzene (S)	%						102	100	70-130		
Toluene-d8 (S)	%						102	102	70-130		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

QC Batch:	499547	Analysis Method:	EPA 8270E by SIM
QC Batch Method:	EPA 3546	Analysis Description:	8270E/3546 MSSV PAH by SIM
		Laboratory:	Pace Analytical Services - Green Bay
Associated Lab Samples:	40291958001, 40291958002, 40291958003, 40291958005, 40291958007, 40291958009, 40291958011, 40291958013		

METHOD BLANK: 2853131

Matrix: Solid

Associated Lab Samples: 40291958001, 40291958002, 40291958003, 40291958005, 40291958007, 40291958009, 40291958011, 40291958013

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1-Methylnaphthalene	ug/kg	<2.4	16.7	03/18/25 10:10	
2-Methylnaphthalene	ug/kg	<2.4	16.7	03/18/25 10:10	
Acenaphthene	ug/kg	<2.2	16.7	03/18/25 10:10	
Acenaphthylene	ug/kg	<2.1	16.7	03/18/25 10:10	
Anthracene	ug/kg	<2.1	16.7	03/18/25 10:10	
Benzo(a)anthracene	ug/kg	<2.2	16.7	03/18/25 10:10	
Benzo(a)pyrene	ug/kg	<1.9	16.7	03/18/25 10:10	
Benzo(b)fluoranthene	ug/kg	<2.3	16.7	03/18/25 10:10	
Benzo(g,h,i)perylene	ug/kg	<2.9	16.7	03/18/25 10:10	
Benzo(k)fluoranthene	ug/kg	<2.1	16.7	03/18/25 10:10	
Chrysene	ug/kg	<3.2	16.7	03/18/25 10:10	
Dibenz(a,h)anthracene	ug/kg	<2.3	16.7	03/18/25 10:10	
Fluoranthene	ug/kg	<2.0	16.7	03/18/25 10:10	
Fluorene	ug/kg	<2.0	16.7	03/18/25 10:10	
Indeno(1,2,3-cd)pyrene	ug/kg	<3.5	16.7	03/18/25 10:10	
Naphthalene	ug/kg	<1.6	16.7	03/18/25 10:10	
Phenanthrene	ug/kg	<1.9	16.7	03/18/25 10:10	
Pyrene	ug/kg	<2.5	16.7	03/18/25 10:10	
2-Fluorobiphenyl (S)	%	72	36-120	03/18/25 10:10	
Terphenyl-d14 (S)	%	73	36-120	03/18/25 10:10	

LABORATORY CONTROL SAMPLE: 2853132

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1-Methylnaphthalene	ug/kg	334	243	73	51-120	
2-Methylnaphthalene	ug/kg	334	241	72	51-120	
Acenaphthene	ug/kg	334	239	72	56-120	
Acenaphthylene	ug/kg	334	240	72	56-120	
Anthracene	ug/kg	334	271	81	61-120	
Benzo(a)anthracene	ug/kg	334	246	74	54-120	
Benzo(a)pyrene	ug/kg	334	299	90	63-120	
Benzo(b)fluoranthene	ug/kg	334	260	78	60-120	
Benzo(g,h,i)perylene	ug/kg	334	270	81	68-125	
Benzo(k)fluoranthene	ug/kg	334	299	90	62-120	
Chrysene	ug/kg	334	296	89	60-120	
Dibenz(a,h)anthracene	ug/kg	334	271	81	62-120	
Fluoranthene	ug/kg	334	272	81	62-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

LABORATORY CONTROL SAMPLE: 2853132

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Fluorene	ug/kg	334	249	74	59-120	
Indeno(1,2,3-cd)pyrene	ug/kg	334	274	82	63-120	
Naphthalene	ug/kg	334	220	66	48-120	
Phenanthrene	ug/kg	334	277	83	57-120	
Pyrene	ug/kg	334	254	76	57-120	
2-Fluorobiphenyl (S)	%			70	36-120	
Terphenyl-d14 (S)	%			72	36-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2853133 2853134

Parameter	Units	40291958002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1-Methylnaphthalene	ug/kg	29.4	354	354	219	202	54	49	23-120	8	30	
2-Methylnaphthalene	ug/kg	36.6	354	354	219	204	52	47	24-120	7	31	
Acenaphthene	ug/kg	<2.3	354	354	209	197	59	55	38-120	6	37	
Acenaphthylene	ug/kg	6.2J	354	354	211	198	58	54	41-120	6	31	
Anthracene	ug/kg	6.3J	354	354	234	224	64	62	44-120	4	31	
Benzo(a)anthracene	ug/kg	25.2	354	354	217	214	54	53	32-120	1	34	
Benzo(a)pyrene	ug/kg	32.8	354	354	260	254	64	63	37-120	2	34	
Benzo(b)fluoranthene	ug/kg	52.5	354	354	233	232	51	51	37-120	0	46	
Benzo(g,h,i)perylene	ug/kg	31.6	354	354	251	231	62	56	33-125	8	35	
Benzo(k)fluoranthene	ug/kg	24.0	354	354	257	249	66	64	41-120	3	36	
Chrysene	ug/kg	47.5	354	354	250	249	57	57	38-120	0	35	
Dibenz(a,h)anthracene	ug/kg	6.7J	354	354	245	238	67	65	34-120	3	33	
Fluoranthene	ug/kg	60.1	354	354	244	248	52	53	37-120	2	48	
Fluorene	ug/kg	2.8J	354	354	216	205	60	57	36-120	6	35	
Indeno(1,2,3-cd)pyrene	ug/kg	22.9	354	354	248	243	64	62	33-120	2	34	
Naphthalene	ug/kg	19.8	354	354	191	174	48	44	27-120	9	39	
Phenanthrene	ug/kg	49.0	354	354	248	247	56	56	33-120	0	50	
Pyrene	ug/kg	48.5	354	354	227	230	50	51	34-120	2	45	
2-Fluorobiphenyl (S)	%						58	55	36-120			
Terphenyl-d14 (S)	%						59	56	36-120			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

QC Batch: 499658

Analysis Method: EPA 8270E by SIM

QC Batch Method: EPA 3546

Analysis Description: 8270E/3546 MSSV PAH by SIM

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40291958014, 40291958015

METHOD BLANK: 2853780

Matrix: Solid

Associated Lab Samples: 40291958014, 40291958015

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1-Methylnaphthalene	ug/kg	<2.4	16.7	03/19/25 10:08	
2-Methylnaphthalene	ug/kg	<2.4	16.7	03/19/25 10:08	
Acenaphthene	ug/kg	<2.2	16.7	03/19/25 10:08	
Acenaphthylene	ug/kg	<2.1	16.7	03/19/25 10:08	
Anthracene	ug/kg	<2.1	16.7	03/19/25 10:08	
Benzo(a)anthracene	ug/kg	<2.2	16.7	03/19/25 10:08	
Benzo(a)pyrene	ug/kg	<1.9	16.7	03/19/25 10:08	
Benzo(b)fluoranthene	ug/kg	<2.3	16.7	03/19/25 10:08	
Benzo(g,h,i)perylene	ug/kg	<2.9	16.7	03/19/25 10:08	
Benzo(k)fluoranthene	ug/kg	<2.1	16.7	03/19/25 10:08	
Chrysene	ug/kg	<3.2	16.7	03/19/25 10:08	
Dibenz(a,h)anthracene	ug/kg	<2.3	16.7	03/19/25 10:08	
Fluoranthene	ug/kg	<2.0	16.7	03/19/25 10:08	
Fluorene	ug/kg	<2.0	16.7	03/19/25 10:08	
Indeno(1,2,3-cd)pyrene	ug/kg	<3.5	16.7	03/19/25 10:08	
Naphthalene	ug/kg	<1.6	16.7	03/19/25 10:08	
Phenanthrene	ug/kg	<1.9	16.7	03/19/25 10:08	
Pyrene	ug/kg	<2.5	16.7	03/19/25 10:08	
2-Fluorobiphenyl (S)	%	67	36-120	03/19/25 10:08	
Terphenyl-d14 (S)	%	70	36-120	03/19/25 10:08	

LABORATORY CONTROL SAMPLE: 2853781

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1-Methylnaphthalene	ug/kg	333	230	69	51-120	
2-Methylnaphthalene	ug/kg	333	227	68	51-120	
Acenaphthene	ug/kg	333	236	71	56-120	
Acenaphthylene	ug/kg	333	233	70	56-120	
Anthracene	ug/kg	333	272	82	61-120	
Benzo(a)anthracene	ug/kg	333	246	74	54-120	
Benzo(a)pyrene	ug/kg	333	299	90	63-120	
Benzo(b)fluoranthene	ug/kg	333	254	76	60-120	
Benzo(g,h,i)perylene	ug/kg	333	216	65	68-125 L2	
Benzo(k)fluoranthene	ug/kg	333	305	92	62-120	
Chrysene	ug/kg	333	298	90	60-120	
Dibenz(a,h)anthracene	ug/kg	333	206	62	62-120	
Fluoranthene	ug/kg	333	272	82	62-120	
Fluorene	ug/kg	333	245	74	59-120	
Indeno(1,2,3-cd)pyrene	ug/kg	333	215	64	63-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

LABORATORY CONTROL SAMPLE: 2853781

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Naphthalene	ug/kg	333	194	58	48-120	
Phenanthrene	ug/kg	333	277	83	57-120	
Pyrene	ug/kg	333	259	78	57-120	
2-Fluorobiphenyl (S)	%			68	36-120	
Terphenyl-d14 (S)	%			73	36-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2853782 2853783

Parameter	Units	40292286003 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1-Methylnaphthalene	ug/kg	0.058 mg/kg	424	422	297	336	57	66	23-120	12	30	
2-Methylnaphthalene	ug/kg	0.056 mg/kg	424	422	298	321	57	63	24-120	8	31	
Acenaphthene	ug/kg	<0.0027 mg/kg	424	422	237	275	56	65	38-120	15	37	
Acenaphthylene	ug/kg	<0.0027 mg/kg	424	422	233	270	55	64	41-120	15	31	
Anthracene	ug/kg	<0.0026 mg/kg	424	422	261	297	62	70	44-120	13	31	
Benzo(a)anthracene	ug/kg	<0.0027 mg/kg	424	422	225	266	53	63	32-120	17	34	
Benzo(a)pyrene	ug/kg	<0.0024 mg/kg	424	422	241	288	57	68	37-120	18	34	
Benzo(b)fluoranthene	ug/kg	<0.0029 mg/kg	424	422	236	283	55	67	37-120	18	46	
Benzo(g,h,i)perylene	ug/kg	0.0054J mg/kg	424	422	243	295	56	69	33-125	19	35	
Benzo(k)fluoranthene	ug/kg	<0.0027 mg/kg	424	422	274	328	65	77	41-120	18	36	
Chrysene	ug/kg	<0.0040 mg/kg	424	422	276	317	64	74	38-120	14	35	
Dibenz(a,h)anthracene	ug/kg	<0.0029 mg/kg	424	422	252	300	59	71	34-120	18	33	
Fluoranthene	ug/kg	<0.0025 mg/kg	424	422	248	290	58	68	37-120	16	48	
Fluorene	ug/kg	<0.0025 mg/kg	424	422	242	283	57	67	36-120	16	35	
Indeno(1,2,3-cd)pyrene	ug/kg	<0.0044 mg/kg	424	422	246	297	58	70	33-120	19	34	
Naphthalene	ug/kg	0.22 mg/kg	424	422	296	310	18	21	27-120	5	39 M1	
Phenanthrene	ug/kg	0.0079J mg/kg	424	422	265	309	61	71	33-120	15	50	
Pyrene	ug/kg	<0.0031 mg/kg	424	422	237	278	55	65	34-120	16	45	
2-Fluorobiphenyl (S)	%						51	62	36-120			
Terphenyl-d14 (S)	%						49	60	36-120			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

QC Batch:	499025	Analysis Method:	ASTM D2974-87
QC Batch Method:	ASTM D2974-87	Analysis Description:	Dry Weight/Percent Moisture
		Laboratory:	Pace Analytical Services - Green Bay
Associated Lab Samples:	40291958001, 40291958002, 40291958003, 40291958004, 40291958005, 40291958006, 40291958007, 40291958008, 40291958009, 40291958010, 40291958011, 40291958012, 40291958013, 40291958014, 40291958015		

SAMPLE DUPLICATE: 2850397

Parameter	Units	40291885012 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	18.5	18.8	2	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALIFIERS

Project: 11874/MARATHON BOX CORP-1ST AV
Pace Project No.: 40291958

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - The reported result is an estimated value.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

DL - Adjusted Method Detection Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Analyte was not detected and is reported as less than the LOD or as defined by the customer.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

B	Analyte was detected in the associated method blank.
D3	Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.
L2	Analyte recovery in the laboratory control sample (LCS) was below QC limits. Results may be biased low.
M0	Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.
M1	Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.
R1	RPD value was outside control limits.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40291958001	GP-1(2-4')	EPA 3050B	499258	EPA 6010D	499375
40291958002	GP-2(2-4')	EPA 3050B	499258	EPA 6010D	499375
40291958003	GP-3(2-4')	EPA 3050B	499258	EPA 6010D	499375
40291958005	GP-4(2-4')	EPA 3050B	499258	EPA 6010D	499375
40291958007	GP-5(2-4')	EPA 3050B	499258	EPA 6010D	499375
40291958009	GP-6(2-4')	EPA 3050B	499258	EPA 6010D	499375
40291958011	GP-7(2-4')	EPA 3050B	499258	EPA 6010D	499375
40291958013	GP-8(2-4')	EPA 3050B	499258	EPA 6010D	499375
40291958014	GP-9(2-4')	EPA 3050B	499258	EPA 6010D	499375
40291958015	GP-10(2-4')	EPA 3050B	499258	EPA 6010D	499375
40291958001	GP-1(2-4')	EPA 7471	499855	EPA 7471	499995
40291958002	GP-2(2-4')	EPA 7471	499855	EPA 7471	499995
40291958003	GP-3(2-4')	EPA 7471	499855	EPA 7471	499995
40291958005	GP-4(2-4')	EPA 7471	499855	EPA 7471	499995
40291958007	GP-5(2-4')	EPA 7471	499855	EPA 7471	499995
40291958009	GP-6(2-4')	EPA 7471	499855	EPA 7471	499995
40291958011	GP-7(2-4')	EPA 7471	499855	EPA 7471	499995
40291958013	GP-8(2-4')	EPA 7471	499855	EPA 7471	499995
40291958014	GP-9(2-4')	EPA 7471	499855	EPA 7471	499995
40291958015	GP-10(2-4')	EPA 7471	499855	EPA 7471	499995
40291958001	GP-1(2-4')	EPA 3546	499547	EPA 8270E by SIM	499590
40291958002	GP-2(2-4')	EPA 3546	499547	EPA 8270E by SIM	499590
40291958003	GP-3(2-4')	EPA 3546	499547	EPA 8270E by SIM	499590
40291958005	GP-4(2-4')	EPA 3546	499547	EPA 8270E by SIM	499590
40291958007	GP-5(2-4')	EPA 3546	499547	EPA 8270E by SIM	499590
40291958009	GP-6(2-4')	EPA 3546	499547	EPA 8270E by SIM	499590
40291958011	GP-7(2-4')	EPA 3546	499547	EPA 8270E by SIM	499590
40291958013	GP-8(2-4')	EPA 3546	499547	EPA 8270E by SIM	499590
40291958014	GP-9(2-4')	EPA 3546	499658	EPA 8270E by SIM	499704
40291958015	GP-10(2-4')	EPA 3546	499658	EPA 8270E by SIM	499704
40291958001	GP-1(2-4')	EPA 5035/5030B	499090	EPA 8260	499095
40291958002	GP-2(2-4')	EPA 5035/5030B	499090	EPA 8260	499095
40291958003	GP-3(2-4')	EPA 5035/5030B	499191	EPA 8260	499198
40291958004	GP-3(16-18')	EPA 5035/5030B	499191	EPA 8260	499198
40291958005	GP-4(2-4')	EPA 5035/5030B	499191	EPA 8260	499198
40291958006	GP-4(15-16')	EPA 5035/5030B	499191	EPA 8260	499198
40291958007	GP-5(2-4')	EPA 5035/5030B	499191	EPA 8260	499198
40291958008	GP-5(15-17')	EPA 5035/5030B	499294	EPA 8260	499296
40291958009	GP-6(2-4')	EPA 5035/5030B	499294	EPA 8260	499296
40291958010	GP-6(15-16')	EPA 5035/5030B	499294	EPA 8260	499296
40291958011	GP-7(2-4')	EPA 5035/5030B	499294	EPA 8260	499296
40291958012	GP-7(15-17')	EPA 5035/5030B	499294	EPA 8260	499296
40291958013	GP-8(2-4')	EPA 5035/5030B	499345	EPA 8260	499348
40291958014	GP-9(2-4')	EPA 5035/5030B	499345	EPA 8260	499348
40291958015	GP-10(2-4')	EPA 5035/5030B	499345	EPA 8260	499348

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 11874/MARATHON BOX CORP-1ST AV

Pace Project No.: 40291958

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40291958016	GP-3 H2O	EPA 8260	499155		
40291958017	GP-4 H2O	EPA 8260	499155		
40291958018	GP-5 H2O	EPA 8260	499155		
40291958019	GP-6 H2O	EPA 8260	499155		
40291958020	GP-7 H2O	EPA 8260	499155		
40291958001	GP-1(2-4')	ASTM D2974-87	499025		
40291958002	GP-2(2-4')	ASTM D2974-87	499025		
40291958003	GP-3(2-4')	ASTM D2974-87	499025		
40291958004	GP-3(16-18')	ASTM D2974-87	499025		
40291958005	GP-4(2-4')	ASTM D2974-87	499025		
40291958006	GP-4(15-16')	ASTM D2974-87	499025		
40291958007	GP-5(2-4')	ASTM D2974-87	499025		
40291958008	GP-5(15-17')	ASTM D2974-87	499025		
40291958009	GP-6(2-4')	ASTM D2974-87	499025		
40291958010	GP-6(15-16')	ASTM D2974-87	499025		
40291958011	GP-7(2-4')	ASTM D2974-87	499025		
40291958012	GP-7(15-17')	ASTM D2974-87	499025		
40291958013	GP-8(2-4')	ASTM D2974-87	499025		
40291958014	GP-9(2-4')	ASTM D2974-87	499025		
40291958015	GP-10(2-4')	ASTM D2974-87	499025		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CHAIN-OF-CUSTODY Analytical Request Document Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields										LAB USE ONLY- Affix Workorder/Login Label Here or List Pace Workorder Number or MTJL Log-In Number Here 40291958																			
Company: DEL Engineering, Inc					Billing Information:					ALL SHADED AREAS are for LAB USE ONLY																			
Address: 4080 N 20th Ave, Wausau, WI 54981					Email To: Sam E					Container Preservative Type **					Lab Project Manager:														
Report To: Chase Kresl					Site Collection Info/Address:					** Preservative Types: (1) nitric acid, (2) sulfuric acid, (3) hydrochloric acid, (4) sodium hydroxide, (5) zinc acetate, (6) methanol, (7) sodium bisulfate, (8) sodium thiosulfate, (9) hexane, (A) ascorbic acid, (B) ammonium sulfate, (C) ammonium hydroxide, (D) TSP, (U) Unpreserved, (O) Other																			
Copy To:					State: County/City: Time Zone Collected:					Analyses					Lab Profile/Line:														
Customer Project Name/Number: Marathon Bay Corp - 2nd Ave / 11874					State: / County/City: [] PT [] MT [] CT [] ET					Lab Sample Receipt Checklist: Custody Seals Present/Intact Y N NA Custody Signatures Present Y N NA Collector Signature Present Y N NA Bottles Intact Y N NA Correct Bottles Y N NA Sufficient Volume Y N NA Samples Received on Ice Y N NA VOA - Headspace Acceptable Y N NA USDA Regulated Soils Y N NA Samples in Holding Time Y N NA Residual Chlorine Present Y N NA Cl Strips: Y N NA Sample pH Acceptable Y N NA pH Strips: Y N NA Sulfide Present Y N NA Lead Acetate Strips: Y N NA LAB USE ONLY: Lab Sample # / Comments: 3/11/25																			
Phone: 715 675 9789		Site/Facility ID #:			Compliance Monitoring?			UOL PAH PCA Metals Dryweight																					
Email: chase.kresl@del-engineering.com		Purchase Order #: Quote #:			DW PWS ID #: DW Location Code:																								
Collected By (print): Chase Kresl		Turnaround Date Required:			Immediately Packed on Ice:																								
Collected By (signature): [Signature]		Rush: [] Same Day [] Next Day [] 2 Day [] 3 Day [] 4 Day [] 5 Day (Expedite Charges Apply)			Field Filtered (if applicable): [] Yes [] No																								
Sample Disposal: [] Dispose as appropriate [] Return [] Archive: [] Hold:					Analysis:																								
* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SL), Oil (OL), Wipe (WP), Air (AR), Tissue (TS), Bioassay (B), Vapor (V), Other (OT)																													
Customer Sample ID		Matrix *	Comp / Grab	Collected (or Composite Start)		Composite End		Res Cl	# of Ctns																				
GP-1 (2-4')		S	G	3/10/25 0820					3																				
GP-2 (2-4')				0840					3																				
GP-3 (2-4')				0855					3																				
GP-3 (16-18')				0905					2																				
GP-4 (2-4')				0925					3																				
GP-4 (15-16')				0935					2																				
GP-5 (2-4')				0950					3																				
GP-5 (15-17')				1000					2																				
GP-6 (2-4')				1020					3																				
GP-6 (15-16')				1030					2																				
Customer Remarks / Special Conditions / Possible Hazards:										Type of Ice Used: Wet Blue Dry None					SHORT HOLDS PRESENT (<72 hours): Y N N/A					Lab Sample Temperature Info: Temp Blank Received: Y N NA Therm ID#: _____ Cooler 1 Temp Upon Receipt: _____ oC Cooler 1 Therm Corr. Factor: _____ oC Cooler 1 Corrected Temp: _____ oC Comments:									
										Packing Material Used:					Lab Tracking #: 2887246														
										Radchem sample(s) screened (<500 cpm): Y N NA					Samples received via: FEDEX UPS Client Courier Pace Courier														
Relinquished by/Company: (Signature)			Date/Time:		Received by/Company: (Signature)			Date/Time:		MTJL LAB USE ONLY																			
Relinquished by/Company: (Signature)			Date/Time:		Received by/Company: (Signature)			Date/Time:		Table #:																			
Relinquished by/Company: (Signature)			Date/Time:		Received by/Company: (Signature)			Date/Time:		Acctnum:																			
Relinquished by/Company: (Signature)			Date/Time:		Received by/Company: (Signature)			Date/Time:		Template:																			
Relinquished by/Company: (Signature)			Date/Time:		Received by/Company: (Signature)			Date/Time:		Prelogin:																			
Relinquished by/Company: (Signature)			Date/Time:		Received by/Company: (Signature)			Date/Time:		PM:																			
Relinquished by/Company: (Signature)			Date/Time:		Received by/Company: (Signature)			Date/Time:		PB:																			
										Trip Blank Received: Y N NA					HCL MeOH TSP Other														
										Non Conformance(s): YES / NO					Page: 85 of 88														
															of: 2														

Effective Date: 8/16/2022

Sample Preservation Receipt Form

Client Name: REI

Project #

40291958

All containers needing preservation have been checked and noted below:

☐ Yes☐ No☒ N/A

Lab Lot# of pH paper:

Lab Std #ID of preservation (if pH adjusted):

Initial when
completed:Date/
Time:

Pace Lab #	Glass						Plastic						Vials					Jars				General				VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)	
	AG1U	BG1U	AG1H	AG4S	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	BP2Z	VG9C	DG9T	VG9U	VG9H	VG9M	VG9D	JG9U	JG9U	WG9U	WPFU	SP5T	ZPLC								GN 1
001																				2												2.5 / 5	
002																				2												2.5 / 5	
003																				2												2.5 / 5	
004																							—									2.5 / 5	
005																				2												2.5 / 5	
006																							—									2.5 / 5	
007																				2												2.5 / 5	
008																							—									2.5 / 5	
009																				2												2.5 / 5	
010																							—									2.5 / 5	
011																				2												2.5 / 5	
012																							—									2.5 / 5	
013																				2												2.5 / 5	
014																				2												2.5 / 5	
015																				2												2.5 / 5	
016																																	2.5 / 5
017																																	2.5 / 5
018																																	2.5 / 5
019																																	2.5 / 5
020																																	2.5 / 5

Exceptions to preservation check: (VOA), Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other: _____Headspace in VOA Vials (>6mm) : ☐ Yes ☒ No ☐ N/A *If yes look in headspace column

AG1U	1 liter amber glass	BP1U	1 liter plastic unpres	VG9C	40 mL clear ascorbic w/ HCl	JG9U	4 oz amber jar unpres
BG1U	1 liter clear glass	BP3U	250 mL plastic unpres	DG9T	40 mL amber Na Thio	JG9U	9 oz amber jar unpres
AG1H	1 liter amber glass HCL	BP3B	250 mL plastic NaOH	VG9U	40 mL clear vial unpres	WG9U	4 oz clear jar unpres
AG4S	125 mL amber glass H ₂ SO ₄	BP3N	250 mL plastic HNO ₃	VG9H	40 mL clear vial HCL	WPFU	4 oz plastic jar unpres
AG5U	100 mL amber glass unpres	BP3S	250 mL plastic H ₂ SO ₄	VG9M	40 mL clear vial MeOH	SP5T	120 mL plastic Na Thiosulfate
AG2S	500 mL amber glass H ₂ SO ₄	BP2Z	500 mL plastic NaOH + Zn	VG9D	40 mL clear vial DI	ZPLC	ziploc bag
BG3U	250 mL clear glass unpres					GN 1	
						GN 2	

Page 1 of 2

Sample Condition Upon Receipt Form (SCUR)

Project #:

Client Name: REI

Courier: ☐ CS Logistics ☐ Fed Ex ☐ Speedee ☐ UPS ☒ Purple Mountain
☐ Client ☐ Pace Other: _____

Tracking #: 390688

Custody Seal on Cooler/Box Present: ☐ yes ☒ no Seals intact: ☐ yes ☐ no

Custody Seal on Samples Present: ☐ yes ☒ no Seals intact: ☐ yes ☐ no

Packing Material: ☐ Bubble Wrap ☒ Bubble Bags ☐ None ☐ Other _____

Thermometer Used SR-138 Type of Ice: ☒ Wet ☐ Blue ☐ Dry ☐ None ☐ Meltwater Only

Cooler Temperature Uncorr: 2.5 /Corr: 2.5

Temp Blank Present: ☒ yes ☐ no Biological Tissue is Frozen: ☐ yes ☐ no

Temp should be above freezing to 6°C.

Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Person examining contents:

Date: 3/11/25 /Initials: NK

Labeled By Initials: MCA

Chain of Custody Present:	☒ Yes ☐ No ☐ N/A	1.
Chain of Custody Filled Out:	☒ Yes ☐ No ☐ N/A	2.
Chain of Custody Relinquished:	☒ Yes ☐ No ☐ N/A	3.
Sampler Name & Signature on COC:	☒ Yes ☐ No ☐ N/A	4.
Samples Arrived within Hold Time:	☒ Yes ☐ No	5.
- DI VOA Samples frozen upon receipt	☐ Yes ☐ No	Date/Time:
Short Hold Time Analysis (<72hr):	☐ Yes ☒ No	6.
Rush Turn Around Time Requested:	☐ Yes ☒ No	7.
Sufficient Volume:		8.
For Analysis: ☒ Yes ☐ No MS/MSD: ☐ Yes ☒ No ☐ N/A		
Correct Containers Used:	☒ Yes ☐ No	9.
Correct Type: <u>Pace Green Bay</u> , Pace IR, Non-Pace		
Containers Intact:	☒ Yes ☐ No	10.
Filtered volume received for Dissolved tests	☐ Yes ☐ No ☒ N/A	11.
Sample Labels match COC:	☒ Yes ☐ No ☐ N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>W/S</u>		
Trip Blank Present:	☐ Yes ☐ No ☒ N/A	13.
Trip Blank Custody Seals Present	☐ Yes ☐ No ☒ N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution:

If checked, see attached form for additional comments ☐

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample logir

Page 2 of 2